

Zicron[®]



GUARANTEED ANALYSIS

Sulfur (S)	3.0%
3.0% Combined Sulfur	
Manganese (Mn)	1.0%
1.0% Water Soluble Manganese	
Zinc (Zn)	6.0%
6.0% Water Soluble Zinc	

Derived from: manganese sulfate complexed with gluconic acids, zinc sulfate complexed with gluconic acids and lignosulfonate.

2.5 US Gal / 9.5 Liters
10.5 lbs per Gallon @ 68° F
1.3 kgs per Liter @ 20° C
Net Weight 26.3 lbs / 11.9 kgs

DO NOT STORE BELOW 40°F (5°C)



fbsciences[®]

FBSciences Inc.
153 N. Main St, Suite 100 | Collierville, TN 38017 USA

USA111423 | F1837 **3102902**



Mn 1%

Zn 6%

COVER (FRONT OF LABEL) ↑

SPECIMEN LABEL

↓ BACK (BACK OF LABEL)



ORGANICS

Zicron[®]

DIRECTIONS FOR USE

Foliar Applications: DO NOT spray in the heat of the day or when the plant is under moisture stress. DO NOT spray to the point of runoff. Use as fine of a spray mist as possible. Allow 3-4 hours after application before sprinkler irrigating to avoid washing the product off. Shake well and/or agitate before use

For Soil Applications: Use watered-in applications for best results. May be applied via irrigation system or prior to irrigation. Apply enough water to move the product into the area of active rooting, but not excessive amounts that may leach. Use the higher label rates with surface and flood irrigation. Shake well and/or agitate before each use. DO NOT mix with other products in concentrated form without first adding water.

Recommended mixing sequence: water, adjuvants, pesticides, FBSciences nutrient products, other fertilizers, and balance of water if any. A standard jar test is recommended before tank mixing.

RATES & TIMING FOR ALL CROPS

Foliar: Apply **1-6 pints/acre** any time during the growing season; repeat as needed.

Soil: Apply **1-8 quarts/acre** any time during the growing season; repeat as needed.

INSTRUCCIONES DE USO

Foliar: NO rociar en el calor del día o cuando la planta esté bajo estrés por humedad. NO rociar hasta el punto de escorrentía. Usar una niebla de rociado lo más fina posible. Esperar de 3 a 4 horas después de la aplicación antes del riego por aspersión para evitar lavar el producto. Agitar bien y / o agitar antes de cada uso.

Suelo: Para obtener mejores resultados, usar aplicaciones con agua. Puede aplicarse a través del sistema de riego o antes del riego. Aplicar suficiente agua para mover el producto al área de enraizamiento activo, pero no en cantidades excesivas que puedan filtrarse. Usar las tasas de etiqueta más altas con riego por inundación y por superficie. Agitar bien y / o agitar antes de usar.

Secuencia de mezcla recomendada: Agua, adyuvantes, pesticidas, productos nutritivos de FBSciences, otros fertilizantes, y balance de agua si alguna.

TASAS Y MOMENTO PARA TODOS LOS CULTIVOS

Foliar: Aplicar de **1 a 6 pinta/s/acre** en cualquier momento durante la temporada de crecimiento; Repetir según sea necesario.

Suelo: Aplicar de **1 a 8 cuartos de galón/acre** en cualquier momento durante la temporada de crecimiento; repetir según sea necesario.

WARNING

READ ENTIRE LABEL BEFORE USE | KEEP OUT OF REACH OF CHILDREN



HAZARD STATEMENTS Causes serious eye irritation. **AVISO PELIGRO** Puede ser dañino si se ingiere.

PRECAUTIONARY STATEMENTS Wash hands thoroughly after handling. Wear eye protection/face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention.

WARRANTY AND CONDITIONS OF SALE Manufacturer warrants that this material conforms to the chemical description hereon and is reasonably fit for use as directed. No other warranty is made, either expressed or implied. BEFORE OPENING, see other conditions and limitations that apply which are available at: <http://www.FBSciences.com/ProductConditionsOfSale/>. See patent and other patents pending: <http://www.fbsciencespatents.com>. Information regarding the contents and levels of metals in this product is available on the Internet at: <http://www.aapfco.org/metals.html>

3152902