



Copron® Soil

SOIL-APPLIED LIQUID NUTRIENT

Cu 5%



GUARANTEED ANALYSIS

Sulfur (S)	2.5%
2.5% Combined Sulfur	
Copper (Cu)	5.0%
5.0% Water Soluble Copper	

Derived from: copper sulfate.

2.5 US Gal / 9.5 Liters
10.3 lbs per Gallon @ 68° F
1.2 kgs per Liter @ 20° C
Net Weight 25.7 lbs / 11.6 kgs

DO NOT STORE BELOW 40° F (5° C)

FBSciences Inc.

153 N. Main St, Suite 100 | Collierville, TN 38017 USA

USA071322 | F1837

3102015



Copron® Soil

DIRECTIONS FOR USE

For best results, use watered-in applications. May be applied via irrigation system or prior to irrigation. Apply enough water to move the product into the area of active rooting, but not excessive amounts that may leach. Use the higher label rates with surface and flood irrigation.

DO NOT mix with other products in concentrated form without first adding water. Recommended mixing sequence: water, adjuvants, pesticides, FBSciences nutrient products, other fertilizers, balance of water while agitating. Ensure agitation is available when mixing with sulfate fertilizers. Do NOT mix with high phosphate fertilizers. A standard jar test is recommended before tank mixing.

RATES & TIMING FOR ALL CROPS

Apply **1-8 quarts/acre** any time during growing season; repeat as needed.

INSTRUCCIONES DE USO

Para obtener mejores resultados, usar aplicaciones con agua. Puede aplicarse a través del sistema de riego o antes del riego. Aplicar suficiente agua para mover el producto al área de enraizamiento activo, pero no cantidades excesivas que puedan filtrarse. Usar las tasas de etiqueta más altas con riego por inundación y por superficie.

NO mezclar con otros productos en forma concentrada sin antes agregar agua. Secuencia de mezcla recomendada: agua, adyuvantes, pesticidas, productos nutritivos de FBSciences, otros fertilizantes, balance de agua mientras se agita. Asegurarse de que haya agitación disponible al mezclar con fertilizantes de sulfato. NO mezclar con productos con alto contenido de fósforo. Se recomienda una prueba de jarrón estándar antes de mezclar en el tanque.

TASAS Y MOMENTO PARA TODOS LOS CULTIVOS

Aplicar de **1 a 8 cuartos de galón/acre** en cualquier momento durante la temporada de crecimiento; repetir según sea necesario.

WARNING

READ ENTIRE LABEL BEFORE USE | KEEP OUT OF REACH OF CHILDREN



HAZARD STATEMENTS Harmful if swallowed. Causes serious eye irritation.

AVISO PELIGRO Nocivo si se ingiere. Provoca irritación ocular grave.

PRECAUTIONARY STATEMENTS Wear protective gloves/clothing and eye/face protection. Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product. **IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If eye irritation persists, get medical attention. **IF SWALLOWED:** Rinse mouth. Call a POISON CENTER or doctor/physician if you feel unwell. Dispose of contents/container in accordance with local/national regulations.

WARRANTY AND CONDITIONS OF SALE Manufacturer warrants that this material conforms to the chemical description herein and is reasonably fit for use as directed. No other warranty is made, either expressed or implied. BEFORE OPENING, see other conditions and limitations that apply which are available at: <http://www.FBSciences.com/ProductConditionsOfSale/>. See patent and other patents pending: <http://www.fbsciencespatents.com>. Information regarding the contents and levels of metals in this product is available on the Internet at: <http://www.aapfco.org/metals.html>