SAFETY DATA SHEET



1. Identification

Product identifier ODORID® DRY - CANISTERS

Other means of identification

Product code 018475

Recommended use A deodorizer used for odor removal applications

Recommended restrictions Hazard classification applies to powder mixture in canister.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company nameKemin Industries, Inc.Address2650 Ventura Drive

Norman, Oklahoma 73069

United States

Telephone +1-405-329-5556
Website http://www.kemin.com/
E-mail media@kemin.com

Emergency phone number CHEMTREC +1-800-424-9300

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Acute toxicity, oral Category 4

Acute toxicity, dermal

Acute toxicity, inhalation

Skin corrosion/irritation

Serious eye damage/eye irritation

Category 1

Carcinogenicity

Category 1

exposure

Environmental hazards Not classified.

OSHA defined hazards Not classified.

Label elements



Signal word Danger

Hazard statement Harmful if swallowed. Harmful in contact with skin. Causes severe skin burns and eye damage.

Causes serious eye damage. Harmful if inhaled. May cause cancer. Causes damage to organs

through prolonged or repeated exposure.

Precautionary statement

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid breathing dust. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face

protection.

Response Rinse mouth. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off

immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a

poison center/doctor. Take off contaminated clothing and wash it before reuse.

Storage Store locked up.

Material name: ODORID® DRY - CANISTERS 018475 Version #: 01 Issue date: 04-04-2025

Disposal

Hazard(s) not otherwise classified (HNOC)

Dispose of contents/container in accordance with local/regional/national/international regulations.

None known.

Supplemental information

88.55, 88.55% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 88.55, 88.55% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Diatomaceous Earth		61790-53-2	40 - < 50
Perlite		93763-70-3	40 - < 50
Sodium Chlorite		7758-19-2	5 - < 10
Dichloroisocyanuric Acid Sodium Salt		2893-78-9	3 - < 5
CITRIC ACID		77-92-9	1 - < 3

4. First-aid measures

Inhalation

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or artificial respiration if needed. Call a poison center or doctor/physician if you feel unwell.

Skin contact

Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician or poison control center immediately. Chemical burns must be treated by a physician. Wash contaminated clothing before reuse.

Eye contact

Do not rub eyes. Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control center immediately.

Ingestion

Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Most important

symptoms/effects, acute and

delayed Indication of immediate

medical attention and special treatment needed

General information

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Prolonged exposure may cause chronic effects.

Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area, Call an ambulance. Continue flushing during transport to hospital. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Chlorine dioxide vapors are emitted when this product contacts acids, chlorine, or liquid water. If these vapors are inhaled move person into fresh air. If not breathing, give artificial respiration. Consult a physician. Monitor patient closely for delayed development of pulmonary edema which may occur up to 48-72 hours post inhalation.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

Special protective equipment

During fire, gases hazardous to health may be formed.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

and precautions for firefighters Fire fighting

equipment/instructions

Use water spray to cool unopened containers.

Specific methods General fire hazards Use standard firefighting procedures and consider the hazards of other involved materials.

No unusual fire or explosion hazards noted.

Material name: ODORID® DRY - CANISTERS 018475 Version #: 01 Issue date: 04-04-2025

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of dust. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). This product is miscible in water. Stop the flow of material, if this is without risk.

Large Spills: Wet down with water and dike for later disposal. Shovel the material into waste container. Following product recovery, flush area with water.

Small Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal. Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. Put material in suitable, covered, labeled containers. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Minimize dust generation and accumulation. Do not get in eyes, on skin, or on clothing. Do not taste or swallow. Avoid breathing dust. Avoid prolonged exposure. When using, do not eat, drink or smoke. Should be handled in closed systems, if possible. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Wash contaminated clothing before reuse. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store in accordance with local/regional/national/international regulation. Store in a tightly close container when not in use. Store in a well-ventilated place. Store away from incompatible materials (see section 10 of the SDS). Do not let storage temperature exceed 125°F (52°C). Storage on wooden floors and pallets is not recommended.

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. OSHA Table Z-3 (29 CFR 1910.1000)

Components	Туре	Value	Form
Diatomaceous Earth (CAS 61790-53-2)	TWA	0.8 mg/m3	
		20 mppcf	
Perlite (CAS 93763-70-3)	TWA	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction.
US. NIOSH: Pocket Guide to Chen	nical Hazards		
Components	Туре	Value	Form
Diatomaceous Earth (CAS 61790-53-2)	TWA	6 mg/m3	
Perlite (CAS 93763-70-3)	TWA	5 mg/m3	Respirable.
		10 mg/m3	Total

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product. Exposure of canisters to ambient humidity leads to the formation of chlorine dioxide (ClO2) gas. Chlorine dioxide vapor from opened canisters used under poor ventilation may cause respiratory irritation. Severe overexposure may cause lung damage. Chlorine dioxide has an OSHA Permissible Exposure Limit (PEL) of 0.1 ppm and an OSHA Short Term Exposure Limit (STEL) of 0.3 ppm. Use canisters only in well-ventilated areas. For applications where airborne concentrations of chlorine dioxide concentrations exceed exposure limits, respiratory protection is required.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles) and a face shield.

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Observe any medical surveillance requirements. Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance White powder.

Physical state Solid.
Form Solid.

Color White To Off-White.

Odor Slight odor of chlorine.

Odor threshold Not available.

pH Not available.

Melting point/freezing point 356 °F (180 °C) estimated

Initial boiling point and boiling

range

Not available.

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density Not available.

Relative density Not available.

Solubility(ies)

Solubility (water) Approximately 20%

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity Not available.

Other information

Explosive properties Not explosive. **Oxidizing properties** Not oxidizing.

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

Contact of powdered mixture in canister with acids, chlorine or liquid water can result in the

evolution of Chlorine dioxide gas (CIO2).

Conditions to avoid Avoid heat, flames, sparks and other sources of ignition. Avoid evaporation to dryness. Dried

material can ignite upon contact with combustibles. Avoid contamination with foreign materials.

Avoid Exposure to sunlight or ultraviolet light.

Incompatible materials Acids, Reducing agents, Combustible material, Oxidizing agents, Hypochlorite, Organic solvents

and compounds, Garbage, Dirt, Organic materials, Household products, Chemicals, Soap products, paint products, Vinegar, Beverages, Oils, Pine Oil, Dirty rags, Sulfur-containing rubber,

or any other foreign matter.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation Harmful if inhaled.

Skin contact Causes severe skin burns. Harmful in contact with skin.

Eye contact Causes serious eye damage.

Ingestion Causes digestive tract burns. Harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including

blindness could result.

Information on toxicological effects

Acute toxicity Harmful if inhaled. Harmful in contact with skin. Harmful if swallowed.

Product	Species	Test Results
ODORID® DRY - CANIST	ERS	
<u>Chronic</u>		
Dermal		
LD50	Rabbit	2000 mg/kg
		107.2 mg/kg
Inhalation		
LC50	Rat	230 mg/m³, 4 hours
		0.6 mg/l, 4 hours
Oral		
LD50	Rat	1823 mg/kg
		165 mg/kg
Components	Species	Test Results
CITRIC ACID (CAS 77-92-	9)	
<u>Acute</u>		
Oral		
LD50	Rat	6730 mg/kg
Diatomaceous Earth (CAS	61790-53-2)	
<u>Acute</u>		
Oral		
LD50	Rat	> 22500 mg/kg
Sodium Chlorite (CAS 775	8-19-2)	
<u>Acute</u>		
Dermal		
LD50	Rabbit	100 mg/kg, 24 Hours

Components Species Test Results

Inhalation

LC50 Rat 0.29 mg/l, 4 Hours

Oral

LD50 Rat 165 mg/kg

Skin corrosion/irritation Causes severe skin burns and eye damage.

Serious eye damage/eye

ge/eye Causes serious eye damage.

irritation

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity May cause cancer.

IARC Monographs. Overall Evaluation of Carcinogenicity

Diatomaceous Earth (CAS 61790-53-2)

3 Not classifiable as to carcinogenicity to humans.

Sodium Chlorite (CAS 7758-19-2)

3 Not classifiable as to carcinogenicity to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard Not an aspiration hazard.

Chronic effects Prolonged inhalation may be harmful. Causes damage to organs through prolonged or repeated

exposure.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components Species Test Results

Dichloroisocyanuric Acid Sodium Salt (CAS 2893-78-9)

Aquatic

Acute

Crustacea EC50 Water flea (Daphnia magna) 0.15 mg/l, 48 hours
Fish LC50 Rainbow trout,donaldson trout 0.29 mg/l, 96 hours

(Oncorhynchus mykiss)

Persistence and degradability
No data is available on the degradability of any ingredients in the mixture.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

CITRIC ACID -1.64

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site. Incinerate the

material under controlled conditions in an approved incinerator. Dispose of contents/container in

accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Material name: ODORID® DRY - CANISTERS 018475 Version #: 01 Issue date: 04-04-2025

Hazardous waste code D002: Waste Corrosive material [pH <=2 or =>12.5, or corrosive to steel]

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

UN1759 **UN** number

UN proper shipping name

Corrosive solids, n.o.s. (contains sodium chlorite, sodium dichloroisocyanurate)

Transport hazard class(es)

Class 8 Subsidiary risk 8 Label(s) Packing group Ш

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IATA

UN number

UN proper shipping name

Corrosive solids, n.o.s. (contains sodium chlorite, sodium dichloroisocyanurate)

Transport hazard class(es)

8 Class Subsidiary risk Ш Packing group **Environmental hazards** No. **ERG Code** 8L

Other information

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Passenger and cargo

aircraft

Allowed with restrictions.

Cargo aircraft only Allowed with restrictions.

IMDG

UN number UN1759

UN proper shipping name Transport hazard class(es) Corrosive solids, n.o.s. (contains sodium chlorite, sodium dichloroisocyanurate)

8 Subsidiary risk Packing group Ш

Environmental hazards

Marine pollutant No.

EmS Not available.

Transport in bulk according to

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Not applicable.

Annex II of MARPOL 73/78 and

the IBC Code

DOT





15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Yes

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

chemical

Classified hazard

categories

Acute toxicity (any route of exposure)

Skin corrosion or irritation

Serious eye damage or eye irritation

Carcinogenicity

Specific target organ toxicity (single or repeated exposure)

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

(SDWA)

Contains component(s) regulated under the Safe Drinking Water Act.

US state regulations

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd.

(a))

Sodium Chlorite (CAS 7758-19-2)

California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes

Country(s) or region Inventory name On inventory (yes/no)* Europe European Inventory of Existing Commercial Chemical

Substances (EINECS)

European List of Notified Chemical Substances (ELINCS) Europe No Japan Inventory of Existing and New Chemical Substances (ENCS) No Korea Existing Chemicals List (ECL) Yes New Zealand **New Zealand Inventory** Yes **Philippines** Philippine Inventory of Chemicals and Chemical Substances Yes

(PICCS)

Taiwan Taiwan Chemical Substance Inventory (TCSI) Yes Toxic Substances Control Act (TSCA) Inventory United States & Puerto Rico No

16. Other information, including date of preparation or last revision

04-04-2025 Issue date

Version #

List of abbreviations AICIS: Australian Inventory of Industrial Chemicals.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, Disclaimer

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

Material name: ODORID® DRY - CANISTERS 018475 Version #: 01 Issue date: 04-04-2025

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).