

# SAFETY DATA SHEET

## ZEP ECOM BUNDLE ZUSOE16 ECRAG01

Version 1.1

Revision Date 12/21/2025

Print Date 02/20/2026

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name : ZEP ECOM BUNDLE ZUSOE16 ECRAG01

Material number : ECBD031

#### Manufacturer or supplier's details

Company : Zep Inc.

Address : 11627 - 178 Street  
Edmonton, Alberta T5S 1N6  
Canada

Telephone : Compliance Services - 877-428-9937

#### Emergency telephone numbers

**For SDS Information** : Compliance Services - 877-428-9937

**For a Medical Emergency** : 877-541-2016 Toll Free - All Calls Recorded

**For a Transportation  
Emergency** : CHEMTREC: 800-424-9300 - All Calls Recorded.

#### Recommended use of the chemical and restrictions on use

### SECTION 2. HAZARDS IDENTIFICATION

#### Emergency Overview

|            |                                    |
|------------|------------------------------------|
| Appearance | Aerosol containing a liquefied gas |
| Colour     | opaque                             |
| Odour      | pleasant                           |

#### GHS Classification

Flammable aerosols : Category 2  
Gases under pressure : Liquefied gas

#### GHS label elements

# SAFETY DATA SHEET

## ZEP ECOM BUNDLE ZUSOE16 ECRAG01

Version 1.1

Revision Date 12/21/2025

Print Date 02/20/2026

Hazard pictograms

:



Flame



Gas cylinder



Exclamation mark

Signal word

: Warning

Hazard statements

: H223 Flammable aerosol.  
H280 Contains gas under pressure; may explode if heated.  
H317 May cause an allergic skin reaction.

Precautionary statements

: **Prevention:**  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P211 Do not spray on an open flame or other ignition source.  
P251 Pressurized container: Do not pierce or burn, even after use.  
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P280 Wear protective gloves.  
**Response:**  
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P362 + P364 Take off contaminated clothing and wash it before reuse.  
**Storage:**  
P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.  
**Disposal:**  
P501 Dispose of contents/container in accordance with local regulation.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

: Mixture

#### Hazardous components

| Chemical name                            | CAS-No.    | Concentration [%] * |
|------------------------------------------|------------|---------------------|
| alkanes, C12-14-iso-                     | 68551-19-9 | >= 10 - < 30        |
| butane                                   | 106-97-8   | >= 5 - < 10         |
| 1,2,3-Propanetriol, homopolymer, (9Z)-9- | 9007-48-1  | >= 1 - < 5          |

# SAFETY DATA SHEET

## ZEP ECOM BUNDLE ZUSOE16 ECRA01

Version 1.1

Revision Date 12/21/2025

Print Date 02/20/2026

|                      |          |                |
|----------------------|----------|----------------|
| octadecenoate        |          |                |
| propane              | 74-98-6  | $\geq 1 - < 5$ |
| dodecyl methacrylate | 142-90-5 | $\geq 1 - < 5$ |

\* The exact percentages of disclosed substances are withheld as trade secrets.

### SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.  
Show this safety data sheet to the doctor in attendance.  
  
Do not leave the victim unattended.  
  
Get medical attention.
- If inhaled : If unconscious, place in recovery position and seek medical advice.  
If symptoms persist, call a physician.
- In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes.  
Wash contaminated clothing before re-use.  
If skin irritation persists, call a physician.  
Remove contaminated clothing and shoes.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.
- If swallowed : DO NOT induce vomiting unless directed to do so by a physician or poison control center.  
Keep respiratory tract clear.  
If conscious, drink plenty of water.
- Most important symptoms and effects, both acute and delayed : Effects are immediate and delayed.  
Symptoms may include irritation, redness, pain, and rash.  
Effects are dependent on exposure (dose, concentration, contact time).  
May cause an allergic skin reaction.  
Review section 2 of SDS to see all potential hazards.
- Notes to physician : Treat symptomatically. Symptoms may be delayed.

# SAFETY DATA SHEET

## ZEP ECOM BUNDLE ZUSOE16 ECRA01

Version 1.1

Revision Date 12/21/2025

Print Date 02/20/2026

---

### SECTION 5. FIREFIGHTING MEASURES

|                                               |                                                                                                                                                                                                                                                                                                                                                                                 |
|-----------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Suitable extinguishing media                  | : Alcohol-resistant foam<br>Carbon dioxide (CO <sub>2</sub> )<br>Dry chemical                                                                                                                                                                                                                                                                                                   |
| Unsuitable extinguishing media                | : High volume water jet                                                                                                                                                                                                                                                                                                                                                         |
| Specific hazards during firefighting          | : Do not allow run-off from fire fighting to enter drains or water courses.                                                                                                                                                                                                                                                                                                     |
| Hazardous combustion products                 | : Carbon dioxide (CO <sub>2</sub> )<br>Carbon monoxide<br>Smoke                                                                                                                                                                                                                                                                                                                 |
| Specific extinguishing methods                | : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.                                                                                                                                                                                                                                                                       |
| Further information                           | : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.<br>Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.<br>For safety reasons in case of fire, cans should be stored separately in closed containments.<br>Use a water spray to cool fully closed containers. |
| Special protective equipment for firefighters | : Wear self-contained breathing apparatus for firefighting if necessary.                                                                                                                                                                                                                                                                                                        |

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

|                                                                     |                                                                                                                                                                                                                                                       |
|---------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Personal precautions, protective equipment and emergency procedures | : Use personal protective equipment.<br>Ensure adequate ventilation.<br>Remove all sources of ignition.<br>Evacuate personnel to safe areas.<br>Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. |
| Environmental precautions                                           | : Prevent product from entering drains.<br>Prevent further leakage or spillage if safe to do so.<br>If the product contaminates rivers and lakes or drains, inform respective authorities.                                                            |
| Methods and materials for containment and cleaning up               | : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).<br>Sweep up or vacuum up spillage and collect in suitable container for disposal.                                                            |

# SAFETY DATA SHEET

## ZEP ECOM BUNDLE ZUSOE16 ECRA01

Version 1.1

Revision Date 12/21/2025

Print Date 02/20/2026

### SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : Do not breathe vapours/dust.  
Avoid exposure - obtain special instructions before use.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Take precautionary measures against static discharges.  
Provide sufficient air exchange and/or exhaust in work rooms.  
Dispose of rinse water in accordance with local and national regulations.  
Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
- Conditions for safe storage : BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects.  
No smoking.  
Observe label precautions.  
Keep in a dry, cool and well-ventilated place.  
Electrical installations / working materials must comply with the technological safety standards.
- Materials to avoid : Oxidizing agents

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

| Components | CAS-No.  | Value type (Form of exposure) | Control parameters / Permissible concentration | Basis     |
|------------|----------|-------------------------------|------------------------------------------------|-----------|
| butane     | 106-97-8 | TWA                           | 1,000 ppm                                      | CA AB OEL |
|            |          | TWA                           | 600 ppm                                        | CA BC OEL |
|            |          | STEL                          | 750 ppm                                        | CA BC OEL |
|            |          | TWAEV                         | 800 ppm<br>1,900 mg/m3                         | CA QC OEL |
|            |          | STEL                          | 1,000 ppm                                      | ACGIH     |
| propane    | 74-98-6  | TWA                           | 1,000 ppm                                      | CA AB OEL |
|            |          | TWA                           | 1,000 ppm                                      | CA BC OEL |
|            |          | TWAEV                         | 1,000 ppm<br>1,800 mg/m3                       | CA QC OEL |
|            |          | TWA                           | 1,000 ppm                                      | CA ON OEL |

# SAFETY DATA SHEET

## ZEP ECOM BUNDLE ZUSOE16 ECRA01

Version 1.1

Revision Date 12/21/2025

Print Date 02/20/2026

**Engineering measures** : effective ventilation in all processing areas

### **Personal protective equipment**

**Respiratory protection** : No personal respiratory protective equipment normally required.

### **Hand protection**

**Remarks** : Skin should be washed after contact.

**Eye protection** : Always wear eye protection when the potential for inadvertent eye contact with the product cannot be excluded.

**Skin and body protection** : No special protection is required.

**Hygiene measures** : When using do not eat or drink.  
When using do not smoke.

Wash hands before breaks and at the end of workday.

---

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

**Physical state** : Aerosol containing a liquefied gas

**Colour** : opaque

**Odour** : pleasant

**Odour Threshold** : No data available

**pH** : Not applicable

**Melting point/freezing point** : Not applicable

**Boiling point** : not determined

**Flash point** :  
No data available

**Evaporation rate** : < 1

# SAFETY DATA SHEET

## ZEP ECOM BUNDLE ZUSOE16 ECRA01

Version 1.1

Revision Date 12/21/2025

Print Date 02/20/2026

|                                        |                                               |
|----------------------------------------|-----------------------------------------------|
| Flammability (solid, gas, liquid)      | : Flammable aerosol.                          |
| Vapour pressure                        | : No data available                           |
| Density                                | : 0.92 g/cm3                                  |
| Solubility(ies)                        |                                               |
| Water solubility                       | : soluble in hot water, soluble in cold water |
| Solubility in other solvents           | : slightly soluble                            |
| Partition coefficient: n-octanol/water | : No data available                           |
| Auto-ignition temperature              | : not determined                              |
| Decomposition temperature              | : No data available                           |
| Viscosity                              |                                               |
| Viscosity, kinematic                   | : No data available                           |
| Heat of combustion                     | : > 20 kJ/g                                   |

---

### SECTION 10. STABILITY AND REACTIVITY

|                                    |                                                                                                       |
|------------------------------------|-------------------------------------------------------------------------------------------------------|
| Reactivity                         | : Stable                                                                                              |
| Chemical stability                 | : Stable under normal conditions.                                                                     |
| Possibility of hazardous reactions | : Vapours may form explosive mixture with air.<br>No decomposition if stored and applied as directed. |
| Conditions to avoid                | : Heat, flames and sparks.<br>Extremes of temperature and direct sunlight.                            |
| Incompatible materials             | : Oxidizing agents                                                                                    |
| Hazardous decomposition products   | : Carbon oxides                                                                                       |

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Potential Health Effects

|                              |               |
|------------------------------|---------------|
| Aggravated Medical Condition | : None known. |
|------------------------------|---------------|

# SAFETY DATA SHEET

## ZEP ECOM BUNDLE ZUSOE16 ECRAG01

Version 1.1

Revision Date 12/21/2025

Print Date 02/20/2026

Symptoms of Overexposure : Effects are immediate and delayed.  
Symptoms may include irritation, redness, pain, and rash.  
Effects are dependent on exposure (dose, concentration, contact time).  
May cause an allergic skin reaction.  
Review section 2 of SDS to see all potential hazards.  
Treat symptomatically. Symptoms may be delayed.

### **Carcinogenicity:**

#### **IARC**

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

#### **ACGIH**

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

### **Acute toxicity**

No data available

### **Skin corrosion/irritation**

#### **Product:**

Remarks: May irritate skin.

### **Serious eye damage/eye irritation**

#### **Product:**

Remarks: May irritate eyes.

### **Respiratory or skin sensitisation**

#### **Product:**

Remarks: Causes sensitisation.

### **Germ cell mutagenicity**

No data available

### **Carcinogenicity**

No data available

### **Reproductive toxicity**

No data available

### **STOT - single exposure**

No data available

# SAFETY DATA SHEET

## ZEP ECOM BUNDLE ZUSOE16 ECRA01

Version 1.1

Revision Date 12/21/2025

Print Date 02/20/2026

### STOT - repeated exposure

No data available

### Aspiration toxicity

No data available

### Further information

#### Product:

Remarks: No data available

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

No data available

### Persistence and degradability

No data available

### Bioaccumulative potential

#### Product:

Partition coefficient: n-octanol/water : Remarks: No data available

#### Components:

##### **butane :**

Partition coefficient: n-octanol/water : Pow: 2.89

### Mobility in soil

No data available

### Other adverse effects

No data available

#### Product:

Additional ecological information : No data available

# SAFETY DATA SHEET

## ZEP ECOM BUNDLE ZUSOE16 ECRA01

Version 1.1

Revision Date 12/21/2025

Print Date 02/20/2026

---

### SECTION 13. DISPOSAL CONSIDERATIONS

#### Disposal methods

- Waste from residues : The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Dispose of in accordance with local regulations.
- Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.  
Do not burn, or use a cutting torch on, the empty drum.

---

### SECTION 14. TRANSPORT INFORMATION

Transportation Regulation (TDG) / Règlement Pour Le Transport (TMD): (Canada):  
UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation / Règlement Pour Le Transport: IMDG (Vessel):  
UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation / Règlement Pour Le Transport: IATA (Cargo Air):  
UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation / Règlement Pour Le Transport: IATA (Passenger Air):  
UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation / Règlement Pour Le Transport: 49 CFR (USA):  
UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

# SAFETY DATA SHEET

## ZEP ECOM BUNDLE ZUSOE16 ECRA01

Version 1.1

Revision Date 12/21/2025

Print Date 02/20/2026

The product as delivered to the customer conforms to packaging requirements for shipment by road under Transport Dangerous Goods (TDG) Canada regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

### SECTION 15. REGULATORY INFORMATION

This product has been classified according to the hazard criteria of the HPR and the SDS contains all of the information required by the HPR.

**The components of this product are reported in the following inventories:**

**DSL** All components of this product are on the Canadian DSL  
**TSCA** On TSCA Inventory

For information on the country notification status for other regions please contact the manufacturer's regulatory group.


**Inventory Acronym and Validity Area Legend:**

TSCA (USA), DSL (Canada), NDSL (Canada)

### SECTION 16. OTHER INFORMATION

WHMIS - GHS Label Information:

Hazard pictograms :



Signal word :

**Warning:**

Hazard statements :

Flammable aerosol. Contains gas under pressure; may explode if heated. May cause an allergic skin reaction.

Precautionary statements :

# SAFETY DATA SHEET

## ZEP ECOM BUNDLE ZUSOE16 ECRA01

Version 1.1

Revision Date 12/21/2025

Print Date 02/20/2026

**Prevention:** Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source.

Pressurized container: Do not pierce or burn, even after use. Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves.

**Response:** IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/ attention. Take off contaminated clothing and wash it before reuse.

**Storage:** Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

**Disposal:** Dispose of contents/container in accordance with local regulation.

|                |            |
|----------------|------------|
| Version:       | 1.1        |
| Revision Date: | 12/21/2025 |
| Print Date:    | 02/20/2026 |

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes.

This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.