



KettleClear X (AFCO 18038)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision Date: 02/12/2026

Version: 1.0

SECTION 1: IDENTIFICATION

Product Identifier

Product Form: Mixture

Product Name: KettleClear X

Product Code: AFCO 18038

Intended Use of the Product

Use of the Substance/Mixture: Defoamer. For professional use only.

Product Dilution Information:

Name, Address, and Telephone of the Responsible Party

Company

AFCO

800 Development Avenue

Chambersburg, PA 17201

T: 800-345-1329

www.afcocare.com

Emergency Telephone Number

Emergency Number : 1-800-424-9300 (CHEMTREC)

SECTION 2: HAZARDS IDENTIFICATION

Classification of the Substance or Mixture

Classification (GHS-US) : None.

Label Elements

GHS-US Labeling

Hazard Pictogram (GHS-US) : None.

Signal Word (GHS-US) : None.

Hazard Statements (GHS-US) : None.

Precautionary Statements (GHS-US) : P264 - Wash hands, forearms, and other exposed areas thoroughly after handling.
P280 - Wear protective glove, protective clothing, eye protection, face protection.
P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P302+P352 - IF ON SKIN: Wash with plenty of soap and water.
P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P309+P313 - If exposed or you feel unwell: Get medical advice/attention.
P332+P313 - If skin irritation occurs: Get medical advice/attention.
P501 - Dispose of contents/container according to local, regional, national, territorial, provincial, and international regulations.

Other Hazards

Other Hazards Not Contributing to the Classification: Exposure may aggravate those with pre-existing eye, skin, or respiratory conditions. When heated to decomposition, emits toxic fumes.

Unknown Acute Toxicity (GHS-US): Not available.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200 this product does not contain any components classified for health hazards above the relevant cut off value.

SECTION 4: FIRST AID MEASURES

Description of First Aid Measures

General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

Inhalation: If symptoms develop, move individual away from exposure and into fresh air. If symptoms persist, seek medical attention. If breathing is difficult, administer oxygen. Keep person warm and quite; seek immediate medical attention.

KettleClear X (AFCO 18038)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Skin Contact: First aid is not normally required. However, it is recommended that exposed areas be cleaned by washing with soap and water.

Eye Contact: If symptoms develop, flush eyes gently with water while holding eyelids apart. If symptoms persist or there is any visual difficulty, seek medical attention.

Ingestion: Seek medical attention. If individual is drowsy or unconscious, do not give anything by mouth; place individual on the left side with the head down. Contact a physician, medical facility, or poison control center for advice about whether to induce vomiting. If possible, do not leave individual unattended.

Most Important Symptoms and Effects Both Acute and Delayed

None.

Indication of Any Immediate Medical Attention and Special Treatment Needed

Note to physicians: Pre-existing disorders of the skin organs (or organ systems) may be aggravated by exposure to this material.

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media: Use an extinguishing media appropriate for surrounding fire.

Special Hazards Arising From the Substance or Mixture

When heated to decomposition it emits acrid smoke and irritating fumes.

Advice for Firefighters

Wear a self-contained breathing apparatus with a full-face piece operated in the positive pressure demand mode with appropriate turn-out gear and chemical resistant personal protective equipment. Refer to the personal protective equipment section of the SDS.

Reference to Other Sections

Refer to section 9 for flammability properties.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Avoid breathing (vapors, mist, spray).

For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protection equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Ventilate area.

Environmental Precautions

Prevent entry to sewers and public waters. Avoid release to the environment.

Methods and Material for Containment and Cleaning Up

For Small Spill: Absorb liquid on vermiculite, floor absorbent or other absorbent material.

For Large Spill: Prevent run-off to sewers, streams or other bodies of water. If run-off occurs, notify proper authorities as required, that a spill has occurred. Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed. Stop spill at source, dike area of spill to prevent spreading, pump liquid to salvage tank. Remaining liquid may be taken up on sand, clay, earth, floor absorbent, or other absorbent material and shoveled into containers.

Reference to Other Sections

See heading 8, Exposure Controls and Personal Protection.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling

Additional Hazards When Processed: When heated to decomposition, emits acrid smoke and irritating fumes.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work. Do not eat, drink or smoke when using this product. Wash hands and forearms thoroughly after handling.

Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Comply with applicable regulations.

Storage Conditions: Store in a dry, cool and well-ventilated place. Keep container tightly closed when not in use. Keep/Store away from extremely high or low temperatures, incompatible materials.

KettleClear X (AFCO 18038)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Specific End Use(s): Defoamer. For professional use only.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

No Occupational Exposure Limits (OELs) have been established for this product or any of its chemical components.

Exposure Controls

Appropriate Engineering Controls: Not required under normal conditions of use. However, if unusual operating conditions exist, then provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below PEL/TLV (s).

Personal Protective Equipment: Protective goggles. Gloves.



Materials for Protective Clothing: Chemically resistant materials and fabrics.

Hand Protection: Wear chemically resistant protective gloves such as: natural rubber.

Eye Protection: Wear safety glasses in compliance with OSHA regulations.

Skin and Body Protection: Not required under normal conditions of use.

Respiratory Protection: Not required under normal conditions of use.

Other Information: When using, do not eat, drink or smoke.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical State	: Liquid.
Appearance	: Clear, amber.
Odor	: Mild.
Odor Threshold	: Not available.
pH	: Not available.
Relative Evaporation Rate (butylacetate=1)	: Not determined.
Melting Point	: Not available.
Freezing Point	: -10°F (-23°C)
Boiling Point	: Not determined.
Flash Point	: 370°F (188°C) (PMCC)
Auto-ignition Temperature	: Not available.
Decomposition Temperature	: Not available.
Flammability (solid, gas)	: Not flammable.
Lower Flammable Limit	: Not available.
Upper Flammable Limit	: Not available.
Vapor Pressure	: Not available.
Relative Vapor Density at 20°C	: Not available.
Specific Gravity	: 1.01 g/cm ³
Solubility	: Miscible in water.
Partition coefficient: n-octanol/water	: Not available.
Viscosity	: 200 cps
Explosion Data – Sensitivity to Mechanical Impact	: Not available.
Explosion Data – Sensitivity to Static Discharge	: Not available.

KettleClear X (AFCO 18038)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 10: STABILITY AND REACTIVITY

Reactivity: Stable.

Chemical Stability: Stable under normal conditions.

Possibility of Hazardous Reactions: Hazardous polymerization will not occur.

Conditions to Avoid: Incompatible materials.

Incompatible Materials: Avoid contact with acid chlorides, acid anhydrides, oxidizing agents, chloroformates, and reducing agents.

Hazardous Decomposition Products: No data available.

SECTION 11: TOXICOLOGICAL INFORMATION

Information on Toxicological Effects - Product

Acute Toxicity LD50 and LC50 Data:

KettleClear X (AFCO 18038)	
LD50 Oral Rat	>5,000 mg/kg
LD50 Dermal Rat	Not Determined

Skin Corrosion/Irritation: Not available.

Serious Eye Damage/Irritation: Not available.

Respiratory or Skin Sensitization: Not available.

Germ Cell Mutagenicity: Not classified.

Teratogenicity: Not available.

Carcinogenicity: Not available.

Specific Target Organ Toxicity (Repeated Exposure): Not available.

Reproductive Toxicity: Not available.

Specific Target Organ Toxicity (Single Exposure): Not available.

Aspiration Hazard: Not available.

SECTION 12: ECOLOGICAL INFORMATION

Toxicity Not available.

KettleClear X (AFCO 18038)	
LC50 Fish 1	>100 mg/l (Exposure time: 96h – Species: Leuciscus idus)
EC50 Daphnia 1	>100 mg/l (Exposure time: 48h – Species: Aquatic invertebrates)
EC50 Other Aquatic Organisms 2	>100 mg/l (Exposure time: 72h – Species: Aquatic Plants)

Persistence and Degradability

KettleClear X (AFCO 18038)	
Persistence and Degradability	Readily biodegradable.

Bioaccumulative Potential

KettleClear X (AFCO 18038)	
Bioaccumulative Potential	Not available.
Potassium silicate (1312-76-1)	
BCF fish 1	(no bioaccumulation expected).
Potassium hydroxide (1310-58-3)	
Log Pow	0.65

Mobility in Soil No data available.

Other Adverse Effects

Other Information: No known significant effects or critical hazards.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal Recommendations: Dispose of waste material in accordance with all local, regional, national, provincial, territorial and international regulations.

SECTION 14: TRANSPORT INFORMATION

14.1 In Accordance with DOT : Not regulated for transport.

14.2 In Accordance with IMDG : Not regulated for transport.

KettleClear X (AFCO 18038)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

14.3 In Accordance with IATA : Not regulated for transport.

14.4 In Accordance with TDG : Not regulated for transport.

SECTION 15: REGULATORY INFORMATION

US Federal Regulations

KettleClear X (AFCO 18038)	
SARA Section 311/312 Hazardous Chemical	None.
SARA Title III, Section 313 (Toxic Chemicals)	None.
SARA 304 Reportable Quantity (RQ)	None.
SARA 302 Threshold Planning Quantity (TPQ)	None.
CERCLA: The Comprehensive Environmental Response, Compensation, and Liability Act of 1980	
Reportable Quantity (RQ)	None.
Clean Air Act, Sections	Not available.
Clean Water Act, Sections	Not available.

US State Regulations: None.

Canadian Regulations: None.

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Revision date : 02/12/2026


Other Information : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

GHS Full Text Phrases : None.

NFPA Health Hazard : 1 - Exposure could cause irritation but only minor residual injury even if no treatment is given.

NFPA Fire Hazard : 1 - Must be preheated before ignition can occur.

NFPA Reactivity : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.



HMIS III Rating

Health : 1 Slight Hazard - Irritation or minor reversible injury possible.

Flammability : 1 - Slight Hazard.

Physical : 0 - Minimal Hazard.

Party Responsible for the Preparation of This Document

AFCO
800 Development Avenue
Chambersburg, PA 17201
T: 800-345-1329

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

North America GHS SDS 2015 (U.S., Can., Mex.)