

# SAFETY DATA SHEET

## MISTY RED GREASE SUPERFILM 14OZ 48CT

Version 1.2

Revision Date 12/21/2025

Print Date 12/21/2025

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name : MISTY RED GREASE SUPERFILM 14OZ 48CT

Material number : 000000000001003057

#### Manufacturer or supplier's details

Company : Zep Inc.

Address : 11627 - 178 Street  
Edmonton, Alberta T5S 1N6  
Canada

Telephone : Compliance Services - 877-428-9937

#### Emergency telephone numbers

**For SDS Information** : Compliance Services - 877-428-9937

**For a Medical Emergency** : 877-541-2016 Toll Free - All Calls Recorded

**For a Transportation  
Emergency** : CHEMTREC: 800-424-9300 - All Calls Recorded.

#### Recommended use of the chemical and restrictions on use

### SECTION 2. HAZARDS IDENTIFICATION

#### Emergency Overview

|            |      |
|------------|------|
| Appearance | gel  |
| Colour     | red  |
| Odour      | oily |

#### GHS Classification

Not a hazardous substance or mixture.

#### GHS label elements

Not a hazardous substance or mixture.

# SAFETY DATA SHEET

## MISTY RED GREASE SUPERFILM 14OZ 48CT

Version 1.2

Revision Date 12/21/2025

Print Date 12/21/2025

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Hazardous components

| Chemical name                                          | CAS-No.    | Concentration [%] * |
|--------------------------------------------------------|------------|---------------------|
| Distillates (petroleum), hydrotreated heavy naphthenic | 64742-52-5 | >= 30 - < 50        |
| Distillates (petroleum), hydrotreated light naphthenic | 64742-53-6 | >= 30 - < 50        |
| acetone                                                | 67-64-1    | >= 1 - < 5          |
| quartz (SiO <sub>2</sub> )                             | 14808-60-7 | >= 0.1 - < 1        |

\* The exact percentages of disclosed substances are withheld as trade secrets.

### SECTION 4. FIRST AID MEASURES

General advice : Do not leave the victim unattended.  
Get medical attention if symptoms occur.

Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

If inhaled : Remove person to fresh air. If signs/symptoms continue, get medical attention.  
If unconscious, place in recovery position and seek medical advice.

In case of skin contact : Wash off immediately with plenty of water.  
Remove contaminated clothing and shoes.  
Wash contaminated clothing before reuse.  
If skin irritation persists, call a physician.

In case of eye contact : Remove contact lenses.  
Protect unharmed eye.  
If eye irritation persists, consult a specialist.  
Rinse immediately with plenty of water, also under the eyelids.  
Keep eye wide open while rinsing.

# SAFETY DATA SHEET

## MISTY RED GREASE SUPERFILM 14OZ 48CT

Version 1.2

Revision Date 12/21/2025

Print Date 12/21/2025

|                                                             |                                                                                                                                                                                                                                 |
|-------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| If swallowed                                                | : Keep respiratory tract clear.<br>DO NOT induce vomiting unless directed to do so by a physician or poison control center.<br>Never give anything by mouth to an unconscious person.<br>If symptoms persist, call a physician. |
| Most important symptoms and effects, both acute and delayed | : Effects may be delayed, symptoms may include minor eye or skin irritation.<br>Overexposure may cause mild eye or skin irritation.                                                                                             |
| Notes to physician                                          | : Treat symptomatically. Symptoms may be delayed.                                                                                                                                                                               |

---

### SECTION 5. FIREFIGHTING MEASURES

|                                               |                                                                                                                                                                                                                                                                     |
|-----------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Suitable extinguishing media                  | : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.                                                                                                                                                                                          |
| Unsuitable extinguishing media                | : High volume water jet                                                                                                                                                                                                                                             |
| Specific hazards during firefighting          | : Do not allow run-off from fire fighting to enter drains or water courses.                                                                                                                                                                                         |
| Hazardous combustion products                 | : Carbon dioxide (CO <sub>2</sub> )<br>Carbon monoxide<br>Smoke                                                                                                                                                                                                     |
| Specific extinguishing methods                | : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.                                                                                                                                                           |
| Further information                           | : Standard procedure for chemical fires.<br>Collect contaminated fire extinguishing water separately. This must not be discharged into drains.<br>Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. |
| Special protective equipment for firefighters | : Wear self-contained breathing apparatus for firefighting if necessary.                                                                                                                                                                                            |

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

|                                                                     |                                                                                                                                  |
|---------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------|
| Personal precautions, protective equipment and emergency procedures | : Use personal protective equipment.<br>Ensure adequate ventilation.<br>Refer to protective measures listed in sections 7 and 8. |
| Environmental precautions                                           | : Prevent further leakage or spillage.<br>Clean contaminated floors and objects thoroughly while                                 |

# SAFETY DATA SHEET

## MISTY RED GREASE SUPERFILM 14OZ 48CT

Version 1.2

Revision Date 12/21/2025

Print Date 12/21/2025

observing environmental regulations.

If the product contaminates rivers and lakes or drains, inform respective authorities.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Sweep up or vacuum up spillage and collect in suitable container for disposal.

### SECTION 7. HANDLING AND STORAGE

Advice on safe handling : For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area.

Conditions for safe storage : Electrical installations / working materials must comply with the technological safety standards.

Materials to avoid : No materials to be especially mentioned.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

| Components                                             | CAS-No.    | Value type<br>(Form of exposure) | Control parameters /<br>Permissible concentration | Basis     |
|--------------------------------------------------------|------------|----------------------------------|---------------------------------------------------|-----------|
| Distillates (petroleum), hydrotreated heavy naphthenic | 64742-52-5 | TWA (Mist)                       | 1 mg/m <sup>3</sup>                               | CA BC OEL |
|                                                        |            | TWA (Inhalable fraction)         | 5 mg/m <sup>3</sup>                               | ACGIH     |
| acetone                                                | 67-64-1    | TWA                              | 500 ppm<br>1,200 mg/m <sup>3</sup>                | CA AB OEL |
|                                                        |            | STEL                             | 750 ppm<br>1,800 mg/m <sup>3</sup>                | CA AB OEL |
|                                                        |            | TWA                              | 250 ppm                                           | CA BC OEL |
|                                                        |            | STEL                             | 500 ppm                                           | CA BC OEL |
|                                                        |            | STEV                             | 1,000 ppm<br>2,380 mg/m <sup>3</sup>              | CA QC OEL |
|                                                        |            | TWAEV                            | 500 ppm<br>1,190 mg/m <sup>3</sup>                | CA QC OEL |
|                                                        |            | TWA                              | 250 ppm                                           | ACGIH     |
|                                                        |            | STEL                             | 500 ppm                                           | ACGIH     |
| quartz (SiO <sub>2</sub> )                             | 14808-60-7 | TWA (Respirable particulates)    | 0.025 mg/m <sup>3</sup>                           | CA AB OEL |

# SAFETY DATA SHEET

## MISTY RED GREASE SUPERFILM 14OZ 48CT

Version 1.2

Revision Date 12/21/2025

Print Date 12/21/2025

|  |  |                                 |           |           |
|--|--|---------------------------------|-----------|-----------|
|  |  | TWA<br>(Respirable<br>fraction) | 0.1 mg/m3 | CA ON OEL |
|  |  | TWAEV<br>(respirable<br>dust)   | 0.1 mg/m3 | CA QC OEL |

### Biological occupational exposure limits

| Components  | CAS-No. | Control<br>parameter<br>s | Biological<br>specimen | Samplin<br>g time                                                          | Permissible<br>concentratio<br>n | Basis        |
|-------------|---------|---------------------------|------------------------|----------------------------------------------------------------------------|----------------------------------|--------------|
| 2-PROPANONE | 67-64-1 | Acetone                   | Urine                  | End of<br>shift (As<br>soon as<br>possible<br>after<br>exposure<br>ceases) | 25 mg/l                          | ACGIH<br>BEI |

**Engineering measures** : effective ventilation in all processing areas

### Personal protective equipment

**Respiratory protection** : No personal respiratory protective equipment normally required.

### Hand protection

**Material** : Protective gloves

**Remarks** : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

**Eye protection** : Access to clean water to rinse eyes must be available, options include: eye wash stations or showers, or eye wash bottles with pure water.

Safety glasses

**Skin and body protection** : No special protection is required.

**Hygiene measures** : General industrial hygiene practice.

# SAFETY DATA SHEET

## MISTY RED GREASE SUPERFILM 14OZ 48CT

Version 1.2

Revision Date 12/21/2025

Print Date 12/21/2025

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

|                                        |                                      |
|----------------------------------------|--------------------------------------|
| Physical state                         | : gel                                |
| Colour                                 | : red                                |
| Odour                                  | : oily                               |
| Odour Threshold                        | : No data available                  |
| pH                                     | : Not applicable                     |
| Boiling point                          | : Not applicable                     |
| Flash point                            | :<br>Not applicable                  |
| Evaporation rate                       | : No data available                  |
| Upper explosion limit                  | : Not applicable                     |
| Lower explosion limit                  | : Not applicable                     |
| Vapour pressure                        | : No data available                  |
| Relative vapour density                | : No data available                  |
| Density                                | : 0.988 g/cm <sup>3</sup>            |
| Solubility(ies)                        |                                      |
| Water solubility                       | : insoluble                          |
| Partition coefficient: n-octanol/water | : No data available                  |
| Auto-ignition temperature              | : not determined                     |
| Decomposition temperature              | : No data available                  |
| Viscosity                              |                                      |
| Viscosity, kinematic                   | : > 10000 mm <sup>2</sup> /s (40 °C) |

---

### SECTION 10. STABILITY AND REACTIVITY

|                                    |                                                                                         |
|------------------------------------|-----------------------------------------------------------------------------------------|
| Reactivity                         | : Stable                                                                                |
| Chemical stability                 | : Stable under normal conditions.                                                       |
| Possibility of hazardous reactions | : Stable under recommended storage conditions.<br>No hazards to be specially mentioned. |
| Conditions to avoid                | : No data available                                                                     |

# SAFETY DATA SHEET

## MISTY RED GREASE SUPERFILM 14OZ 48CT

Version 1.2

Revision Date 12/21/2025

Print Date 12/21/2025

Incompatible materials : None.

Hazardous decomposition products : Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Potential Health Effects

Aggravated Medical Condition : None known.

Symptoms of Overexposure : Effects may be delayed, symptoms may include minor eye or skin irritation.  
Overexposure may cause mild eye or skin irritation.  
Treat symptomatically. Symptoms may be delayed.

#### Carcinogenicity:

##### IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

##### ACGIH

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

#### Acute toxicity

##### Product:

Acute oral toxicity : Acute toxicity estimate : > 5,000 mg/kg

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate : > 10 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: Calculation method

##### Components:

##### Distillates (petroleum), hydrotreated heavy naphthenic:

Acute oral toxicity : LD50 Rat: > 5,000 mg/kg

# SAFETY DATA SHEET

## MISTY RED GREASE SUPERFILM 14OZ 48CT

Version 1.2

Revision Date 12/21/2025

Print Date 12/21/2025

---

Acute inhalation toxicity : LC50 Rat: > 5 mg/l

Exposure time: 4 h

Acute dermal toxicity : LD50 Rabbit: > 5,000 mg/kg

### **acetone:**

Acute oral toxicity : LD50 Rat: 5,800 mg/kg

Acute inhalation toxicity : LC50 Rat: 132 mg/l

Exposure time: 3 h

LC50 Rat: 50.1 mg/l

Acute dermal toxicity : LD50 Guinea pig: > 7,426 mg/kg

LD50 Rabbit: > 7,426 mg/kg

### **Skin corrosion/irritation**

#### **Product:**

Remarks: May irritate skin.

### **Serious eye damage/eye irritation**

#### **Product:**

Remarks: May irritate eyes.

### **Respiratory or skin sensitisation**

No data available

### **Germ cell mutagenicity**

No data available

### **Carcinogenicity**

#### **Product:**

Carcinogenicity - : Not classifiable as a human carcinogen.



# SAFETY DATA SHEET

## MISTY RED GREASE SUPERFILM 14OZ 48CT

Version 1.2

Revision Date 12/21/2025

Print Date 12/21/2025

---

### Assessment

#### Reproductive toxicity

No data available

#### STOT - single exposure

No data available

#### STOT - repeated exposure

No data available

#### Aspiration toxicity

No data available

#### Further information

##### Product:

Remarks: No data available

Remarks: No data available

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

No data available

### Persistence and degradability

No data available

### Bioaccumulative potential

##### Product:

Partition coefficient: n-octanol/water : Remarks: No data available

### Mobility in soil

No data available

### Other adverse effects

No data available

##### Product:

# SAFETY DATA SHEET

## MISTY RED GREASE SUPERFILM 14OZ 48CT

Version 1.2

Revision Date 12/21/2025

Print Date 12/21/2025

Additional ecological information : No data available

---

### SECTION 13. DISPOSAL CONSIDERATIONS

#### Disposal methods

- Waste from residues : Do not dispose of waste into sewer.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Dispose of in accordance with local regulations.
- Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
Do not burn, or use a cutting torch on, the empty drum.  
Dispose of as unused product.  
Do not re-use empty containers.

---

### SECTION 14. TRANSPORT INFORMATION

Transportation Regulation (TDG) / Règlement Pour Le Transport (TMD): (Canada):  
NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation / Règlement Pour Le Transport: IMDG (Vessel):  
NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation / Règlement Pour Le Transport: IATA (Cargo Air):  
NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

# SAFETY DATA SHEET

## MISTY RED GREASE SUPERFILM 14OZ 48CT

Version 1.2

Revision Date 12/21/2025

Print Date 12/21/2025

Transportation Regulation / Règlement Pour Le Transport: IATA (Passenger Air):  
NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation / Règlement Pour Le Transport: 49 CFR (USA):  
NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

The product as delivered to the customer conforms to packaging requirements for shipment by road under Transport Dangerous Goods (TDG) Canada regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

---

### SECTION 15. REGULATORY INFORMATION

This product has been classified according to the hazard criteria of the HPR and the SDS contains all of the information required by the HPR.

**The components of this product are reported in the following inventories:**

|             |                                                        |
|-------------|--------------------------------------------------------|
| <b>DSL</b>  | All components of this product are on the Canadian DSL |
| <b>TSCA</b> | On TSCA Inventory                                      |

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

**Inventory Acronym and Validity Area Legend:**

TSCA (USA), DSL (Canada), NDSL (Canada)

# SAFETY DATA SHEET

## MISTY RED GREASE SUPERFILM 14OZ 48CT

Version 1.2

Revision Date 12/21/2025

Print Date 12/21/2025

---

### SECTION 16. OTHER INFORMATION

---

WHMIS - GHS Label Information:

Not a hazardous substance or mixture.

---

|                |            |
|----------------|------------|
| Version:       | 1.2        |
| Revision Date: | 12/21/2025 |
| Print Date:    | 12/21/2025 |

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.