

# SAFETY DATA SHEET

## ZEP PROFESSIONAL FAST EVAPORATING SOLVENT DEGREASER 20N14 12CT

Version 1.1

Revision Date 12/21/2025

Print Date 12/21/2025

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name : ZEP PROFESSIONAL FAST EVAPORATING SOLVENT DEGREASER 20N14 12CT

Material number : 000000000001040698

#### Manufacturer or supplier's details

Company : Zep Inc.

Address : 11627 - 178 Street  
Edmonton, Alberta T5S 1N6  
Canada

Telephone : Compliance Services - 877-428-9937

#### Emergency telephone numbers

**For SDS Information** : Compliance Services - 877-428-9937

**For a Medical Emergency** : 877-541-2016 Toll Free - All Calls Recorded

**For a Transportation Emergency** : CHEMTREC: 800-424-9300 - All Calls Recorded.

#### Recommended use of the chemical and restrictions on use

### SECTION 2. HAZARDS IDENTIFICATION

#### Emergency Overview

|            |                                     |
|------------|-------------------------------------|
| Appearance | Aerosol containing a compressed gas |
| Colour     | clear                               |
| Odour      | aliphatic, solvent-like             |

#### GHS Classification

Flammable aerosols : Category 1  
Gases under pressure : Compressed gas  
Skin irritation : Category 2  
Eye irritation : Category 2A

# SAFETY DATA SHEET

## ZEP PROFESSIONAL FAST EVAPORATING SOLVENT DEGREASER

### 20N14 12CT

Version 1.1

Revision Date 12/21/2025

Print Date 12/21/2025

Specific target organ toxicity - single exposure : Category 3 (Central nervous system)

Aspiration hazard : Category 1

#### GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H222 Extremely flammable aerosol.  
H280 Contains gas under pressure; may explode if heated.  
H304 May be fatal if swallowed and enters airways.  
H315 Causes skin irritation.  
H336 May cause drowsiness or dizziness.  
H370 Causes damage to organs.

Precautionary statements : **Prevention:**  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P211 Do not spray on an open flame or other ignition source.  
P251 Do not pierce or burn, even after use.  
P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P271 Use only outdoors or in a well-ventilated area.  
P280 Wear protective gloves.  
**Response:**  
P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.  
P302 + P352 IF ON SKIN: Wash with plenty of water.  
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.  
P308 + P311 IF exposed or concerned: Call a POISON CENTER/doctor.  
P331 Do NOT induce vomiting.  
P332 + P313 If skin irritation occurs: Get medical advice/ attention.  
P362 + P364 Take off contaminated clothing and wash it before reuse.  
**Storage:**  
P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.  
P403 Store in a well-ventilated place.  
**Disposal:**  
P501 Dispose of contents/container in accordance with local regulation.

# SAFETY DATA SHEET

## ZEP PROFESSIONAL FAST EVAPORATING SOLVENT DEGREASER

### 20N14 12CT

Version 1.1

Revision Date 12/21/2025

Print Date 12/21/2025

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

##### Hazardous components

| Chemical name                           | CAS-No.    | Concentration [%] *    |
|-----------------------------------------|------------|------------------------|
| Naphtha (petroleum), hydrotreated light | 64742-49-0 | $\geq 80$ - $\leq 100$ |
| ethanol                                 | 64-17-5    | $\geq 10$ - $< 30$     |
| carbon dioxide                          | 124-38-9   | $\geq 5$ - $< 10$      |
| heptane                                 | 142-82-5   | $\geq 1$ - $< 5$       |

\* The exact percentages of disclosed substances are withheld as trade secrets.

#### SECTION 4. FIRST AID MEASURES

General advice : Show this safety data sheet to the doctor in attendance.  
Move out of dangerous area.

Do not leave the victim unattended.

Get medical attention immediately.

If inhaled : Remove to fresh air.  
Call a physician or poison control centre immediately.

In case of skin contact : If skin irritation persists, call a physician.  
Wash off immediately with plenty of water for at least 15 minutes.  
Remove contaminated clothing and shoes.  
Wash contaminated clothing before re-use.

In case of eye contact : Immediately flush eye(s) with plenty of water.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.

If swallowed : DO NOT induce vomiting unless directed to do so by a physician or poison control center.  
Keep respiratory tract clear.  
Obtain medical attention.  
Never give anything by mouth to an unconscious person.

# SAFETY DATA SHEET

## ZEP PROFESSIONAL FAST EVAPORATING SOLVENT DEGREASER

### 20N14 12CT

Version 1.1

Revision Date 12/21/2025

Print Date 12/21/2025

|                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                  |
|-------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                             | If symptoms persist, call a physician.                                                                                                                                                                                                                                                                                                                                                                           |
| Most important symptoms and effects, both acute and delayed | : Effects are immediate and delayed.<br>Symptoms may include irritation, redness, pain, and rash.<br>Symptoms may include central nervous system depression, resulting in headache, nausea and/or dizziness.<br>Effects are dependent on exposure (dose, concentration, contact time).<br>Causes skin irritation.<br>May cause drowsiness or dizziness.<br>Review section 2 of SDS to see all potential hazards. |
| Notes to physician                                          | : Treat symptomatically. Symptoms may be delayed.                                                                                                                                                                                                                                                                                                                                                                |

---

## SECTION 5. FIREFIGHTING MEASURES

|                                               |                                                                                                                                                                                                                                                                                                                                                                                 |
|-----------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Suitable extinguishing media                  | : Foam<br>Carbon dioxide (CO2)<br>Dry chemical                                                                                                                                                                                                                                                                                                                                  |
| Unsuitable extinguishing media                | : High volume water jet                                                                                                                                                                                                                                                                                                                                                         |
| Specific hazards during firefighting          | : Do not allow run-off from fire fighting to enter drains or water courses.                                                                                                                                                                                                                                                                                                     |
| Hazardous combustion products                 | : Carbon dioxide (CO2)<br>Carbon monoxide<br>Smoke                                                                                                                                                                                                                                                                                                                              |
| Specific extinguishing methods                | : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.                                                                                                                                                                                                                                                                       |
| Further information                           | : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.<br>Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.<br>For safety reasons in case of fire, cans should be stored separately in closed containments.<br>Use a water spray to cool fully closed containers. |
| Special protective equipment for firefighters | : Wear self-contained breathing apparatus for firefighting if necessary.                                                                                                                                                                                                                                                                                                        |

---

## SECTION 6. ACCIDENTAL RELEASE MEASURES

|                       |                                      |
|-----------------------|--------------------------------------|
| Personal precautions, | : Use personal protective equipment. |
|-----------------------|--------------------------------------|

# SAFETY DATA SHEET

## ZEP PROFESSIONAL FAST EVAPORATING SOLVENT DEGREASER

### 20N14 12CT

Version 1.1

Revision Date 12/21/2025

Print Date 12/21/2025

- protective equipment and emergency procedures : Ensure adequate ventilation.  
Remove all sources of ignition.  
Evacuate personnel to safe areas.  
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
- Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains, inform respective authorities.
- Methods and materials for containment and cleaning up : Wipe up with absorbent material (e.g. cloth, fleece).

## SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : Do not breathe vapours or spray mist.  
Do not puncture.  
Avoid contact with skin and eyes.  
Smoking, eating and drinking should be prohibited in the application area.  
Always replace cap after use.
- Conditions for safe storage : BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects.  
No smoking.  
Keep in a dry, cool and well-ventilated place.  
Observe label precautions.  
Electrical installations / working materials must comply with the technological safety standards.
- Materials to avoid : Do not store together with oxidizing and self-igniting products.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

| Components | CAS-No. | Value type (Form of exposure) | Control parameters / Permissible concentration | Basis     |
|------------|---------|-------------------------------|------------------------------------------------|-----------|
| ethanol    | 64-17-5 | TWA                           | 1,000 ppm<br>1,880 mg/m <sup>3</sup>           | CA AB OEL |
|            |         | STEL                          | 1,000 ppm                                      | CA BC OEL |
|            |         | TWAEV                         | 1,000 ppm<br>1,880 mg/m <sup>3</sup>           | CA QC OEL |
|            |         | TWA                           | 1,000 ppm                                      | ACGIH     |

# SAFETY DATA SHEET

## ZEP PROFESSIONAL FAST EVAPORATING SOLVENT DEGREASER

### 20N14 12CT

Version 1.1

Revision Date 12/21/2025

Print Date 12/21/2025

|                |          |       |                            |           |
|----------------|----------|-------|----------------------------|-----------|
|                |          | STEL  | 1,000 ppm                  | ACGIH     |
| carbon dioxide | 124-38-9 | TWA   | 5,000 ppm<br>9,000 mg/m3   | CA AB OEL |
|                |          | STEL  | 30,000 ppm<br>54,000 mg/m3 | CA AB OEL |
|                |          | TWA   | 5,000 ppm                  | CA BC OEL |
|                |          | STEL  | 15,000 ppm                 | CA BC OEL |
|                |          | STEV  | 30,000 ppm<br>54,000 mg/m3 | CA QC OEL |
|                |          | TWAEV | 5,000 ppm<br>9,000 mg/m3   | CA QC OEL |
|                |          | TWA   | 5,000 ppm                  | ACGIH     |
|                |          | STEL  | 30,000 ppm                 | ACGIH     |
| heptane        | 142-82-5 | TWA   | 400 ppm                    | CA BC OEL |
|                |          | STEL  | 500 ppm                    | CA BC OEL |
|                |          | TWAEV | 400 ppm<br>1,640 mg/m3     | CA QC OEL |
|                |          | STEV  | 500 ppm<br>2,050 mg/m3     | CA QC OEL |
|                |          | TWA   | 400 ppm<br>1,640 mg/m3     | CA AB OEL |
|                |          | STEL  | 500 ppm<br>2,050 mg/m3     | CA AB OEL |
|                |          | TWA   | 400 ppm                    | ACGIH     |
|                |          | STEL  | 500 ppm                    | ACGIH     |

**Engineering measures** : effective ventilation in all processing areas

#### Personal protective equipment

**Respiratory protection** : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

#### Hand protection

**Material** : Protective gloves

**Remarks** : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

**Eye protection** : Safety glasses

Access to clean water to rinse eyes must be available, options include: eye wash stations or

# SAFETY DATA SHEET

## ZEP PROFESSIONAL FAST EVAPORATING SOLVENT DEGREASER

### 20N14 12CT

Version 1.1

Revision Date 12/21/2025

Print Date 12/21/2025

showers, or eye wash bottles with pure water.

Skin and body protection : Impervious clothing  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures : When using do not eat or drink.  
When using do not smoke.

Wash hands before breaks and at the end of workday.

---

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : Aerosol containing a compressed gas

Colour : clear

Odour : aliphatic, solvent-like

Odour Threshold : No data available

pH : Not applicable

Melting point/freezing point : No data available

Boiling point : Not applicable

Flash point :  
Not applicable

Evaporation rate : not determined

Flammability (solid, gas, liquid) : Extremely flammable aerosol.

Upper explosion limit : not determined

Lower explosion limit : not determined

Vapour pressure : No data available

Relative vapour density : No data available

Density : No data available

Solubility(ies)

Water solubility : slightly soluble

Solubility in other solvents : not determined

# SAFETY DATA SHEET

## ZEP PROFESSIONAL FAST EVAPORATING SOLVENT DEGREASER

### 20N14 12CT

Version 1.1

Revision Date 12/21/2025

Print Date 12/21/2025

|                                        |                     |
|----------------------------------------|---------------------|
| Partition coefficient: n-octanol/water | : No data available |
| Auto-ignition temperature              | : not determined    |
| Decomposition temperature              | : No data available |
| Viscosity                              |                     |
| Viscosity, kinematic                   | : No data available |
| Heat of combustion                     | : 40.52 kJ/g        |

---

#### SECTION 10. STABILITY AND REACTIVITY

|                                    |                                                                                                       |
|------------------------------------|-------------------------------------------------------------------------------------------------------|
| Reactivity                         | : Stable                                                                                              |
| Chemical stability                 | : Stable under normal conditions.                                                                     |
| Possibility of hazardous reactions | : Vapours may form explosive mixture with air.<br>No decomposition if stored and applied as directed. |
| Conditions to avoid                | : Heat, flames and sparks.                                                                            |
| Incompatible materials             | : Strong oxidizing agents                                                                             |
| Hazardous decomposition products   | : Carbon dioxide (CO <sub>2</sub> )<br>Carbon monoxide                                                |

---

#### SECTION 11. TOXICOLOGICAL INFORMATION

##### Potential Health Effects

|                              |                                                                                                                                                                                                                                                                                                                                                                                                                  |
|------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Aggravated Medical Condition | : None known.                                                                                                                                                                                                                                                                                                                                                                                                    |
| Symptoms of Overexposure     | : Effects are immediate and delayed.<br>Symptoms may include irritation, redness, pain, and rash.<br>Symptoms may include central nervous system depression, resulting in headache, nausea and/or dizziness.<br>Effects are dependent on exposure (dose, concentration, contact time).<br>Causes skin irritation.<br>May cause drowsiness or dizziness.<br>Review section 2 of SDS to see all potential hazards. |



**SAFETY DATA SHEET**  
**ZEP PROFESSIONAL FAST EVAPORATING SOLVENT DEGREASER**  
**20N14 12CT**

Version 1.1

Revision Date 12/21/2025

Print Date 12/21/2025

Treat symptomatically. Symptoms may be delayed.

**Carcinogenicity:**

**IARC**

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**ACGIH**

Confirmed animal carcinogen with unknown relevance to humans

ethanol

64-17-5

**Acute toxicity**

**Components:**

**ethanol:**

Acute oral toxicity : LD50 Oral Rat: 7,060 mg/kg

Acute inhalation toxicity : LC50 Rat: 124.7 mg/l

Exposure time: 4 h

Test atmosphere: vapour

**heptane:**

Acute inhalation toxicity : LC50 Rat: 103 mg/l

Exposure time: 4 h

**Skin corrosion/irritation**

**Product:**

Remarks: Irritating to skin.

**Serious eye damage/eye irritation**

**Product:**

Remarks: May irritate eyes.

**Respiratory or skin sensitisation**

No data available

**Germ cell mutagenicity**

**SAFETY DATA SHEET**  
**ZEP PROFESSIONAL FAST EVAPORATING SOLVENT DEGREASER**  
**20N14 12CT**

Version 1.1

Revision Date 12/21/2025

Print Date 12/21/2025

---

No data available

**Carcinogenicity**

No data available

**Reproductive toxicity**

No data available

**STOT - single exposure**

No data available

**STOT - repeated exposure**

No data available

**Aspiration toxicity**

**Product:**

May be fatal if swallowed and enters airways.

**Further information**

**Product:**

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting., Concentrations substantially above the TLV value may cause narcotic effects., Solvents may degrease the skin.

---

**SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity**

No data available

**Persistence and degradability**

No data available

**Bioaccumulative potential**

**Product:**

Partition coefficient: n-octanol/water : Remarks: No data available

**Components:**

ethanol :

**SAFETY DATA SHEET**  
**ZEP PROFESSIONAL FAST EVAPORATING SOLVENT DEGREASER**  
**20N14 12CT**

Version 1.1

Revision Date 12/21/2025

Print Date 12/21/2025

Partition coefficient: n-octanol/water : Remarks: No data available  
**heptane :**  
Partition coefficient: n-octanol/water : log Pow: 5

**Mobility in soil**

No data available

**Other adverse effects**

No data available

**Product:**

Additional ecological information : No data available

---

**SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods**

Waste from residues : Dispose of in accordance with local regulations.  
The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.  
Do not burn, or use a cutting torch on, the empty drum.

---

**SECTION 14. TRANSPORT INFORMATION**

|                                                                                                                                        |
|----------------------------------------------------------------------------------------------------------------------------------------|
| Transportation Regulation (TDG) / Règlement Pour Le Transport (TMD): (Canada):<br>UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity |
|----------------------------------------------------------------------------------------------------------------------------------------|

|                                                                         |
|-------------------------------------------------------------------------|
| Transportation Regulation / Règlement Pour Le Transport: IMDG (Vessel): |
|-------------------------------------------------------------------------|

**SAFETY DATA SHEET**  
**ZEP PROFESSIONAL FAST EVAPORATING SOLVENT DEGREASER**  
**20N14 12CT**

Version 1.1

Revision Date 12/21/2025

Print Date 12/21/2025

UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation / Règlement Pour Le Transport: IATA (Cargo Air):

UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation / Règlement Pour Le Transport: IATA (Passenger Air):

UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation / Règlement Pour Le Transport: 49 CFR (USA):

UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

The product as delivered to the customer conforms to packaging requirements for shipment by road under Transport Dangerous Goods (TDG) Canada regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

---

**SECTION 15. REGULATORY INFORMATION**

This product has been classified according to the hazard criteria of the HPR and the SDS contains all of the information required by the HPR.

**The components of this product are reported in the following inventories:**

**DSL**  
**TSCA**

All components of this product are on the Canadian DSL  
On TSCA Inventory

# SAFETY DATA SHEET

## ZEP PROFESSIONAL FAST EVAPORATING SOLVENT DEGREASER

### 20N14 12CT

Version 1.1

Revision Date 12/21/2025

Print Date 12/21/2025

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

#### Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

## SECTION 16. OTHER INFORMATION

#### WHMIS - GHS Label Information:

Hazard pictograms



Signal word

Hazard statements

Precautionary statements

**Danger:**  
Extremely flammable aerosol. Contains gas under pressure; may explode if heated. May be fatal if swallowed and enters airways. Causes skin irritation. May cause drowsiness or dizziness. Causes damage to organs.

**Prevention:** Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves.

**Response:** IF SWALLOWED: Immediately call a POISON CENTER/doctor. IF ON SKIN: Wash with plenty of water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell. IF exposed or concerned: Call a POISON CENTER/doctor. Do NOT induce vomiting. If skin irritation occurs: Get medical advice/ attention. Take off contaminated clothing and wash it before reuse.

**Storage:** Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store in a well-ventilated place.

**Disposal:** Dispose of contents/container in accordance with local regulation.

|                |            |
|----------------|------------|
| Version:       | 1.1        |
| Revision Date: | 12/21/2025 |
| Print Date:    | 12/21/2025 |

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

**SAFETY DATA SHEET**  
**ZEP PROFESSIONAL FAST EVAPORATING SOLVENT DEGREASER**  
**20N14 12CT**

Version 1.1

Revision Date 12/21/2025

Print Date 12/21/2025

---