

# SAFETY DATA SHEET

## ZEP PROFESSIONAL PARTS WASHER SOLVENT WITH CITRUS 5GL

Version 1.2

Revision Date 12/21/2025

Print Date 12/21/2025

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name : ZEP PROFESSIONAL PARTS WASHER SOLVENT WITH CITRUS 5GL

Material number : 000000000001041597

#### Manufacturer or supplier's details

Company : Zep Inc.

Address : 11627 - 178 Street  
Edmonton, Alberta T5S 1N6  
Canada

Telephone : Compliance Services - 877-428-9937

#### Emergency telephone numbers

**For SDS Information** : Compliance Services - 877-428-9937

**For a Medical Emergency** : 877-541-2016 Toll Free - All Calls Recorded

**For a Transportation Emergency** : CHEMTREC: 800-424-9300 - All Calls Recorded.

#### Recommended use of the chemical and restrictions on use

### SECTION 2. HAZARDS IDENTIFICATION

#### Emergency Overview

|            |                   |
|------------|-------------------|
| Appearance | liquid            |
| Colour     | clear, pale straw |
| Odour      | characteristic    |

#### GHS Classification

Flammable liquids : Category 4  
Skin sensitisation : Category 1  
Aspiration hazard : Category 1

# SAFETY DATA SHEET

## ZEP PROFESSIONAL PARTS WASHER SOLVENT WITH CITRUS 5GL

Version 1.2

Revision Date 12/21/2025

Print Date 12/21/2025

### GHS label elements

Hazard pictograms

:



Signal word

: Danger

Hazard statements

: H227 Combustible liquid.  
H304 May be fatal if swallowed and enters airways.  
H317 May cause an allergic skin reaction.

Precautionary statements

: **Prevention:**  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.  
**Response:**  
P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.  
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.  
P331 Do NOT induce vomiting.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P362 + P364 Take off contaminated clothing and wash it before reuse.  
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.  
**Storage:**  
P403 + P235 Store in a well-ventilated place. Keep cool.  
**Disposal:**  
P501 Dispose of contents/container in accordance with local regulation.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

: Mixture

#### Hazardous components

| Chemical name                               | CAS-No.    | Concentration [%] * |
|---------------------------------------------|------------|---------------------|
| Distillates (petroleum), hydrotreated light | 64742-47-8 | >= 80 - <= 100      |

# SAFETY DATA SHEET

## ZEP PROFESSIONAL PARTS WASHER SOLVENT WITH CITRUS 5GL

Version 1.2

Revision Date 12/21/2025

Print Date 12/21/2025

|              |            |            |
|--------------|------------|------------|
| Citrus, ext. | 94266-47-4 | >= 1 - < 5 |
|--------------|------------|------------|

\* The exact percentages of disclosed substances are withheld as trade secrets.

### SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.  
Show this safety data sheet to the doctor in attendance.  
  
Symptoms of poisoning may appear several hours later.  
  
Do not leave the victim unattended.  
  
Get medical attention.
- If inhaled : If unconscious, place in recovery position and seek medical advice.  
If symptoms persist, call a physician.
- In case of skin contact : If skin irritation persists, call a physician.  
Wash off immediately with plenty of water for at least 15 minutes.  
Remove contaminated clothing and shoes.  
Wash contaminated clothing before reuse.
- In case of eye contact : Rinse immediately with plenty of water for at least 15 minutes.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.  
DO NOT induce vomiting unless directed to do so by a physician or poison control center.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.  
Take victim immediately to hospital.
- Most important symptoms and effects, both acute and delayed : Effects are dependent on exposure (dose, concentration, contact time).  
Effects are immediate and delayed.  
Symptoms may include irritation, redness, pain, and rash.  
Symptoms may include difficulty breathing, coughing, wheezing, throat irritation, and tightness/closure of airway.  
  
Aspiration may cause pulmonary oedema and pneumonitis.  
May be fatal if swallowed and enters airways.

# SAFETY DATA SHEET

## ZEP PROFESSIONAL PARTS WASHER SOLVENT WITH CITRUS 5GL

Version 1.2

Revision Date 12/21/2025

Print Date 12/21/2025

May cause an allergic skin reaction.  
Review section 2 of SDS to see all potential hazards.

Notes to physician : Treat symptomatically. Symptoms may be delayed.

---

### SECTION 5. FIREFIGHTING MEASURES

- |                                               |                                                                                                                                                                                                                                                                                                                                                                                 |
|-----------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Suitable extinguishing media                  | : Dry chemical<br>Water<br>Foam                                                                                                                                                                                                                                                                                                                                                 |
| Unsuitable extinguishing media                | : High volume water jet                                                                                                                                                                                                                                                                                                                                                         |
| Specific hazards during firefighting          | : Do not allow run-off from fire fighting to enter drains or water courses.                                                                                                                                                                                                                                                                                                     |
| Hazardous combustion products                 | : Carbon dioxide (CO <sub>2</sub> )<br>Carbon monoxide<br>Smoke                                                                                                                                                                                                                                                                                                                 |
| Specific extinguishing methods                | : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.                                                                                                                                                                                                                                                                       |
| Further information                           | : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.<br>Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.<br>For safety reasons in case of fire, cans should be stored separately in closed containments.<br>Use a water spray to cool fully closed containers. |
| Special protective equipment for firefighters | : Wear self-contained breathing apparatus for firefighting if necessary.                                                                                                                                                                                                                                                                                                        |

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- |                                                                     |                                                                                                                                                                                            |
|---------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Personal precautions, protective equipment and emergency procedures | : Use personal protective equipment.<br>Ensure adequate ventilation.                                                                                                                       |
| Environmental precautions                                           | : Prevent product from entering drains.<br>Prevent further leakage or spillage if safe to do so.<br>If the product contaminates rivers and lakes or drains, inform respective authorities. |
| Methods and materials for containment and cleaning up               | : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth,                                                                       |

# SAFETY DATA SHEET

## ZEP PROFESSIONAL PARTS WASHER SOLVENT WITH CITRUS 5GL

Version 1.2

Revision Date 12/21/2025

Print Date 12/21/2025

vermiculite) and place in container for disposal according to local / national regulations (see section 13).  
Keep in suitable, closed containers for disposal.

### SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : Avoid formation of aerosol.  
Do not breathe vapours or spray mist.  
Avoid exposure - obtain special instructions before use.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Provide sufficient air exchange and/or exhaust in work rooms.  
Dispose of rinse water in accordance with local and national regulations.  
Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
- Conditions for safe storage : No smoking.  
Keep in a well-ventilated place.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Observe label precautions.  
Electrical installations / working materials must comply with the technological safety standards.
- Materials to avoid : Oxidizing agents

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

| Components                                  | CAS-No.    | Value type<br>(Form of exposure) | Control parameters /<br>Permissible concentration | Basis     |
|---------------------------------------------|------------|----------------------------------|---------------------------------------------------|-----------|
| Distillates (petroleum), hydrotreated light | 64742-47-8 | TWA                              | 200 mg/m3<br>(As total hydrocarbon vapour)        | CA BC OEL |
|                                             |            | TWA                              | 200 mg/m3<br>(total hydrocarbon vapor)            | CA AB OEL |

Engineering measures : effective ventilation in all processing areas

# SAFETY DATA SHEET

## ZEP PROFESSIONAL PARTS WASHER SOLVENT WITH CITRUS 5GL

Version 1.2

Revision Date 12/21/2025

Print Date 12/21/2025

---

### Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

### Hand protection

Material : Protective gloves

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Access to clean water to rinse eyes must be available, options include: eye wash stations or showers, or eye wash bottles with pure water.

Safety glasses

Skin and body protection : Impervious clothing  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures : When using do not eat or drink.  
When using do not smoke.

Wash hands before breaks and at the end of workday.

---

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

# SAFETY DATA SHEET

## ZEP PROFESSIONAL PARTS WASHER SOLVENT WITH CITRUS 5GL

Version 1.2

Revision Date 12/21/2025

Print Date 12/21/2025

---

|                                        |                                    |
|----------------------------------------|------------------------------------|
| Physical state                         | : liquid                           |
| Colour                                 | : clear, pale straw                |
| Odour                                  | : characteristic                   |
| Odour Threshold                        | : No data available                |
| pH                                     | : Not applicable                   |
| Melting point/freezing point           | : No data available                |
| Boiling point                          | : 177 °C                           |
| Flash point                            | : 61.11 °C<br>Method: closed cup   |
| Evaporation rate                       | : < 1                              |
| Upper explosion limit                  | : No data available                |
| Lower explosion limit                  | : No data available                |
| Vapour pressure                        | : 0.8 hPa                          |
| Relative vapour density                | : No data available                |
| Density                                | : 0.826 g/cm <sup>3</sup>          |
| Bulk density                           | : No data available                |
| Solubility(ies)                        |                                    |
| Water solubility                       | : slightly soluble                 |
| Solubility in other solvents           | : soluble                          |
| Partition coefficient: n-octanol/water | : No data available                |
| Auto-ignition temperature              | : No data available                |
| Decomposition temperature              | : No data available                |
| Viscosity                              |                                    |
| Viscosity, dynamic                     | : No data available                |
| Viscosity, kinematic                   | : 4.4 mm <sup>2</sup> /s (20.0 °C) |

---

### SECTION 10. STABILITY AND REACTIVITY

|                          |                                                |
|--------------------------|------------------------------------------------|
| Reactivity               | : Stable                                       |
| Chemical stability       | : Stable under normal conditions.              |
| Possibility of hazardous | : Vapours may form explosive mixture with air. |

# SAFETY DATA SHEET

## ZEP PROFESSIONAL PARTS WASHER SOLVENT WITH CITRUS 5GL

Version 1.2

Revision Date 12/21/2025

Print Date 12/21/2025

|                                  |                                                     |
|----------------------------------|-----------------------------------------------------|
| reactions                        | No decomposition if stored and applied as directed. |
| Conditions to avoid              | : Heat, flames and sparks.                          |
| Incompatible materials           | : Strong oxidizing agents                           |
| Hazardous decomposition products | : Carbon oxides                                     |

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Potential Health Effects

Aggravated Medical Condition : None known.

Symptoms of Overexposure : Effects are dependent on exposure (dose, concentration, contact time).  
Effects are immediate and delayed.  
Symptoms may include irritation, redness, pain, and rash.  
Symptoms may include difficulty breathing, coughing, wheezing, throat irritation, and tightness/closure of airway.

Aspiration may cause pulmonary oedema and pneumonitis.  
May be fatal if swallowed and enters airways.  
May cause an allergic skin reaction.  
Review section 2 of SDS to see all potential hazards.  
Treat symptomatically. Symptoms may be delayed.

#### Carcinogenicity:

##### IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

##### ACGIH

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

#### Acute toxicity

##### Product:

Acute dermal toxicity : Acute toxicity estimate : 2,674 mg/kg

Method: Calculation method

##### Components:

Distillates (petroleum), hydrotreated light:



# SAFETY DATA SHEET

## ZEP PROFESSIONAL PARTS WASHER SOLVENT WITH CITRUS 5GL

Version 1.2

Revision Date 12/21/2025

Print Date 12/21/2025

---

Acute oral toxicity : LD50 Rat: > 5,000 mg/kg

Acute inhalation toxicity : LC50 Rat: > 4.6 mg/l  
Exposure time: 6 h

Acute dermal toxicity : LD50 Rat: > 2,000 mg/kg

### Skin corrosion/irritation

**Product:**

Remarks: May irritate skin.

### Serious eye damage/eye irritation

**Product:**

Remarks: Contact with eyes may cause irritation.

### Respiratory or skin sensitisation

**Product:**

Remarks: Causes sensitisation.

### Germ cell mutagenicity

No data available

### Carcinogenicity

No data available

### Reproductive toxicity

No data available

### STOT - single exposure

No data available

### STOT - repeated exposure

No data available

### Aspiration toxicity

No data available

### Further information

**Product:**

# SAFETY DATA SHEET

## ZEP PROFESSIONAL PARTS WASHER SOLVENT WITH CITRUS 5GL

Version 1.2

Revision Date 12/21/2025

Print Date 12/21/2025

Remarks: Solvents may degrease the skin.

---

### SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

**Components:**

**Citrus, ext. :**

Toxicity to fish : LC50 (Fish): 0.1 - 1.0 mg/l  
Remarks: Information taken from reference works and the literature.

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.1 - 1.0 mg/l  
Remarks: Information taken from reference works and the literature.

#### Persistence and degradability

**Components:**

**Citrus, ext. :**

Biodegradability : Remarks: Readily biodegradable  
Information taken from reference works and the literature.

#### Bioaccumulative potential

**Product:**

Partition coefficient: n-octanol/water : Remarks: No data available

**Components:**

**Citrus, ext. :**

Bioaccumulation : Bioconcentration factor (BCF): < 2,000  
Remarks: Information taken from reference works and the literature.

#### Mobility in soil

No data available

#### Other adverse effects

**Product:**

Additional ecological information : Not applicable

# SAFETY DATA SHEET

## ZEP PROFESSIONAL PARTS WASHER SOLVENT WITH CITRUS 5GL

Version 1.2

Revision Date 12/21/2025

Print Date 12/21/2025

### Components:

#### Citrus, ext. :

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT)., Remarks: Information taken from reference works and the literature.

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.  
Do not burn, or use a cutting torch on, the empty drum.

---

## SECTION 14. TRANSPORT INFORMATION

Transportation Regulation (TDG) / Règlement Pour Le Transport (TMD): (Canada):  
NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation / Règlement Pour Le Transport: IMDG (Vessel):  
NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation / Règlement Pour Le Transport: IATA (Cargo Air):

# SAFETY DATA SHEET

## ZEP PROFESSIONAL PARTS WASHER SOLVENT WITH CITRUS 5GL

Version 1.2

Revision Date 12/21/2025

Print Date 12/21/2025

NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation / Règlement Pour Le Transport: IATA (Passenger Air):

NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation / Règlement Pour Le Transport: 49 CFR (USA):

NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

The product as delivered to the customer conforms to packaging requirements for shipment by road under Transport Dangerous Goods (TDG) Canada regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

### SECTION 15. REGULATORY INFORMATION

This product has been classified according to the hazard criteria of the HPR and the SDS contains all of the information required by the HPR.

**The components of this product are reported in the following inventories:**

**DSL  
TSCA**

All components of this product are on the Canadian DSL  
On TSCA Inventory

# SAFETY DATA SHEET

## ZEP PROFESSIONAL PARTS WASHER SOLVENT WITH CITRUS 5GL

Version 1.2

Revision Date 12/21/2025

Print Date 12/21/2025

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

### Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

## SECTION 16. OTHER INFORMATION

### WHMIS - GHS Label Information:

Hazard pictograms



Signal word

: **Danger:**

Hazard statements

: Combustible liquid. May be fatal if swallowed and enters airways. May cause an allergic skin reaction.

Precautionary statements

:  
**Prevention:** Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/ protective clothing/ eye protection/ face protection.  
**Response:** IF SWALLOWED: Immediately call a POISON CENTER/doctor. IF ON SKIN: Wash with plenty of soap and water. Do NOT induce vomiting. If skin irritation or rash occurs: Get medical advice/ attention. Take off contaminated clothing and wash it before reuse. In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.  
**Storage:** Store in a well-ventilated place. Keep cool.  
**Disposal:** Dispose of contents/container in accordance with local regulation.

|                |            |
|----------------|------------|
| Version:       | 1.2        |
| Revision Date: | 12/21/2025 |
| Print Date:    | 12/21/2025 |

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

**SAFETY DATA SHEET**  
**ZEP PROFESSIONAL PARTS WASHER SOLVENT WITH CITRUS**  
**5GL**

Version 1.2

Revision Date 12/21/2025

Print Date 12/21/2025

---