

# SAFETY DATA SHEET

## ZEP FOAMING COIL CLEANER 20N18 12CT

Version 2.2

Revision Date 12/21/2025

Print Date 12/21/2025

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name : ZEP FOAMING COIL CLEANER 20N18 12CT

Material number : 20201C

#### Manufacturer or supplier's details

Company : Zep Inc.

Address : 11627 - 178 Street  
Edmonton, Alberta T5S 1N6  
Canada

Telephone : Compliance Services - 877-428-9937

#### Emergency telephone numbers

**For SDS Information** : Compliance Services - 877-428-9937

**For a Medical Emergency** : 877-541-2016 Toll Free - All Calls Recorded

**For a Transportation  
Emergency** : CHEMTREC: 800-424-9300 - All Calls Recorded.

#### Recommended use of the chemical and restrictions on use

### SECTION 2. HAZARDS IDENTIFICATION

#### Emergency Overview

|            |                                    |
|------------|------------------------------------|
| Appearance | Aerosol containing a liquefied gas |
| Colour     | colourless, clear                  |
| Odour      | characteristic                     |

#### GHS Classification

Gases under pressure : Liquefied gas

Skin corrosion : Category 1

Serious eye damage : Category 1

#### GHS label elements

# SAFETY DATA SHEET

## ZEP FOAMING COIL CLEANER 20N18 12CT

Version 2.2

Revision Date 12/21/2025

Print Date 12/21/2025

Hazard pictograms

:



Gas cylinder

Corrosion

Signal word

:

Danger

Hazard statements

:

H280 Contains gas under pressure; may explode if heated.  
H314 Causes severe skin burns and eye damage.

Precautionary statements

:

**Prevention:**

P260 Do not breathe dust or mist.

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P251 Pressurized container: Do not pierce or burn, even after use.

**Response:**

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

P363 Wash contaminated clothing before reuse.

**Storage:**

P403 Store in a well-ventilated place.

P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

**Disposal:**

P501 Dispose of contents/container in accordance with local regulation.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

:

Mixture

#### Hazardous components

| Chemical name                           | CAS-No.    | Concentration [%] * |
|-----------------------------------------|------------|---------------------|
| 1-(1-methyl-2-propoxyethoxy)propan-2-ol | 29911-27-1 | >= 1 - < 5          |
| butane                                  | 106-97-8   | >= 1 - < 5          |

# SAFETY DATA SHEET

## ZEP FOAMING COIL CLEANER 20N18 12CT

Version 2.2

Revision Date 12/21/2025

Print Date 12/21/2025

|                  |         |                |
|------------------|---------|----------------|
| propane-1,2-diol | 57-55-6 | $\geq 1 - < 5$ |
| propane          | 74-98-6 | $\geq 1 - < 5$ |

\* The exact percentages of disclosed substances are withheld as trade secrets.

---

### SECTION 4. FIRST AID MEASURES

- General advice : Do not leave the victim unattended.  
Move out of dangerous area.
- Show this safety data sheet to the doctor in attendance.
- If inhaled : If unconscious, place in recovery position and seek medical advice.  
If symptoms persist, call a physician.
- In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes.  
If skin irritation persists, call a physician.
- In case of eye contact : Remove contact lenses.  
Rinse immediately with plenty of water for at least 15 minutes.  
Keep eye wide open while rinsing.
- If swallowed : Keep respiratory tract clear.  
Never give anything by mouth to an unconscious person.  
DO NOT induce vomiting unless directed to do so by a physician or poison control center.
- Most important symptoms and effects, both acute and delayed : Effects are immediate and delayed.  
Effects are dependent on exposure (dose, concentration, contact time).  
Symptoms may include blistering, irritation, burns, and pain.  
Causes severe skin burns and eye damage.  
Review section 2 of SDS to see all potential hazards.
- Notes to physician : Treat symptomatically. Symptoms may be delayed.

---

### SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

# SAFETY DATA SHEET

## ZEP FOAMING COIL CLEANER 20N18 12CT

Version 2.2

Revision Date 12/21/2025

Print Date 12/21/2025

|                                               |                                                                                                           |
|-----------------------------------------------|-----------------------------------------------------------------------------------------------------------|
| Unsuitable extinguishing media                | : High volume water jet                                                                                   |
| Specific hazards during firefighting          | : Do not allow run-off from fire fighting to enter drains or water courses.                               |
| Hazardous combustion products                 | : Carbon dioxide (CO <sub>2</sub> )<br>Carbon monoxide<br>Smoke                                           |
| Specific extinguishing methods                | : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
| Further information                           | : Standard procedure for chemical fires.                                                                  |
| Special protective equipment for firefighters | : Wear self-contained breathing apparatus for firefighting if necessary.                                  |

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

|                                                                     |                                                                                                                                                                                                                  |
|---------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Personal precautions, protective equipment and emergency procedures | : Use personal protective equipment.<br>Ensure adequate ventilation.<br>Remove all sources of ignition.<br>Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. |
| Environmental precautions                                           | : Prevent further leakage or spillage if safe to do so.<br>Prevent product from entering drains.<br>If the product contaminates rivers and lakes or drains, inform respective authorities.                       |
| Methods and materials for containment and cleaning up               | : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).<br>Sweep up or vacuum up spillage and collect in suitable container for disposal.                       |

---

### SECTION 7. HANDLING AND STORAGE

|                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|-------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Advice on safe handling | : For personal protection see section 8.<br>Smoking, eating and drinking should be prohibited in the application area.<br>Dispose of rinse water in accordance with local and national regulations.<br>Avoid exposure - obtain special instructions before use.<br>Avoid contact with skin and eyes.<br>Take precautionary measures against static discharges.<br>Provide sufficient air exchange and/or exhaust in work rooms.<br>Always replace cap after use. |
|-------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

# SAFETY DATA SHEET

## ZEP FOAMING COIL CLEANER 20N18 12CT

Version 2.2

Revision Date 12/21/2025

Print Date 12/21/2025

Do not breathe vapours or spray mist.

Conditions for safe storage : BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects.  
Keep in a dry, cool and well-ventilated place.  
Observe label precautions.  
Electrical installations / working materials must comply with the technological safety standards.  
No smoking.

Materials to avoid : Do not freeze.  
Store and keep away from, oxidizing agents and acids.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

| Components       | CAS-No.  | Value type<br>(Form of exposure) | Control parameters / Permissible concentration | Basis     |
|------------------|----------|----------------------------------|------------------------------------------------|-----------|
| butane           | 106-97-8 | TWA                              | 1,000 ppm                                      | CA AB OEL |
|                  |          | TWA                              | 600 ppm                                        | CA BC OEL |
|                  |          | STEL                             | 750 ppm                                        | CA BC OEL |
|                  |          | TWAEV                            | 800 ppm<br>1,900 mg/m3                         | CA QC OEL |
|                  |          | STEL                             | 1,000 ppm                                      | ACGIH     |
| propane-1,2-diol | 57-55-6  | TWA<br>(Vapour and aerosols)     | 50 ppm<br>155 mg/m3                            | CA ON OEL |
|                  |          | TWA<br>(aerosol)                 | 10 mg/m3                                       | CA ON OEL |
| propane          | 74-98-6  | TWA                              | 1,000 ppm                                      | CA AB OEL |
|                  |          | TWA                              | 1,000 ppm                                      | CA BC OEL |
|                  |          | TWAEV                            | 1,000 ppm<br>1,800 mg/m3                       | CA QC OEL |
|                  |          | TWA                              | 1,000 ppm                                      | CA ON OEL |

Engineering measures : effective ventilation in all processing areas

#### Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Hand protection

# SAFETY DATA SHEET

## ZEP FOAMING COIL CLEANER 20N18 12CT

Version 2.2

Revision Date 12/21/2025

Print Date 12/21/2025

|                          |                                                                                                                                         |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|
| Material                 | : Protective gloves                                                                                                                     |
| Remarks                  | : The suitability for a specific workplace should be discussed with the producers of the protective gloves.                             |
| Eye protection           | : Tightly fitting safety goggles                                                                                                        |
| Skin and body protection | : Impervious clothing<br>Choose body protection according to the amount and concentration of the dangerous substance at the work place. |
| Hygiene measures         | : Wash hands before breaks and at the end of workday.<br>When using do not eat, drink or smoke.                                         |

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

|                                   |                                           |
|-----------------------------------|-------------------------------------------|
| Physical state                    | : Aerosol containing a liquefied gas      |
| Colour                            | : colourless, clear                       |
| Odour                             | : characteristic                          |
| Odour Threshold                   | : No data available                       |
| pH                                | : 12 - 13                                 |
| Melting point/freezing point      | : Not applicable                          |
| Boiling point                     | : 100 °C                                  |
| Flash point                       | :<br>Not applicable                       |
| Evaporation rate                  | : 1                                       |
| Flammability (solid, gas, liquid) | : Not classified as a flammability hazard |
| Upper explosion limit             | : Not applicable                          |
| Lower explosion limit             | : Not applicable                          |
| Vapour pressure                   | : No data available                       |

# SAFETY DATA SHEET

## ZEP FOAMING COIL CLEANER 20N18 12CT

Version 2.2

Revision Date 12/21/2025

Print Date 12/21/2025

|                                        |                                               |
|----------------------------------------|-----------------------------------------------|
| Relative vapour density                | : No data available                           |
| Density                                | : 1.017 g/cm <sup>3</sup>                     |
| Solubility(ies)                        |                                               |
| Water solubility                       | : soluble in hot water, soluble in cold water |
| Solubility in other solvents           | : soluble                                     |
| Partition coefficient: n-octanol/water | : No data available                           |
| Auto-ignition temperature              | : not determined                              |
| Decomposition temperature              | : No data available                           |
| Viscosity                              |                                               |
| Viscosity, kinematic                   | : No data available                           |
| Heat of combustion                     | : < 20 kJ/g                                   |

---

### SECTION 10. STABILITY AND REACTIVITY

|                                    |                                                                                                       |
|------------------------------------|-------------------------------------------------------------------------------------------------------|
| Reactivity                         | : Stable                                                                                              |
| Chemical stability                 | : Stable under normal conditions.                                                                     |
| Possibility of hazardous reactions | : Vapours may form explosive mixture with air.<br>No decomposition if stored and applied as directed. |
| Conditions to avoid                | : Heat, flames and sparks.<br>Extremes of temperature and direct sunlight.                            |
| Incompatible materials             | : Oxidizing agents<br>Acids                                                                           |
| Hazardous decomposition products   | : Carbon oxides<br>Organic Substances                                                                 |

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Potential Health Effects

|                              |                                      |
|------------------------------|--------------------------------------|
| Aggravated Medical Condition | : None known.                        |
| Symptoms of Overexposure     | : Effects are immediate and delayed. |

# SAFETY DATA SHEET

## ZEP FOAMING COIL CLEANER 20N18 12CT

Version 2.2

Revision Date 12/21/2025

Print Date 12/21/2025

Effects are dependent on exposure (dose, concentration, contact time).  
Symptoms may include blistering, irritation, burns, and pain.  
Causes severe skin burns and eye damage.  
Review section 2 of SDS to see all potential hazards.  
Treat symptomatically. Symptoms may be delayed.

### Carcinogenicity:

#### IARC

Group 2A: Probably carcinogenic to humans

sodium nitrite

7632-00-0

#### ACGIH

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

### Acute toxicity

#### Product:

Acute oral toxicity

: Acute toxicity estimate : > 5,000 mg/kg

Method: Calculation method

### Skin corrosion/irritation

#### Product:

Remarks: Causes skin burns.

### Serious eye damage/eye irritation

#### Product:

Remarks: Risk of serious damage to eyes.

### Respiratory or skin sensitisation

No data available

### Germ cell mutagenicity

No data available

### Carcinogenicity

No data available

### Reproductive toxicity

No data available

### STOT - single exposure

No data available



# SAFETY DATA SHEET

## ZEP FOAMING COIL CLEANER 20N18 12CT

Version 2.2

Revision Date 12/21/2025

Print Date 12/21/2025

### STOT - repeated exposure

No data available

### Aspiration toxicity

No data available

### Further information

#### Product:

Remarks: No data available

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

No data available

### Persistence and degradability

No data available

### Bioaccumulative potential

#### Product:

Partition coefficient: n-octanol/water : Remarks: No data available

#### Components:

**1-(1-methyl-2-propoxyethoxy)propan-2-ol :**

Partition coefficient: n-octanol/water : Pow: 7.7

**butane :**

Partition coefficient: n-octanol/water : Pow: 2.89

**propane-1,2-diol :**

Partition coefficient: n-octanol/water : log Pow: -1.07

### Mobility in soil

No data available

### Other adverse effects

No data available

#### Product:

Additional ecological : No data available

# SAFETY DATA SHEET

## ZEP FOAMING COIL CLEANER 20N18 12CT

Version 2.2

Revision Date 12/21/2025

Print Date 12/21/2025

information

---

### SECTION 13. DISPOSAL CONSIDERATIONS

#### Disposal methods

- |                        |                                                                                                                                                                              |
|------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Waste from residues    | : Do not dispose of waste into sewer.<br>Do not contaminate ponds, waterways or ditches with chemical or used container.<br>Dispose of in accordance with local regulations. |
| Contaminated packaging | : Empty remaining contents.<br>Dispose of as unused product.<br>Do not re-use empty containers.<br>Do not burn, or use a cutting torch on, the empty drum.                   |

---

### SECTION 14. TRANSPORT INFORMATION

Transportation Regulation (TDG) / Règlement Pour Le Transport (TMD): (Canada):  
UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

Transportation Regulation / Règlement Pour Le Transport: IMDG (Vessel):  
UN1950, AEROSOLS, 2.2, - Limited quantity

Transportation Regulation / Règlement Pour Le Transport: IATA (Cargo Air):  
UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

Transportation Regulation / Règlement Pour Le Transport: IATA (Passenger Air):  
UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

Transportation Regulation / Règlement Pour Le Transport: 49 CFR (USA):

# SAFETY DATA SHEET

## ZEP FOAMING COIL CLEANER 20N18 12CT

Version 2.2

Revision Date 12/21/2025

Print Date 12/21/2025

|                                                          |
|----------------------------------------------------------|
| UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity |
|----------------------------------------------------------|

The product as delivered to the customer conforms to packaging requirements for shipment by road under Transport Dangerous Goods (TDG) Canada regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

---

### SECTION 15. REGULATORY INFORMATION

This product has been classified according to the hazard criteria of the HPR and the SDS contains all of the information required by the HPR.

**The components of this product are reported in the following inventories:**

|             |                                                        |
|-------------|--------------------------------------------------------|
| <b>DSL</b>  | All components of this product are on the Canadian DSL |
| <b>TSCA</b> | On TSCA Inventory                                      |

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

**Inventory Acronym and Validity Area Legend:**

TSCA (USA), DSL (Canada), NDSL (Canada)

---

### SECTION 16. OTHER INFORMATION

---

WHMIS - GHS Label Information:

# SAFETY DATA SHEET


## ZEP FOAMING COIL CLEANER 20N18 12CT

Version 2.2

Revision Date 12/21/2025

Print Date 12/21/2025

Hazard pictograms



Signal word

: **Danger:**

Hazard statements

: Contains gas under pressure; may explode if heated. Causes severe skin burns and eye damage.

Precautionary statements

:  
**Prevention:** Do not breathe dust or mist. Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection. Pressurized container: Do not pierce or burn, even after use.  
**Response:** IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Wash contaminated clothing before reuse.  
**Storage:** Store in a well-ventilated place. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.  
**Disposal:** Dispose of contents/container in accordance with local regulation.

|                |            |
|----------------|------------|
| Version:       | 2.2        |
| Revision Date: | 12/21/2025 |
| Print Date:    | 12/21/2025 |

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.