

# SAFETY DATA SHEET

## ZEP ZEPYNAMIC A II SURFACE DISINFECTANT\_20N16\_EA

Version 1.2

Revision Date 12/21/2025

Print Date 12/21/2025

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name : ZEP ZEPYNAMIC A II SURFACE  
DISINFECTANT\_20N16\_EA

Material number : 000000000000351500

#### Manufacturer or supplier's details

Company : Zep Inc.

Address : 11627 - 178 Street  
Edmonton, Alberta T5S 1N6  
Canada

Telephone : Compliance Services - 877-428-9937

#### Emergency telephone numbers

**For SDS Information** : Compliance Services - 877-428-9937

**For a Medical Emergency** : 877-541-2016 Toll Free - All Calls Recorded

**For a Transportation  
Emergency** : CHEMTREC: 800-424-9300 - All Calls Recorded.

#### Recommended use of the chemical and restrictions on use

### SECTION 2. HAZARDS IDENTIFICATION

#### Emergency Overview

|            |                                    |
|------------|------------------------------------|
| Appearance | Aerosol containing a liquefied gas |
| Colour     | colourless, light yellow           |
| Odour      | pleasant                           |

#### GHS Classification

Flammable aerosols : Category 2  
Gases under pressure : Liquefied gas  
Eye irritation : Category 2A

#### GHS label elements

# SAFETY DATA SHEET

## ZEP ZEPYNAMIC A II SURFACE DISINFECTANT\_20N16\_EA

Version 1.2

Revision Date 12/21/2025

Print Date 12/21/2025

Hazard pictograms

:



Flame



Gas cylinder



Exclamation mark

Signal word

: Warning

Hazard statements

: H223 Flammable aerosol.  
H280 Contains gas under pressure; may explode if heated.  
H319 Causes serious eye irritation.

Precautionary statements

: **Prevention:**  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P211 Do not spray on an open flame or other ignition source.  
P251 Pressurized container: Do not pierce or burn, even after use.  
P264 Wash skin thoroughly after handling.  
P280 Wear eye protection/ face protection.  
**Response:**  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337 + P313 If eye irritation persists: Get medical advice/ attention.  
**Storage:**  
P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.  
P403 Store in a well-ventilated place.  
**Disposal:**  
P501 Dispose of contents/container in accordance with local regulation.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

: Mixture

#### Hazardous components

| Chemical name | CAS-No.  | Concentration [%] * |
|---------------|----------|---------------------|
| ethanol       | 64-17-5  | >= 30 - < 50        |
| butane        | 106-97-8 | >= 10 - < 20        |
| propane       | 74-98-6  | >= 1 - < 5          |
| propan-2-ol   | 67-63-0  | >= 1 - < 5          |

# SAFETY DATA SHEET

## ZEP ZEPYNAMIC A II SURFACE DISINFECTANT\_20N16\_EA

Version 1.2

Revision Date 12/21/2025

Print Date 12/21/2025

\* The exact percentages of disclosed substances are withheld as trade secrets.

---

### SECTION 4. FIRST AID MEASURES

|                                                             |                                                                                                                                                                                                                                                                         |
|-------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| General advice                                              | : Move out of dangerous area.<br>Show this safety data sheet to the doctor in attendance.<br><br>Do not leave the victim unattended.                                                                                                                                    |
| If inhaled                                                  | : If unconscious, place in recovery position and seek medical advice.<br>If symptoms persist, call a physician.                                                                                                                                                         |
| In case of skin contact                                     | : If skin irritation persists, call a physician.<br>Wash off immediately with plenty of water for at least 15 minutes.<br>Wash contaminated clothing before reuse.<br>Remove contaminated clothing and shoes.                                                           |
| In case of eye contact                                      | : Rinse immediately with plenty of water for at least 15 minutes.<br>If eye irritation persists, consult a specialist.<br>Remove contact lenses.<br>Protect unharmed eye.<br>Keep eye wide open while rinsing.                                                          |
| If swallowed                                                | : Keep respiratory tract clear.<br>Never give anything by mouth to an unconscious person.<br>If symptoms persist, call a physician.<br>DO NOT induce vomiting unless directed to do so by a physician or poison control center.<br>Take victim immediately to hospital. |
| Most important symptoms and effects, both acute and delayed | : Effects are immediate and delayed.<br>Symptoms may include irritation, redness, pain, and rash.<br>Causes serious eye irritation.<br>Review section 2 of SDS to see all potential hazards.                                                                            |
| Notes to physician                                          | : Treat symptomatically. Symptoms may be delayed.                                                                                                                                                                                                                       |

---

### SECTION 5. FIREFIGHTING MEASURES

|                              |                                                                                     |
|------------------------------|-------------------------------------------------------------------------------------|
| Suitable extinguishing media | : Water spray jet<br>Carbon dioxide (CO2)<br>Alcohol-resistant foam<br>Dry chemical |
|------------------------------|-------------------------------------------------------------------------------------|

# SAFETY DATA SHEET

## ZEP ZEPYDYNAMIC A II SURFACE DISINFECTANT\_20N16\_EA

Version 1.2

Revision Date 12/21/2025

Print Date 12/21/2025

|                                               |                                                                                                                                                      |
|-----------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|
| Unsuitable extinguishing media                | : High volume water jet                                                                                                                              |
| Hazardous combustion products                 | : Carbon dioxide (CO <sub>2</sub> )<br>Carbon monoxide<br>Smoke                                                                                      |
| Specific extinguishing methods                | : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.                                            |
| Further information                           | : For safety reasons in case of fire, cans should be stored separately in closed containments.<br>Use a water spray to cool fully closed containers. |
| Special protective equipment for firefighters | : Wear self-contained breathing apparatus for firefighting if necessary.                                                                             |

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

|                                                                     |                                                                                                                                                                                                                 |
|---------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Personal precautions, protective equipment and emergency procedures | : Ensure adequate ventilation.<br>Remove all sources of ignition.<br>Evacuate personnel to safe areas.<br>Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. |
| Environmental precautions                                           | : Prevent product from entering drains.<br>Prevent further leakage or spillage if safe to do so.<br>If the product contaminates rivers and lakes or drains, inform respective authorities.                      |
| Methods and materials for containment and cleaning up               | : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).<br>Sweep up or vacuum up spillage and collect in suitable container for disposal.                      |

---

### SECTION 7. HANDLING AND STORAGE

|                             |                                                                                                                                                                                                                                                                                                                                                                                                                             |
|-----------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Advice on safe handling     | : Avoid exposure - obtain special instructions before use.<br>Avoid contact with skin and eyes.<br>For personal protection see section 8.<br>Do not breathe vapours or spray mist.<br>Take precautionary measures against static discharges.<br>Provide sufficient air exchange and/or exhaust in work rooms.<br>Dispose of rinse water in accordance with local and national regulations.<br>Always replace cap after use. |
| Conditions for safe storage | : BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force                                                                                                                                                                                                                                                                                                      |

# SAFETY DATA SHEET

## ZEP ZEPYNAMIC A II SURFACE DISINFECTANT\_20N16\_EA

Version 1.2

Revision Date 12/21/2025

Print Date 12/21/2025

or throw into fire even after use. Do not spray on flames or red-hot objects.

No smoking.

Observe label precautions.

Keep in a dry, cool and well-ventilated place.

Electrical installations / working materials must comply with the technological safety standards.

Materials to avoid : Oxidizing agents

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

| Components  | CAS-No.  | Value type<br>(Form of exposure) | Control parameters /<br>Permissible concentration | Basis     |
|-------------|----------|----------------------------------|---------------------------------------------------|-----------|
| ethanol     | 64-17-5  | TWA                              | 1,000 ppm<br>1,880 mg/m3                          | CA AB OEL |
|             |          | STEL                             | 1,000 ppm                                         | CA BC OEL |
|             |          | TWAEV                            | 1,000 ppm<br>1,880 mg/m3                          | CA QC OEL |
|             |          | TWA                              | 1,000 ppm                                         | ACGIH     |
|             |          | STEL                             | 1,000 ppm                                         | ACGIH     |
| butane      | 106-97-8 | TWA                              | 1,000 ppm                                         | CA AB OEL |
|             |          | TWA                              | 600 ppm                                           | CA BC OEL |
|             |          | STEL                             | 750 ppm                                           | CA BC OEL |
|             |          | TWAEV                            | 800 ppm<br>1,900 mg/m3                            | CA QC OEL |
|             |          | STEL                             | 1,000 ppm                                         | ACGIH     |
| propane     | 74-98-6  | TWA                              | 1,000 ppm                                         | CA AB OEL |
|             |          | TWA                              | 1,000 ppm                                         | CA BC OEL |
|             |          | TWAEV                            | 1,000 ppm<br>1,800 mg/m3                          | CA QC OEL |
|             |          | TWA                              | 1,000 ppm                                         | CA ON OEL |
| propan-2-ol | 67-63-0  | TWA                              | 200 ppm<br>492 mg/m3                              | CA AB OEL |
|             |          | STEL                             | 400 ppm<br>984 mg/m3                              | CA AB OEL |
|             |          | TWA                              | 200 ppm                                           | CA BC OEL |
|             |          | STEL                             | 400 ppm                                           | CA BC OEL |
|             |          | TWAEV                            | 400 ppm<br>983 mg/m3                              | CA QC OEL |
|             |          | STEV                             | 500 ppm<br>1,230 mg/m3                            | CA QC OEL |
|             |          | TWA                              | 200 ppm                                           | ACGIH     |
|             |          | STEL                             | 400 ppm                                           | ACGIH     |

# SAFETY DATA SHEET

## ZEP ZEPYNAMIC A II SURFACE DISINFECTANT\_20N16\_EA

Version 1.2

Revision Date 12/21/2025

Print Date 12/21/2025

### Biological occupational exposure limits

| Components  | CAS-No. | Control parameter<br>s | Biological specimen | Sampling time                   | Permissible concentration | Basis     |
|-------------|---------|------------------------|---------------------|---------------------------------|---------------------------|-----------|
| PROPAN-2-OL | 67-63-0 | Acetone                | Urine               | End of shift at end of workweek | 40 mg/l                   | ACGIH BEI |

**Engineering measures** : effective ventilation in all processing areas

### Personal protective equipment

**Respiratory protection** : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

### Hand protection

**Material** : Protective gloves

**Remarks** : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

**Eye protection** : Safety glasses

Access to clean water to rinse eyes must be available, options include: eye wash stations or showers, or eye wash bottles with pure water.

**Skin and body protection** : Impervious clothing  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

**Hygiene measures** : Wash hands before breaks and at the end of workday.  
When using do not eat, drink or smoke.

# **SAFETY DATA SHEET**

## **ZEP ZEPYDYNAMIC A II SURFACE DISINFECTANT\_20N16\_EA**

Version 1.2

Revision Date 12/21/2025

Print Date 12/21/2025

---

### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

|                                        |                                      |
|----------------------------------------|--------------------------------------|
| Physical state                         | : Aerosol containing a liquefied gas |
| Colour                                 | : colourless, light yellow           |
| Odour                                  | : pleasant                           |
| Odour Threshold                        | : No data available                  |
| pH                                     | : 10 - 11                            |
| Melting point/freezing point           | : No data available                  |
| Boiling point                          | : No data available                  |
| Flash point                            | :<br>No data available               |
| Evaporation rate                       | : No data available                  |
| Flammability (solid, gas, liquid)      | : Flammable aerosol.                 |
| Upper explosion limit                  | : No data available                  |
| Lower explosion limit                  | : No data available                  |
| Vapour pressure                        | : No data available                  |
| Relative vapour density                | : No data available                  |
| Density                                | : 0.895 g/cm <sup>3</sup>            |
| Solubility(ies)                        |                                      |
| Water solubility                       | : soluble                            |
| Solubility in other solvents           | : not determined                     |
| Partition coefficient: n-octanol/water | : No data available                  |
| Auto-ignition temperature              | : not determined                     |
| Decomposition temperature              | : No data available                  |
| Viscosity                              |                                      |
| Viscosity, kinematic                   | : No data available                  |
| Heat of combustion                     | : 24.20 kJ/g                         |

---

### **SECTION 10. STABILITY AND REACTIVITY**

|            |          |
|------------|----------|
| Reactivity | : Stable |
|------------|----------|

# SAFETY DATA SHEET

## ZEP ZEPYDYNAMIC A II SURFACE DISINFECTANT\_20N16\_EA

Version 1.2

Revision Date 12/21/2025

Print Date 12/21/2025

|                                    |                                                                                                       |
|------------------------------------|-------------------------------------------------------------------------------------------------------|
| Chemical stability                 | : Stable under normal conditions.                                                                     |
| Possibility of hazardous reactions | : Vapours may form explosive mixture with air.<br>No decomposition if stored and applied as directed. |
| Conditions to avoid                | : Extremes of temperature and direct sunlight.<br>Heat, flames and sparks.                            |
| Incompatible materials             | : Oxidizing agents<br>Reducing agents                                                                 |
| Hazardous decomposition products   | : Carbon oxides                                                                                       |

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Potential Health Effects

Aggravated Medical Condition : None known.

Symptoms of Overexposure : Effects are immediate and delayed.  
Symptoms may include irritation, redness, pain, and rash.  
Causes serious eye irritation.  
Review section 2 of SDS to see all potential hazards.  
Treat symptomatically. Symptoms may be delayed.

#### Carcinogenicity:

##### IARC

Group 2A: Probably carcinogenic to humans

sodium nitrite

7632-00-0

##### ACGIH

Confirmed animal carcinogen with unknown relevance to humans

ethanol

64-17-5

#### Acute toxicity

##### Product:

Acute oral toxicity : Acute toxicity estimate : > 5,000 mg/kg  
Method: Calculation method

##### Components:

ethanol:

# SAFETY DATA SHEET

## ZEP ZEPYDYNAMIC A II SURFACE DISINFECTANT\_20N16\_EA

Version 1.2

Revision Date 12/21/2025

Print Date 12/21/2025

Acute oral toxicity : LD50 Oral Rat: 7,060 mg/kg

Acute inhalation toxicity : LC50 Rat: 124.7 mg/l

Exposure time: 4 h

Test atmosphere: vapour

### propan-2-ol:

Acute oral toxicity : LD50 Oral Rat: 4,396 mg/kg

Method: Calculation method

### Skin corrosion/irritation

#### Product:

Remarks: Irritating to skin.

### Serious eye damage/eye irritation

#### Product:

Remarks: Irritating to eyes.

### Respiratory or skin sensitisation

No data available

### Germ cell mutagenicity

No data available

### Carcinogenicity

No data available

### Reproductive toxicity

No data available

### STOT - single exposure

No data available

### STOT - repeated exposure

No data available

### Aspiration toxicity

No data available

### Further information

# SAFETY DATA SHEET

## ZEP ZEPYDYNAMIC A II SURFACE DISINFECTANT\_20N16\_EA

Version 1.2

Revision Date 12/21/2025

Print Date 12/21/2025

### **Product:**

Remarks: No data available

---

## SECTION 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

No data available

### **Persistence and degradability**

No data available

### **Bioaccumulative potential**

#### **Product:**

Partition coefficient: n-octanol/water : Remarks: No data available

#### **Components:**

##### **ethanol :**

Partition coefficient: n-octanol/water : Remarks: No data available

##### **butane :**

Partition coefficient: n-octanol/water : Pow: 2.89

##### **propan-2-ol :**

Partition coefficient: n-octanol/water : log Pow: 0.05

### **Mobility in soil**

No data available

### **Other adverse effects**

No data available

#### **Product:**

Additional ecological information : No data available

# SAFETY DATA SHEET

## ZEP ZEPYDYNAMIC A II SURFACE DISINFECTANT\_20N16\_EA

Version 1.2

Revision Date 12/21/2025

Print Date 12/21/2025

---

### SECTION 13. DISPOSAL CONSIDERATIONS

#### Disposal methods

- Waste from residues : Dispose of in accordance with local regulations.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
The product should not be allowed to enter drains, water courses or the soil.
- Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.  
Do not burn, or use a cutting torch on, the empty drum.

---

### SECTION 14. TRANSPORT INFORMATION

Transportation Regulation (TDG) / Règlement Pour Le Transport (TMD): (Canada):  
UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation / Règlement Pour Le Transport: IMDG (Vessel):  
UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation / Règlement Pour Le Transport: IATA (Cargo Air):  
UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation / Règlement Pour Le Transport: IATA (Passenger Air):  
UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation / Règlement Pour Le Transport: 49 CFR (USA):  
UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

# SAFETY DATA SHEET

## ZEP ZEPYNAMIC A II SURFACE DISINFECTANT\_20N16\_EA

Version 1.2

Revision Date 12/21/2025

Print Date 12/21/2025

The product as delivered to the customer conforms to packaging requirements for shipment by road under Transport Dangerous Goods (TDG) Canada regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

### SECTION 15. REGULATORY INFORMATION

This product has been classified according to the hazard criteria of the HPR and the SDS contains all of the information required by the HPR.

**The components of this product are reported in the following inventories:**

**DSL** All components of this product are on the Canadian DSL  
**TSCA** On TSCA Inventory

For information on the country notification status for other regions please contact the manufacturer's regulatory group.


#### Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

### SECTION 16. OTHER INFORMATION

#### WHMIS - GHS Label Information:

Hazard pictograms :



Signal word : **Warning:**  
Hazard statements : Flammable aerosol. Contains gas under pressure; may explode if heated. Causes serious eye irritation.  
Precautionary statements :

# SAFETY DATA SHEET

## ZEP ZEPYNAMIC A II SURFACE DISINFECTANT\_20N16\_EA

Version 1.2

Revision Date 12/21/2025

Print Date 12/21/2025

**Prevention:** Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source.

Pressurized container: Do not pierce or burn, even after use. Wash skin thoroughly after handling. Wear eye protection/ face protection.

**Response:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention.

**Storage:** Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store in a well-ventilated place.

**Disposal:** Dispose of contents/container in accordance with local regulation.

---

|                |            |
|----------------|------------|
| Version:       | 1.2        |
| Revision Date: | 12/21/2025 |
| Print Date:    | 12/21/2025 |

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.