

# SAFETY DATA SHEET

## GENUINE SUBARU THROTTLE PLATE AND INDUCTION CLEANER 6N4 12CT

Version 1.2

Revision Date 12/21/2025

Print Date 12/21/2025

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name : GENUINE SUBARU THROTTLE PLATE AND INDUCTION CLEANER 6N4 12CT

Material number : 000000000503900953

#### Manufacturer or supplier's details

Company : Zep Inc.

Address : 11627 - 178 Street  
Edmonton, Alberta T5S 1N6  
Canada

Telephone : Compliance Services - 877-428-9937

#### Emergency telephone numbers

**For SDS Information** : Compliance Services - 877-428-9937

**For a Medical Emergency** : 877-541-2016 Toll Free - All Calls Recorded

**For a Transportation Emergency** : CHEMTREC: 800-424-9300 - All Calls Recorded.

#### Recommended use of the chemical and restrictions on use

### SECTION 2. HAZARDS IDENTIFICATION

#### Emergency Overview

|            |                                     |
|------------|-------------------------------------|
| Appearance | Aerosol containing a compressed gas |
| Colour     | clear                               |
| Odour      | solvent-like                        |

#### GHS Classification

Flammable aerosols : Category 1  
Gases under pressure : Compressed gas  
Eye irritation : Category 2A  
Reproductive toxicity : Category 2

# SAFETY DATA SHEET

## GENUINE SUBARU THROTTLE PLATE AND INDUCTION CLEANER

### 6N4 12CT

Version 1.2

Revision Date 12/21/2025

Print Date 12/21/2025

Specific target organ toxicity - single exposure : Category 3 (Central nervous system)

Specific target organ toxicity - repeated exposure (Inhalation) : Category 2

#### GHS label elements

Hazard pictograms



Signal word : Danger

Hazard statements : H222 Extremely flammable aerosol.  
H280 Contains gas under pressure; may explode if heated.  
H319 Causes serious eye irritation.  
H336 May cause drowsiness or dizziness.  
H361 Suspected of damaging fertility or the unborn child.  
H373 May cause damage to organs through prolonged or repeated exposure if inhaled.

Precautionary statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P211 Do not spray on an open flame or other ignition source.  
P251 Pressurized container: Do not pierce or burn, even after use.  
P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.  
P264 Wash skin thoroughly after handling.  
P271 Use only outdoors or in a well-ventilated area.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.  
**Response:**  
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P337 + P313 If eye irritation persists: Get medical advice/ attention.  
**Storage:**  
P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.  
P403 + P233 Store in a well-ventilated place. Keep container tightly closed.  
**Disposal:**  
P501 Dispose of contents/ container to an approved waste disposal plant.

# SAFETY DATA SHEET

## GENUINE SUBARU THROTTLE PLATE AND INDUCTION CLEANER

### 6N4 12CT

Version 1.2

Revision Date 12/21/2025

Print Date 12/21/2025

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

##### Hazardous components

| Chemical name                               | CAS-No.    | Concentration [%] * |
|---------------------------------------------|------------|---------------------|
| acetone                                     | 67-64-1    | >= 50 - < 70        |
| Distillates (petroleum), hydrotreated light | 64742-47-8 | >= 20 - < 30        |
| toluene                                     | 108-88-3   | >= 5 - < 10         |
| carbon dioxide                              | 124-38-9   | >= 5 - < 10         |

\* The exact percentages of disclosed substances are withheld as trade secrets.

#### SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.  
Show this safety data sheet to the doctor in attendance.  
  
Do not leave the victim unattended.  
Get medical attention immediately.
- If inhaled : Consult a physician after significant exposure.  
If unconscious, place in recovery position and seek medical advice.
- In case of skin contact : If skin irritation persists, call a physician.  
Wash off immediately with plenty of water for at least 15 minutes.  
Remove contaminated clothing and shoes.  
Wash contaminated clothing before reuse.
- In case of eye contact : Remove contact lenses.  
Protect unharmed eye.

# SAFETY DATA SHEET

## GENUINE SUBARU THROTTLE PLATE AND INDUCTION CLEANER

### 6N4 12CT

Version 1.2

Revision Date 12/21/2025

Print Date 12/21/2025

|                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|-------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                             | <p>Keep eye wide open while rinsing.<br/>If eye irritation persists, consult a specialist.<br/>Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.</p>                                                                                                                                                                                                                                                                                     |
| If swallowed                                                | <p>: Keep respiratory tract clear.<br/>Never give anything by mouth to an unconscious person.<br/>If symptoms persist, call a physician.<br/>Take victim immediately to hospital.<br/>DO NOT induce vomiting unless directed to do so by a physician or poison control center.</p>                                                                                                                                                                                              |
| Most important symptoms and effects, both acute and delayed | <p>: Effects are dependent on exposure (dose, concentration, contact time).<br/>Effects are immediate and delayed.<br/>Symptoms may include irritation, redness, pain, and rash.<br/>Symptoms may include central nervous system depression, resulting in headache, nausea and/or dizziness.<br/>Causes serious eye irritation.<br/>May cause damage to organs through prolonged or repeated exposure if inhaled.<br/>Review section 2 of SDS to see all potential hazards.</p> |
| Notes to physician                                          | <p>: Treat symptomatically. Symptoms may be delayed.</p>                                                                                                                                                                                                                                                                                                                                                                                                                        |

---

## SECTION 5. FIREFIGHTING MEASURES

|                                               |                                                                                                                                                              |
|-----------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Suitable extinguishing media                  | <p>: Alcohol-resistant foam<br/>Carbon dioxide (CO2)<br/>Dry chemical</p>                                                                                    |
| Unsuitable extinguishing media                | <p>: High volume water jet</p>                                                                                                                               |
| Specific hazards during firefighting          | <p>: Do not allow run-off from fire fighting to enter drains or water courses.</p>                                                                           |
| Hazardous combustion products                 | <p>: Carbon dioxide (CO2)<br/>Carbon monoxide<br/>Smoke</p>                                                                                                  |
| Specific extinguishing methods                | <p>: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.</p>                                             |
| Further information                           | <p>: For safety reasons in case of fire, cans should be stored separately in closed containments.<br/>Use a water spray to cool fully closed containers.</p> |
| Special protective equipment for firefighters | <p>: Wear self-contained breathing apparatus for firefighting if necessary.</p>                                                                              |

# SAFETY DATA SHEET

## GENUINE SUBARU THROTTLE PLATE AND INDUCTION CLEANER 6N4 12CT

Version 1.2

Revision Date 12/21/2025

Print Date 12/21/2025

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- |                                                                     |                                                                                                                                                                                                                                                       |
|---------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Personal precautions, protective equipment and emergency procedures | : Use personal protective equipment.<br>Ensure adequate ventilation.<br>Remove all sources of ignition.<br>Evacuate personnel to safe areas.<br>Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. |
| Environmental precautions                                           | : Prevent product from entering drains.<br>Prevent further leakage or spillage if safe to do so.<br>If the product contaminates rivers and lakes or drains, inform respective authorities.                                                            |
| Methods and materials for containment and cleaning up               | : Sweep up or vacuum up spillage and collect in suitable container for disposal.<br>Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).                                                            |

---

### SECTION 7. HANDLING AND STORAGE

- |                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|-----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Advice on safe handling     | : Do not breathe vapours/dust.<br>Avoid exposure - obtain special instructions before use.<br>Avoid contact with skin and eyes.<br>For personal protection see section 8.<br>Smoking, eating and drinking should be prohibited in the application area.<br>Take precautionary measures against static discharges.<br>Provide sufficient air exchange and/or exhaust in work rooms.<br>Always replace cap after use.<br>Dispose of rinse water in accordance with local and national regulations. |
| Conditions for safe storage | : BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects.<br>No smoking.<br>Observe label precautions.<br>Electrical installations / working materials must comply with the technological safety standards.<br>Keep in a dry, cool and well-ventilated place.                                                                                         |
| Materials to avoid          | : Do not store near acids.<br>Strong oxidizing agents                                                                                                                                                                                                                                                                                                                                                                                                                                            |

# SAFETY DATA SHEET

## GENUINE SUBARU THROTTLE PLATE AND INDUCTION CLEANER 6N4 12CT

Version 1.2

Revision Date 12/21/2025

Print Date 12/21/2025

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

| Components                                  | CAS-No.    | Value type<br>(Form of exposure) | Control parameters / Permissible concentration         | Basis     |
|---------------------------------------------|------------|----------------------------------|--------------------------------------------------------|-----------|
| acetone                                     | 67-64-1    | TWA                              | 500 ppm<br>1,200 mg/m <sup>3</sup>                     | CA AB OEL |
|                                             |            | STEL                             | 750 ppm<br>1,800 mg/m <sup>3</sup>                     | CA AB OEL |
|                                             |            | TWA                              | 250 ppm                                                | CA BC OEL |
|                                             |            | STEL                             | 500 ppm                                                | CA BC OEL |
|                                             |            | STEV                             | 1,000 ppm<br>2,380 mg/m <sup>3</sup>                   | CA QC OEL |
|                                             |            | TWAEV                            | 500 ppm<br>1,190 mg/m <sup>3</sup>                     | CA QC OEL |
|                                             |            | TWA                              | 250 ppm                                                | ACGIH     |
|                                             |            | STEL                             | 500 ppm                                                | ACGIH     |
| Distillates (petroleum), hydrotreated light | 64742-47-8 | TWA                              | 200 mg/m <sup>3</sup><br>(As total hydrocarbon vapour) | CA BC OEL |
|                                             |            | TWA                              | 200 mg/m <sup>3</sup><br>(total hydrocarbon vapor)     | CA AB OEL |
| toluene                                     | 108-88-3   | TWA                              | 50 ppm<br>188 mg/m <sup>3</sup>                        | CA AB OEL |
|                                             |            | TWA                              | 20 ppm                                                 | CA BC OEL |
|                                             |            | TWAEV                            | 50 ppm<br>188 mg/m <sup>3</sup>                        | CA QC OEL |
|                                             |            | TWA                              | 20 ppm                                                 | ACGIH     |
| carbon dioxide                              | 124-38-9   | TWA                              | 5,000 ppm<br>9,000 mg/m <sup>3</sup>                   | CA AB OEL |
|                                             |            | STEL                             | 30,000 ppm<br>54,000 mg/m <sup>3</sup>                 | CA AB OEL |
|                                             |            | TWA                              | 5,000 ppm                                              | CA BC OEL |
|                                             |            | STEL                             | 15,000 ppm                                             | CA BC OEL |
|                                             |            | STEV                             | 30,000 ppm<br>54,000 mg/m <sup>3</sup>                 | CA QC OEL |
|                                             |            | TWAEV                            | 5,000 ppm<br>9,000 mg/m <sup>3</sup>                   | CA QC OEL |
|                                             |            | TWA                              | 5,000 ppm                                              | ACGIH     |
|                                             |            | STEL                             | 30,000 ppm                                             | ACGIH     |

#### Biological occupational exposure limits

| Components  | CAS-No. | Control parameters | Biological specimen | Sampling time | Permissible concentration | Basis |
|-------------|---------|--------------------|---------------------|---------------|---------------------------|-------|
| 2-PROPANONE | 67-64-1 | Acetone            | Urine               | End of        | 25 mg/l                   | ACGIH |

# SAFETY DATA SHEET

## GENUINE SUBARU THROTTLE PLATE AND INDUCTION CLEANER 6N4 12CT

Version 1.2

Revision Date 12/21/2025

Print Date 12/21/2025

|               |          |          |          |                                                          |                     |           |
|---------------|----------|----------|----------|----------------------------------------------------------|---------------------|-----------|
|               |          |          |          | shift (As soon as possible after exposure ceases)        |                     | BEI       |
| METHYLBENZENE | 108-88-3 | Toluene  | In blood | Prior to last shift of workweek                          | 0.02 mg/l           | ACGIH BEI |
|               |          | Toluene  | Urine    | End of shift (As soon as possible after exposure ceases) | 0.03 mg/l           | ACGIH BEI |
|               |          | o-Cresol | Urine    | End of shift (As soon as possible after exposure ceases) | 0.3 mg/g Creatinine | ACGIH BEI |

**Engineering measures** : effective ventilation in all processing areas

### Personal protective equipment

**Respiratory protection** : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

### Hand protection

**Material** : Protective gloves

**Remarks** : The suitability for a specific workplace should be discussed with the producers of the protective gloves. The use of skin protection is not normally required; however, good industrial hygiene practice suggests the use of gloves or other appropriate skin protection whenever working with chemicals, and especially if prolonged or frequent contact is possible or likely.

# SAFETY DATA SHEET

## GENUINE SUBARU THROTTLE PLATE AND INDUCTION CLEANER 6N4 12CT

Version 1.2

Revision Date 12/21/2025

Print Date 12/21/2025

---

- Eye protection : Tightly fitting safety goggles
- Wear face-shield and protective suit for abnormal processing problems.
- Skin and body protection : No special protection is required.
- Hygiene measures : When using do not eat or drink.  
When using do not smoke.
- Wash hands before breaks and at the end of workday.

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Physical state : Aerosol containing a compressed gas
- Colour : clear
- Odour : solvent-like
- pH : Not applicable
- Melting point/freezing point : No data available
- Boiling point : No data available
- Flash point :  
Not applicable
- Evaporation rate : No data available
- Flammability (solid, gas, liquid) : Extremely flammable aerosol.
- Upper explosion limit : No data available
- Lower explosion limit : No data available
- Vapour pressure : No data available
- Density : 0.8 g/cm<sup>3</sup>
- Solubility(ies)
- Water solubility : partly soluble



# SAFETY DATA SHEET

## GENUINE SUBARU THROTTLE PLATE AND INDUCTION CLEANER

### 6N4 12CT

Version 1.2

Revision Date 12/21/2025

Print Date 12/21/2025

|                                        |                     |
|----------------------------------------|---------------------|
| Solubility in other solvents           | : not determined    |
| Partition coefficient: n-octanol/water | : No data available |
| Auto-ignition temperature              | : not determined    |
| Decomposition temperature              | : No data available |
| Viscosity                              |                     |
| Viscosity, kinematic                   | : No data available |
| Heat of combustion                     | : 33.98 kJ/g        |

---

#### SECTION 10. STABILITY AND REACTIVITY

|                                    |                                                                                                       |
|------------------------------------|-------------------------------------------------------------------------------------------------------|
| Reactivity                         | : Stable                                                                                              |
| Chemical stability                 | : Stable under normal conditions.                                                                     |
| Possibility of hazardous reactions | : Vapours may form explosive mixture with air.<br>No decomposition if stored and applied as directed. |
| Conditions to avoid                | : Heat, flames and sparks.                                                                            |
| Incompatible materials             | : Acids<br>Strong oxidizing agents                                                                    |
| Hazardous decomposition products   | : Carbon oxides                                                                                       |

---

#### SECTION 11. TOXICOLOGICAL INFORMATION

##### Potential Health Effects

|                              |                                                                                                                                                                                                                                                                                                                                                                                      |
|------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Aggravated Medical Condition | : None known.                                                                                                                                                                                                                                                                                                                                                                        |
| Symptoms of Overexposure     | : Effects are dependent on exposure (dose, concentration, contact time).<br>Effects are immediate and delayed.<br>Symptoms may include irritation, redness, pain, and rash.<br>Symptoms may include central nervous system depression, resulting in headache, nausea and/or dizziness.<br>Causes serious eye irritation.<br>May cause damage to organs through prolonged or repeated |

# SAFETY DATA SHEET

## GENUINE SUBARU THROTTLE PLATE AND INDUCTION CLEANER 6N4 12CT

Version 1.2

Revision Date 12/21/2025

Print Date 12/21/2025

exposure if inhaled.  
Review section 2 of SDS to see all potential hazards.  
Treat symptomatically. Symptoms may be delayed.

### **Carcinogenicity:**

#### **IARC**

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

#### **ACGIH**

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

### **Acute toxicity**

#### **Product:**

Acute dermal toxicity : Acute toxicity estimate : > 5,000 mg/kg

Method: Calculation method

#### **Components:**

##### **acetone:**

Acute oral toxicity : LD50 Rat: 5,800 mg/kg

Acute inhalation toxicity : LC50 Rat: 132 mg/l

Exposure time: 3 h

LC50 Rat: 50.1 mg/l

Acute dermal toxicity : LD50 Guinea pig: > 7,426 mg/kg

LD50 Rabbit: > 7,426 mg/kg

##### **Distillates (petroleum), hydrotreated light:**

Acute oral toxicity : LD50 Rat: > 5,000 mg/kg

Acute inhalation toxicity : LC50 Rat: > 4.6 mg/l

Exposure time: 6 h

# SAFETY DATA SHEET

## GENUINE SUBARU THROTTLE PLATE AND INDUCTION CLEANER 6N4 12CT

Version 1.2

Revision Date 12/21/2025

Print Date 12/21/2025

---

Acute dermal toxicity : LD50 Rat: > 2,000 mg/kg

### Skin corrosion/irritation

**Product:**

Remarks: May irritate skin.

### Serious eye damage/eye irritation

**Product:**

Remarks: Severe eye irritation

### Respiratory or skin sensitisation

No data available

### Germ cell mutagenicity

No data available

### Carcinogenicity

No data available

### Reproductive toxicity

No data available

### STOT - single exposure

No data available

### STOT - repeated exposure

No data available

### Aspiration toxicity

No data available

### Further information

**Product:**

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting., Concentrations substantially above the TLV value may cause narcotic effects., Solvents may degrease the skin.

**Components:**

**toluene:**

Remarks: No data available

# SAFETY DATA SHEET

## GENUINE SUBARU THROTTLE PLATE AND INDUCTION CLEANER

### 6N4 12CT

Version 1.2

Revision Date 12/21/2025

Print Date 12/21/2025

---

#### SECTION 12. ECOLOGICAL INFORMATION

##### Ecotoxicity

No data available

##### Persistence and degradability

No data available

##### Bioaccumulative potential

###### Product:

Partition coefficient: n-octanol/water : Remarks: No data available

###### Components:

###### toluene :

Partition coefficient: n-octanol/water : Pow: 2.73

##### Mobility in soil

No data available

##### Other adverse effects

No data available

###### Product:

Additional ecological information : No data available

###### Components:

###### toluene :

Additional ecological information : No data available

---

#### SECTION 13. DISPOSAL CONSIDERATIONS

##### Disposal methods

Waste from residues : Do not dispose of waste into sewer.

# SAFETY DATA SHEET

## GENUINE SUBARU THROTTLE PLATE AND INDUCTION CLEANER

### 6N4 12CT

Version 1.2

Revision Date 12/21/2025

Print Date 12/21/2025

Do not contaminate ponds, waterways or ditches with chemical or used container.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.  
Do not burn, or use a cutting torch on, the empty drum.

---

#### SECTION 14. TRANSPORT INFORMATION

Transportation Regulation (TDG) / Règlement Pour Le Transport (TMD): (Canada):  
UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation / Règlement Pour Le Transport: IMDG (Vessel):  
UN1950, AEROSOLS, 2.1, - Limited quantity

Transportation Regulation / Règlement Pour Le Transport: IATA (Cargo Air):  
UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation / Règlement Pour Le Transport: IATA (Passenger Air):  
UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation / Règlement Pour Le Transport: 49 CFR (USA):  
UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

The product as delivered to the customer conforms to packaging requirements for shipment by road under Transport Dangerous Goods (TDG) Canada regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

# SAFETY DATA SHEET

## GENUINE SUBARU THROTTLE PLATE AND INDUCTION CLEANER 6N4 12CT

Version 1.2

Revision Date 12/21/2025

Print Date 12/21/2025

### SECTION 15. REGULATORY INFORMATION

This product has been classified according to the hazard criteria of the HPR and the SDS contains all of the information required by the HPR.

**The components of this product are reported in the following inventories:**

**DSL** All components of this product are on the Canadian DSL  
**TSCA** On TSCA Inventory

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

#### Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

### SECTION 16. OTHER INFORMATION

#### WHMIS - GHS Label Information:

Hazard pictograms



Signal word

: **Danger:**

Hazard statements

: Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Causes serious eye irritation. May cause drowsiness or dizziness. Suspected of damaging fertility or the unborn child. May cause damage to organs through prolonged or repeated exposure if inhaled.

Precautionary statements

: **Prevention:** Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly after

# SAFETY DATA SHEET

## GENUINE SUBARU THROTTLE PLATE AND INDUCTION CLEANER

### 6N4 12CT

Version 1.2

Revision Date 12/21/2025

Print Date 12/21/2025

handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:** IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/ attention. If eye irritation persists: Get medical advice/ attention.

**Storage:** Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store in a well-ventilated place. Keep container tightly closed.

**Disposal:** Dispose of contents/ container to an approved waste disposal plant.

|                |            |
|----------------|------------|
| Version:       | 1.2        |
| Revision Date: | 12/21/2025 |
| Print Date:    | 12/21/2025 |

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.