

# SAFETY DATA SHEET

## ZEP XT-2002 CONCENTRATED LOW-FOAM LIQUID ACID CLEANER 5GL

Version 1.3

Revision Date 12/21/2025

Print Date 12/21/2025

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name : ZEP XT-2002 CONCENTRATED LOW-FOAM LIQUID ACID CLEANER 5GL

Material number : 000000000000509035

#### Manufacturer or supplier's details

Company : Zep Inc.

Address : 11627 - 178 Street  
Edmonton, Alberta T5S 1N6  
Canada

Telephone : Compliance Services - 877-428-9937

#### Emergency telephone numbers

**For SDS Information** : Compliance Services - 877-428-9937

**For a Medical Emergency** : 877-541-2016 Toll Free - All Calls Recorded

**For a Transportation Emergency** : CHEMTREC: 800-424-9300 - All Calls Recorded.

#### Recommended use of the chemical and restrictions on use

### SECTION 2. HAZARDS IDENTIFICATION

#### Emergency Overview

|            |        |
|------------|--------|
| Appearance | liquid |
| Colour     | clear  |
| Odour      | mild   |

#### GHS Classification

Oxidizing liquids : Category 3  
Acute toxicity (Inhalation) : Category 4  
Acute toxicity (Dermal) : Category 4  
Skin corrosion : Category 1

# SAFETY DATA SHEET

## ZEP XT-2002 CONCENTRATED LOW-FOAM LIQUID ACID CLEANER

### 5GL

Version 1.3


Revision Date 12/21/2025

Print Date 12/21/2025

Serious eye damage : Category 1

#### GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H272 May intensify fire; oxidizer.  
H312 + H332 Harmful in contact with skin or if inhaled.  
H314 Causes severe skin burns and eye damage.

Precautionary statements : **Prevention:**  
P210 Keep away from heat.  
P220 Keep/Store away from clothing/ combustible materials.  
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.  
P264 Wash skin thoroughly after handling.  
P271 Use only outdoors or in a well-ventilated area.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.  
**Response:**  
P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.  
P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.  
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.  
P362 + P364 Take off contaminated clothing and wash it before reuse.  
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.  
**Disposal:**  
P501 Dispose of contents/container in accordance with local regulation.

---

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

# SAFETY DATA SHEET

## ZEP XT-2002 CONCENTRATED LOW-FOAM LIQUID ACID CLEANER

### 5GL

Version 1.3

Revision Date 12/21/2025

Print Date 12/21/2025

#### Hazardous components

| Chemical name           | CAS-No.   | Concentration [%] * |
|-------------------------|-----------|---------------------|
| nitric acid             | 7697-37-2 | $\geq 10$ - $< 30$  |
| orthophosphoric acid    | 7664-38-2 | $\geq 5$ - $< 10$   |
| sodium xylenesulphonate | 1300-72-7 | $\geq 5$ - $< 10$   |

\* The exact percentages of disclosed substances are withheld as trade secrets.

#### SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.  
Consult a physician.
- Show this safety data sheet to the doctor in attendance.
- Do not leave the victim unattended.
- If inhaled : If unconscious, place in recovery position and seek medical advice.  
If symptoms persist, call a physician.
- In case of skin contact : Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty.  
Wash off immediately with plenty of water for at least 15 minutes.  
Remove contaminated clothing and shoes.  
Wash contaminated clothing before reuse.  
If skin irritation persists, call a physician.
- In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.  
Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.  
Never give anything by mouth to an unconscious person.  
DO NOT induce vomiting unless directed to do so by a physician or poison control center.  
If symptoms persist, call a physician.  
Take victim immediately to hospital.

# SAFETY DATA SHEET

## ZEP XT-2002 CONCENTRATED LOW-FOAM LIQUID ACID CLEANER

### 5GL

Version 1.3

Revision Date 12/21/2025

Print Date 12/21/2025

|                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|-------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Most important symptoms and effects, both acute and delayed | : Effects are dependent on exposure (dose, concentration, contact time).<br>Effects are immediate and delayed.<br>Symptoms may include blistering, irritation, burns, and pain.<br>Symptoms may include shortness of breath, dry cough, and irritation of the nose, eyes, lips, mouth, and throat.<br>Causes severe skin burns and eye damage.<br>Harmful in contact with skin or if inhaled.<br>Review section 2 of SDS to see all potential hazards. |
| Notes to physician                                          | : Treat symptomatically. Symptoms may be delayed.                                                                                                                                                                                                                                                                                                                                                                                                      |

---

## SECTION 5. FIREFIGHTING MEASURES

|                                               |                                                                                                                                                                                                                                                                                                                                                                                 |
|-----------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Suitable extinguishing media                  | : Alcohol-resistant foam<br>Carbon dioxide (CO2)<br>Dry chemical                                                                                                                                                                                                                                                                                                                |
| Unsuitable extinguishing media                | : High volume water jet                                                                                                                                                                                                                                                                                                                                                         |
| Specific hazards during firefighting          | : Do not allow run-off from fire fighting to enter drains or water courses.                                                                                                                                                                                                                                                                                                     |
| Hazardous combustion products                 | : Nitrogen oxides (NOx)<br>Smoke<br>Carbon dioxide (CO2)<br>Carbon monoxide<br>Phosphorus compounds<br>Sulphur oxides                                                                                                                                                                                                                                                           |
| Specific extinguishing methods                | : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.                                                                                                                                                                                                                                                                       |
| Further information                           | : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.<br>Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.<br>For safety reasons in case of fire, cans should be stored separately in closed containments.<br>Use a water spray to cool fully closed containers. |
| Special protective equipment for firefighters | : Wear self-contained breathing apparatus for firefighting if necessary.                                                                                                                                                                                                                                                                                                        |

---

## SECTION 6. ACCIDENTAL RELEASE MEASURES

# SAFETY DATA SHEET

## ZEP XT-2002 CONCENTRATED LOW-FOAM LIQUID ACID CLEANER

### 5GL

Version 1.3

Revision Date 12/21/2025

Print Date 12/21/2025

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
- Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains, inform respective authorities.
- Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

## SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : Do not breathe vapours or spray mist.  
Avoid contact with skin and eyes.  
Smoking, eating and drinking should be prohibited in the application area.  
For personal protection see section 8.  
To avoid spills during handling keep bottle on a metal tray.  
Dispose of rinse water in accordance with local and national regulations.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Observe label precautions.  
Electrical installations / working materials must comply with the technological safety standards.
- Materials to avoid : Store and keep away from, oxidizing agents and acids.
- Storage temperature : 4.4 - 49 °C

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

| Components  | CAS-No.   | Value type<br>(Form of exposure) | Control parameters /<br>Permissible concentration | Basis     |
|-------------|-----------|----------------------------------|---------------------------------------------------|-----------|
| nitric acid | 7697-37-2 | TWA                              | 2 ppm<br>5.2 mg/m <sup>3</sup>                    | CA AB OEL |
|             |           | STEL                             | 4 ppm<br>10 mg/m <sup>3</sup>                     | CA AB OEL |

# SAFETY DATA SHEET

## ZEP XT-2002 CONCENTRATED LOW-FOAM LIQUID ACID CLEANER

### 5GL

Version 1.3

Revision Date 12/21/2025

Print Date 12/21/2025

|                      |           |       |                    |           |
|----------------------|-----------|-------|--------------------|-----------|
|                      |           | TWA   | 2 ppm              | CA BC OEL |
|                      |           | STEL  | 4 ppm              | CA BC OEL |
|                      |           | TWAEV | 2 ppm<br>5.2 mg/m3 | CA QC OEL |
|                      |           | STEV  | 4 ppm<br>10 mg/m3  | CA QC OEL |
|                      |           | TWA   | 2 ppm              | ACGIH     |
|                      |           | STEL  | 4 ppm              | ACGIH     |
| orthophosphoric acid | 7664-38-2 | TWA   | 1 mg/m3            | CA AB OEL |
|                      |           | STEL  | 3 mg/m3            | CA AB OEL |
|                      |           | TWA   | 1 mg/m3            | CA BC OEL |
|                      |           | STEL  | 3 mg/m3            | CA BC OEL |
|                      |           | TWAEV | 1 mg/m3            | CA QC OEL |
|                      |           | STEV  | 3 mg/m3            | CA QC OEL |
|                      |           | TWA   | 1 mg/m3            | ACGIH     |
|                      |           | STEL  | 3 mg/m3            | ACGIH     |

**Engineering measures** : effective ventilation in all processing areas

#### Personal protective equipment

**Respiratory protection** : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

#### Hand protection

**Material** : Protective gloves

**Remarks** : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

**Eye protection** : Tightly fitting safety goggles

Wear face-shield and protective suit for abnormal processing problems.

Ensure that eyewash stations and safety showers are close to the workstation location.

**Skin and body protection** : Impervious clothing  
Choose body protection according to the amount and

# SAFETY DATA SHEET

## ZEP XT-2002 CONCENTRATED LOW-FOAM LIQUID ACID CLEANER

### 5GL

Version 1.3

Revision Date 12/21/2025

Print Date 12/21/2025

concentration of the dangerous substance at the work place.

Hygiene measures : When using do not eat or drink.  
When using do not smoke.

Wash hands before breaks and at the end of workday.

---

#### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

|                                        |                          |
|----------------------------------------|--------------------------|
| Physical state                         | : liquid                 |
| Colour                                 | : clear                  |
| Odour                                  | : mild                   |
| Odour Threshold                        | : No data available      |
| pH                                     | : < 1                    |
| Melting point/freezing point           | : No data available      |
| Boiling point                          | : 104.44 °C              |
| Flash point                            | :<br>No data available   |
| Evaporation rate                       | : 1                      |
| Upper explosion limit                  | : No data available      |
| Lower explosion limit                  | : No data available      |
| Vapour pressure                        | : No data available      |
| Relative vapour density                | : No data available      |
| Density                                | : 1.24 g/cm <sup>3</sup> |
| Bulk density                           | : No data available      |
| Solubility(ies)                        |                          |
| Water solubility                       | : soluble                |
| Solubility in other solvents           | : not determined         |
| Partition coefficient: n-octanol/water | : No data available      |
| Auto-ignition temperature              | : No data available      |
| Decomposition temperature              | : No data available      |

# SAFETY DATA SHEET

## ZEP XT-2002 CONCENTRATED LOW-FOAM LIQUID ACID CLEANER 5GL

Version 1.3

Revision Date 12/21/2025

Print Date 12/21/2025

### Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

---

## SECTION 10. STABILITY AND REACTIVITY

Reactivity : Stable

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : No decomposition if stored and applied as directed.

Conditions to avoid : No data available

Incompatible materials : Alkali metals  
Oxidizing agents

Hazardous decomposition products : Carbon oxides  
Nitrogen oxides (NO<sub>x</sub>)

---

## SECTION 11. TOXICOLOGICAL INFORMATION

### Potential Health Effects

Aggravated Medical Condition : None known.

Symptoms of Overexposure : Effects are dependent on exposure (dose, concentration, contact time).  
Effects are immediate and delayed.  
Symptoms may include blistering, irritation, burns, and pain.  
Symptoms may include shortness of breath, dry cough, and irritation of the nose, eyes, lips, mouth, and throat.  
Causes severe skin burns and eye damage.  
Harmful in contact with skin or if inhaled.  
Review section 2 of SDS to see all potential hazards.  
Treat symptomatically. Symptoms may be delayed.

### Carcinogenicity:

#### IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.



# SAFETY DATA SHEET

## ZEP XT-2002 CONCENTRATED LOW-FOAM LIQUID ACID CLEANER 5GL

Version 1.3

Revision Date 12/21/2025

Print Date 12/21/2025

### ACGIH

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

### Acute toxicity

#### Product:

Acute inhalation toxicity : Acute toxicity estimate : 12.03 mg/l

Exposure time: 4 h

Test atmosphere: vapour

Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate : 1,203 mg/kg

Method: Calculation method

### Skin corrosion/irritation

#### Product:

Remarks: Extremely corrosive and destructive to tissue.

### Serious eye damage/eye irritation

#### Product:

Remarks: May cause irreversible eye damage.

### Respiratory or skin sensitisation

No data available

### Germ cell mutagenicity

No data available

### Carcinogenicity

No data available

### Reproductive toxicity

No data available

### STOT - single exposure

No data available

### STOT - repeated exposure

# SAFETY DATA SHEET

## ZEP XT-2002 CONCENTRATED LOW-FOAM LIQUID ACID CLEANER 5GL

Version 1.3

Revision Date 12/21/2025

Print Date 12/21/2025

---

No data available

### Aspiration toxicity

No data available

### Further information

#### Product:

Remarks: No data available

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

No data available

### Persistence and degradability

No data available

### Bioaccumulative potential

#### Product:

Partition coefficient: n-octanol/water : Remarks: No data available

### Mobility in soil

No data available

### Other adverse effects

No data available

#### Product:

Additional ecological information : No data available

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

# SAFETY DATA SHEET

## ZEP XT-2002 CONCENTRATED LOW-FOAM LIQUID ACID CLEANER

### 5GL

Version 1.3

Revision Date 12/21/2025

Print Date 12/21/2025

- |                        |   |                                                                                                                                                                            |
|------------------------|---|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Waste from residues    | : | Do not dispose of waste into sewer.<br>Do not contaminate ponds, waterways or ditches with chemical or used container.<br>Dispose of in accordance with local regulations. |
| Contaminated packaging | : | Empty remaining contents.<br>Dispose of as unused product.<br>Do not re-use empty containers.<br>Do not burn, or use a cutting torch on, the empty drum.                   |

---

#### SECTION 14. TRANSPORT INFORMATION

Transportation Regulation (TDG) / Règlement Pour Le Transport (TMD): (Canada):  
UN3264, CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S., (PHOSPHORIC ACID, NITRIC ACID), 8, II

Transportation Regulation / Règlement Pour Le Transport: IMDG (Vessel):  
UN3264, CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S., (PHOSPHORIC ACID, NITRIC ACID), 8, II

Transportation Regulation / Règlement Pour Le Transport: IATA (Cargo Air):  
UN3264, Corrosive liquid, acidic, inorganic, n.o.s., (PHOSPHORIC ACID, NITRIC ACID), 8, II

Transportation Regulation / Règlement Pour Le Transport: IATA (Passenger Air):  
UN3264, Corrosive liquid, acidic, inorganic, n.o.s., (PHOSPHORIC ACID, NITRIC ACID), 8, II

Transportation Regulation / Règlement Pour Le Transport: 49 CFR (USA):  
UN3264, Corrosive liquid, acidic, inorganic, n.o.s., (PHOSPHORIC ACID, NITRIC ACID), 8, II

# SAFETY DATA SHEET

## ZEP XT-2002 CONCENTRATED LOW-FOAM LIQUID ACID CLEANER 5GL

Version 1.3

Revision Date 12/21/2025

Print Date 12/21/2025

The product as delivered to the customer conforms to packaging requirements for shipment by road under Transport Dangerous Goods (TDG) Canada regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

---

### SECTION 15. REGULATORY INFORMATION

This product has been classified according to the hazard criteria of the HPR and the SDS contains all of the information required by the HPR.

**The components of this product are reported in the following inventories:**

**DSL** All components of this product are on the Canadian DSL  
**TSCA** On TSCA Inventory

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

#### Inventory Acronym and Validity Area Legend:


TSCA (USA), DSL (Canada), NDSL (Canada)

---

### SECTION 16. OTHER INFORMATION

#### WHMIS - GHS Label Information:

Hazard pictograms :



Signal word :

**Danger:**

Hazard statements :

May intensify fire; oxidizer. Harmful in contact with skin or if inhaled. Causes severe

# SAFETY DATA SHEET

## ZEP XT-2002 CONCENTRATED LOW-FOAM LIQUID ACID CLEANER

### 5GL

Version 1.3

Revision Date 12/21/2025

Print Date 12/21/2025

Precautionary statements : skin burns and eye damage.

**Prevention:** Keep away from heat. Keep/Store away from clothing/ combustible materials. Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:** IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Take off contaminated clothing and wash it before reuse. In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

**Disposal:** Dispose of contents/container in accordance with local regulation.

|                |            |
|----------------|------------|
| Version:       | 1.3        |
| Revision Date: | 12/21/2025 |
| Print Date:    | 12/21/2025 |

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.