

# SAFETY DATA SHEET

## ZEP EXTRA INDUSTRIAL CONCRETE AND MASONRY FLOOR CLEANER 5GL

Version 2.2

Revision Date 12/21/2025

Print Date 12/21/2025

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name : ZEP EXTRA INDUSTRIAL CONCRETE AND MASONRY FLOOR CLEANER 5GL

Material number : 000000000000072035

#### Manufacturer or supplier's details

Company : Zep Inc.

Address : 11627 - 178 Street  
Edmonton, Alberta T5S 1N6  
Canada

Telephone : Compliance Services - 877-428-9937

#### Emergency telephone numbers

**For SDS Information** : Compliance Services - 877-428-9937

**For a Medical Emergency** : 877-541-2016 Toll Free - All Calls Recorded

**For a Transportation Emergency** : CHEMTREC: 800-424-9300 - All Calls Recorded.

#### Recommended use of the chemical and restrictions on use

### SECTION 2. HAZARDS IDENTIFICATION

#### Emergency Overview

|            |                |
|------------|----------------|
| Appearance | liquid         |
| Colour     | red, clear     |
| Odour      | characteristic |

#### GHS Classification

Skin corrosion : Category 1

Serious eye damage : Category 1

#### GHS label elements

# SAFETY DATA SHEET

## ZEP EXTRA INDUSTRIAL CONCRETE AND MASONRY FLOOR CLEANER 5GL

Version 2.2

Revision Date 12/21/2025

Print Date 12/21/2025

Hazard pictograms

:



Corrosion

Signal word

: Danger

Hazard statements

: H314 Causes severe skin burns and eye damage.

Precautionary statements

: **Prevention:**

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

P363 Wash contaminated clothing before reuse.

**Disposal:**

P501 Dispose of contents/container in accordance with local regulation.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

: Mixture

#### Hazardous components

| Chemical name                | CAS-No.    | Concentration [%] * |
|------------------------------|------------|---------------------|
| 2-(2-butoxyethoxy)ethanol    | 112-34-5   | >= 5 - < 10         |
| sodium hydroxide             | 1310-73-2  | >= 1 - < 5          |
| Alcohols, C9-11, ethoxylated | 68439-46-3 | >= 1 - < 5          |
| sodium xylenesulphonate      | 1300-72-7  | >= 1 - < 5          |

\* The exact percentages of disclosed substances are withheld as trade secrets.

# SAFETY DATA SHEET

## ZEP EXTRA INDUSTRIAL CONCRETE AND MASONRY FLOOR CLEANER 5GL

Version 2.2

Revision Date 12/21/2025

Print Date 12/21/2025

---

### SECTION 4. FIRST AID MEASURES

|                                                             |                                                                                                                                                                                                                                                                                                                                           |
|-------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| General advice                                              | : Move out of dangerous area.<br>Consult a physician.<br><br>Show this safety data sheet to the doctor in attendance.<br><br>Do not leave the victim unattended.                                                                                                                                                                          |
| If inhaled                                                  | : If unconscious, place in recovery position and seek medical advice.<br>If symptoms persist, call a physician.                                                                                                                                                                                                                           |
| In case of skin contact                                     | : Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty.<br>Wash off immediately with plenty of water for at least 15 minutes.<br>Remove contaminated clothing and shoes.<br>Wash contaminated clothing before reuse.<br>If skin irritation persists, call a physician. |
| In case of eye contact                                      | : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.<br>Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.<br>Remove contact lenses.<br>Protect unharmed eye.<br>Keep eye wide open while rinsing.<br>If eye irritation persists, consult a specialist.           |
| If swallowed                                                | : Keep respiratory tract clear.<br>DO NOT induce vomiting unless directed to do so by a physician or poison control center.<br>Never give anything by mouth to an unconscious person.<br>If symptoms persist, call a physician.<br>Take victim immediately to hospital.                                                                   |
| Most important symptoms and effects, both acute and delayed | : Effects are dependent on exposure (dose, concentration, contact time).<br>Effects are immediate and delayed.<br>Symptoms may include blistering, irritation, burns, and pain.<br>Causes severe skin burns and eye damage.<br>Review section 2 of SDS to see all potential hazards.                                                      |
| Notes to physician                                          | : Treat symptomatically. Symptoms may be delayed.                                                                                                                                                                                                                                                                                         |

# SAFETY DATA SHEET

## ZEP EXTRA INDUSTRIAL CONCRETE AND MASONRY FLOOR CLEANER 5GL

Version 2.2

Revision Date 12/21/2025

Print Date 12/21/2025

---

### SECTION 5. FIREFIGHTING MEASURES

|                                               |                                                                                                                                                                                                                                                                         |
|-----------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Suitable extinguishing media                  | : Dry chemical                                                                                                                                                                                                                                                          |
| Unsuitable extinguishing media                | : High volume water jet                                                                                                                                                                                                                                                 |
| Specific hazards during firefighting          | : Do not allow run-off from fire fighting to enter drains or water courses.                                                                                                                                                                                             |
| Hazardous combustion products                 | : Carbon dioxide (CO <sub>2</sub> )<br>Carbon monoxide<br>Smoke<br>Sulphur oxides                                                                                                                                                                                       |
| Specific extinguishing methods                | : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.                                                                                                                                                               |
| Further information                           | : Standard procedure for chemical fires.<br><br>Collect contaminated fire extinguishing water separately. This must not be discharged into drains.<br>Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. |
| Special protective equipment for firefighters | : Wear self-contained breathing apparatus for firefighting if necessary.                                                                                                                                                                                                |

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

|                                                                     |                                                                                                                                                                                            |
|---------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Personal precautions, protective equipment and emergency procedures | : Use personal protective equipment.<br>Ensure adequate ventilation.<br>Remove all sources of ignition.<br>Evacuate personnel to safe areas.                                               |
| Environmental precautions                                           | : Prevent product from entering drains.<br>Prevent further leakage or spillage if safe to do so.<br>If the product contaminates rivers and lakes or drains, inform respective authorities. |
| Methods and materials for containment and cleaning up               | : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).<br>Keep in suitable, closed containers for disposal.                              |

# SAFETY DATA SHEET

## ZEP EXTRA INDUSTRIAL CONCRETE AND MASONRY FLOOR CLEANER 5GL

Version 2.2

Revision Date 12/21/2025

Print Date 12/21/2025

### SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : Do not breathe vapours/dust.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
To avoid spills during handling keep bottle on a metal tray.  
Dispose of rinse water in accordance with local and national regulations.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.  
Observe label precautions.  
Electrical installations / working materials must comply with the technological safety standards.
- Materials to avoid : Do not store near acids.  
Store and keep away from bases and alkalies.
- Storage temperature : 5 - 40 °C

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

| Components                | CAS-No.   | Value type<br>(Form of exposure)      | Control parameters /<br>Permissible concentration | Basis     |
|---------------------------|-----------|---------------------------------------|---------------------------------------------------|-----------|
| 2-(2-butoxyethoxy)ethanol | 112-34-5  | TWA<br>(Inhalable fraction and vapor) | 10 ppm                                            | ACGIH     |
| sodium hydroxide          | 1310-73-2 | (c)                                   | 2 mg/m3                                           | CA AB OEL |
|                           |           | C                                     | 2 mg/m3                                           | CA BC OEL |
|                           |           | C                                     | 2 mg/m3                                           | CA QC OEL |
|                           |           | C                                     | 2 mg/m3                                           | ACGIH     |

**Engineering measures** : effective ventilation in all processing areas

#### Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

# SAFETY DATA SHEET

## ZEP EXTRA INDUSTRIAL CONCRETE AND MASONRY FLOOR CLEANER 5GL

Version 2.2

Revision Date 12/21/2025

Print Date 12/21/2025

|                          |                                                                                                                                                                                                              |
|--------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Hand protection          |                                                                                                                                                                                                              |
| Material                 | : Protective gloves                                                                                                                                                                                          |
| Remarks                  | : The suitability for a specific workplace should be discussed with the producers of the protective gloves.                                                                                                  |
| Eye protection           | : Ensure that eyewash stations and safety showers are close to the workstation location.<br><br>Tightly fitting safety goggles<br><br>Wear face-shield and protective suit for abnormal processing problems. |
| Skin and body protection | : Impervious clothing<br>Choose body protection according to the amount and concentration of the dangerous substance at the work place.                                                                      |
| Hygiene measures         | : When using do not eat or drink.<br>When using do not smoke.<br><br>Wash hands before breaks and at the end of workday.                                                                                     |

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

|                              |                     |
|------------------------------|---------------------|
| Physical state               | : liquid            |
| Colour                       | : red, clear        |
| Odour                        | : characteristic    |
| Odour Threshold              | : No data available |
| pH                           | : 13 - 14           |
| Melting point/freezing point | : No data available |

# SAFETY DATA SHEET

## ZEP EXTRA INDUSTRIAL CONCRETE AND MASONRY FLOOR CLEANER 5GL

Version 2.2

Revision Date 12/21/2025

Print Date 12/21/2025

|                                        |                                               |
|----------------------------------------|-----------------------------------------------|
| Boiling point                          | : 104.44 °C                                   |
| Flash point                            | : > 100 °C                                    |
| Evaporation rate                       | : 1                                           |
| Upper explosion limit                  | : No data available                           |
| Lower explosion limit                  | : No data available                           |
| Vapour pressure                        | : No data available                           |
| Relative vapour density                | : No data available                           |
| Density                                | : 1.060 g/cm <sup>3</sup>                     |
| Solubility(ies)                        |                                               |
| Water solubility                       | : soluble in cold water, soluble in hot water |
| Partition coefficient: n-octanol/water | : No data available                           |
| Auto-ignition temperature              | : not determined                              |
| Decomposition temperature              | : No data available                           |
| Viscosity                              |                                               |
| Viscosity, kinematic                   | : 5.5 mm <sup>2</sup> /s (20 °C)              |

---

### SECTION 10. STABILITY AND REACTIVITY

|                                    |                                                                                        |
|------------------------------------|----------------------------------------------------------------------------------------|
| Reactivity                         | : Stable                                                                               |
| Chemical stability                 | : Stable under normal conditions.                                                      |
| Possibility of hazardous reactions | : Stable under recommended storage conditions.                                         |
| Conditions to avoid                | : No data available                                                                    |
| Incompatible materials             | : Acids<br>Metals<br>Oxidizing agents                                                  |
| Hazardous decomposition products   | : Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).<br>Sulphur oxides |

# SAFETY DATA SHEET

## ZEP EXTRA INDUSTRIAL CONCRETE AND MASONRY FLOOR CLEANER 5GL

Version 2.2

Revision Date 12/21/2025

Print Date 12/21/2025

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Potential Health Effects

Aggravated Medical Condition : None known.

Symptoms of Overexposure : Effects are dependent on exposure (dose, concentration, contact time).  
Effects are immediate and delayed.  
Symptoms may include blistering, irritation, burns, and pain.  
Causes severe skin burns and eye damage.  
Review section 2 of SDS to see all potential hazards.  
Treat symptomatically. Symptoms may be delayed.

#### Carcinogenicity: IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

#### ACGIH

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

#### Acute toxicity

##### Product:

Acute oral toxicity : Acute toxicity estimate : > 5,000 mg/kg

Method: Calculation method

##### Components:

##### sodium hydroxide:

Acute dermal toxicity : Acute toxicity estimate Rabbit: 1,350 mg/kg

##### Alcohols, C9-11, ethoxylated:

Acute oral toxicity : LD50 Oral Rat: 1,400 mg/kg

#### Skin corrosion/irritation

##### Product:

Remarks: Extremely corrosive and destructive to tissue.

#### Serious eye damage/eye irritation

##### Product:



# SAFETY DATA SHEET

## ZEP EXTRA INDUSTRIAL CONCRETE AND MASONRY FLOOR CLEANER 5GL

Version 2.2

Revision Date 12/21/2025

Print Date 12/21/2025

Remarks: May cause irreversible eye damage.

### Respiratory or skin sensitisation

No data available

### Germ cell mutagenicity

No data available

### Carcinogenicity

No data available

### Reproductive toxicity

No data available

### STOT - single exposure

No data available

### STOT - repeated exposure

No data available

### Aspiration toxicity

No data available

### Further information

#### Product:

Remarks: No data available

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

#### sodium hydroxide :

Toxicity to fish : LC50 (Gambusia affinis (Mosquito fish)): 125 mg/l  
Exposure time: 96 h  
Test Method: static test

LC50 (Oncorhynchus tshawytscha (chinook salmon)):  
152 mg/l  
Exposure time: 96 h

# SAFETY DATA SHEET

## ZEP EXTRA INDUSTRIAL CONCRETE AND MASONRY FLOOR CLEANER 5GL

Version 2.2

Revision Date 12/21/2025

Print Date 12/21/2025

LC50 (Oncorhynchus mykiss (rainbow trout)): 40 mg/l  
Exposure time: 48 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 34 - 47 mg/l  
Exposure time: 48 h

EC50 (Crangon crangon (shrimp)): 33 - 100 mg/l  
Exposure time: 48 h

### Persistence and degradability

No data available

### Bioaccumulative potential

#### Product:

Partition coefficient: n-octanol/water : Remarks: No data available

#### Components:

##### 2-(2-butoxyethoxy)ethanol :

Partition coefficient: n-octanol/water : Pow: 1

### Mobility in soil

No data available

### Other adverse effects

No data available

#### Product:

Additional ecological information : No data available

#### Components:

##### sodium hydroxide :

Additional ecological information : Harmful to aquatic life.

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Do not dispose of waste into sewer.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Dispose of in accordance with local regulations.

# SAFETY DATA SHEET

## ZEP EXTRA INDUSTRIAL CONCRETE AND MASONRY FLOOR CLEANER 5GL

Version 2.2

Revision Date 12/21/2025

Print Date 12/21/2025

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.

---

### SECTION 14. TRANSPORT INFORMATION

Transportation Regulation (TDG) / Règlement Pour Le Transport (TMD): (Canada):  
UN3266, CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S., (SODIUM HYDROXIDE), 8, II

Transportation Regulation / Règlement Pour Le Transport: IMDG (Vessel):  
UN3266, CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S., (SODIUM HYDROXIDE), 8, II

Transportation Regulation / Règlement Pour Le Transport: IATA (Cargo Air):  
UN3266, Corrosive liquid, basic, inorganic, n.o.s., (SODIUM HYDROXIDE), 8, II

Transportation Regulation / Règlement Pour Le Transport: IATA (Passenger Air):  
UN3266, Corrosive liquid, basic, inorganic, n.o.s., (SODIUM HYDROXIDE), 8, II

Transportation Regulation / Règlement Pour Le Transport: 49 CFR (USA):  
UN3266, Corrosive liquid, basic, inorganic, n.o.s., (SODIUM HYDROXIDE), 8, II

The product as delivered to the customer conforms to packaging requirements for shipment by road under Transport Dangerous Goods (TDG) Canada regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

# SAFETY DATA SHEET

## ZEP EXTRA INDUSTRIAL CONCRETE AND MASONRY FLOOR CLEANER 5GL

Version 2.2

Revision Date 12/21/2025

Print Date 12/21/2025

---

### SECTION 15. REGULATORY INFORMATION

This product has been classified according to the hazard criteria of the HPR and the SDS contains all of the information required by the HPR.

**The components of this product are reported in the following inventories:**

**DSL** All components of this product are on the Canadian DSL  
**TSCA** On TSCA Inventory

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

#### Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

---

### SECTION 16. OTHER INFORMATION

#### WHMIS - GHS Label Information:

Hazard pictograms :



Corrosion

Signal word :

**Danger:**

Hazard statements :

Causes severe skin burns and eye damage.

Precautionary statements :

**Prevention:** Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection.  
**Response:** IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Wash contaminated clothing before reuse.

**Disposal:** Dispose of contents/container in accordance with local regulation.

# **SAFETY DATA SHEET**

## **ZEP EXTRA INDUSTRIAL CONCRETE AND MASONRY FLOOR CLEANER 5GL**

Version 2.2

Revision Date 12/21/2025

Print Date 12/21/2025

---

|                |            |
|----------------|------------|
| Version:       | 2.2        |
| Revision Date: | 12/21/2025 |
| Print Date:    | 12/21/2025 |

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.