

# SAFETY DATA SHEET

## ZEP FS ACITROL 20L

Version 1.3

Revision Date 12/21/2025

Print Date 12/21/2025

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name : ZEP FS ACITROL 20L

Material number : 783647C

#### Manufacturer or supplier's details

Company : Zep Inc.

Address : 11627 - 178 Street  
Edmonton, Alberta T5S 1N6  
Canada

Telephone : Compliance Services - 877-428-9937

#### Emergency telephone numbers

**For SDS Information** : Compliance Services - 877-428-9937

**For a Medical Emergency** : 877-541-2016 Toll Free - All Calls Recorded

**For a Transportation  
Emergency** : CHEMTREC: 800-424-9300 - All Calls Recorded.

#### Recommended use of the chemical and restrictions on use

### SECTION 2. HAZARDS IDENTIFICATION

#### Emergency Overview

|            |            |
|------------|------------|
| Appearance | liquid     |
| Colour     | colourless |
| Odour      | slight     |

#### GHS Classification

Skin corrosion : Category 1

Serious eye damage : Category 1

#### GHS label elements

# SAFETY DATA SHEET

## ZEP FS ACITROL 20L

Version 1.3

Revision Date 12/21/2025

Print Date 12/21/2025

Hazard pictograms

:



Corrosion



Corrosion

Signal word

:

Danger  
Danger

Hazard statements

:

H314 Causes severe skin burns and eye damage.  
H314 Causes severe skin burns and eye damage.

Precautionary statements

:

**Prevention:**

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

P363 Wash contaminated clothing before reuse.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

P363 Wash contaminated clothing before reuse.

**Storage:**

P405 Store locked up.

**Disposal:**

P501 Dispose of contents/container in accordance with local regulation.

P501 Dispose of contents/container in accordance with local regulation.

# SAFETY DATA SHEET

## ZEP FS ACITROL 20L

Version 1.3

Revision Date 12/21/2025

Print Date 12/21/2025

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Hazardous components

| Chemical name                 | CAS-No.    | Concentration [%] * |
|-------------------------------|------------|---------------------|
| orthophosphoric acid          | 7664-38-2  | $\geq 10$ - $< 30$  |
| 2-butoxyethanol               | 111-76-2   | $\geq 7$ - $< 13$   |
| Alcohols, C12-15, ethoxylated | 68131-39-5 | $\geq 5$ - $< 10$   |
| propane-1,2-diol              | 57-55-6    | $\geq 5$ - $< 10$   |
| propan-2-ol                   | 67-63-0    | $\geq 1$ - $< 5$    |

\* The exact percentages of disclosed substances are withheld as trade secrets.

|                              |            |                    |
|------------------------------|------------|--------------------|
| orthophosphoric acid         | 7664-38-2  | $\geq 10$ - $< 30$ |
| 2-butoxyethanol              | 111-76-2   | $\geq 10$ - $< 30$ |
| propan-2-ol                  | 67-63-0    | $\geq 5$ - $< 10$  |
| Alcohols, C9-11, ethoxylated | 68439-46-3 | $\geq 5$ - $< 10$  |
| propane-1,2-diol             | 57-55-6    | $\geq 1$ - $< 5$   |

\* The exact percentages of disclosed substances are withheld as trade secrets.

### SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.  
Consult a physician.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical

# SAFETY DATA SHEET

## ZEP FS ACITROL 20L

Version 1.3

Revision Date 12/21/2025

Print Date 12/21/2025

|                                                             |                                                                                                                                                                                                                                                                                                                                                                                        |
|-------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                             | advice.<br>If symptoms persist, call a physician.                                                                                                                                                                                                                                                                                                                                      |
| In case of skin contact                                     | : Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty.<br>In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.<br>Wash contaminated clothing before re-use.<br>If skin irritation persists, call a physician.                   |
| In case of eye contact                                      | : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.<br>In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.<br>Continue rinsing eyes during transport to hospital.<br>Remove contact lenses.<br>Protect unharmed eye.<br>Keep eye wide open while rinsing.<br>If eye irritation persists, consult a specialist. |
| If swallowed                                                | : Clean mouth with water and drink afterwards plenty of water.<br>Keep respiratory tract clear.<br>Do NOT induce vomiting.<br>Do not give milk or alcoholic beverages.<br>Never give anything by mouth to an unconscious person.<br>If symptoms persist, call a physician.<br>Take victim immediately to hospital.                                                                     |
| Most important symptoms and effects, both acute and delayed | : Effects are immediate and delayed.<br>Symptoms may include blistering, irritation, burns, and pain.<br>Effects are dependent on exposure (dose, concentration, contact time).<br>Causes severe skin burns and eye damage.<br>Review section 2 of SDS to see all potential hazards.                                                                                                   |
| Notes to physician                                          | : Treat symptomatically. Symptoms may be delayed.                                                                                                                                                                                                                                                                                                                                      |

---

## SECTION 5. FIREFIGHTING MEASURES

|                                      |                                                                             |
|--------------------------------------|-----------------------------------------------------------------------------|
| Suitable extinguishing media         | : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.  |
| Unsuitable extinguishing media       | : High volume water jet                                                     |
| Specific hazards during firefighting | : Do not allow run-off from fire fighting to enter drains or water courses. |
| Hazardous combustion                 | : Carbon dioxide (CO <sub>2</sub> )                                         |

# SAFETY DATA SHEET

## ZEP FS ACITROL 20L

Version 1.3

Revision Date 12/21/2025

Print Date 12/21/2025

|                                               |                                                                                                                                                                                                                                                                     |
|-----------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| products                                      | Carbon monoxide<br>Smoke<br>Phosphorus compounds                                                                                                                                                                                                                    |
| Specific extinguishing methods                | : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.                                                                                                                                                           |
| Further information                           | : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.<br>Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.<br>Standard procedure for chemical fires. |
| Special protective equipment for firefighters | : Wear self-contained breathing apparatus for firefighting if necessary.                                                                                                                                                                                            |

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

|                                                                     |                                                                                                                                                                                                                     |
|---------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Personal precautions, protective equipment and emergency procedures | : Use personal protective equipment.                                                                                                                                                                                |
| Environmental precautions                                           | : Prevent product from entering drains.<br>Prevent further leakage or spillage if safe to do so.<br>If the product contaminates rivers and lakes or drains, inform respective authorities.                          |
| Methods and materials for containment and cleaning up               | : Neutralize with chalk, alkali solution or ammonia.<br>Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).<br>Keep in suitable, closed containers for disposal. |

---

### SECTION 7. HANDLING AND STORAGE

|                             |                                                                                                                                                                                                                                                                                                                                                   |
|-----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Advice on safe handling     | : Do not breathe vapours or spray mist.<br>Avoid contact with skin and eyes.<br>For personal protection see section 8.<br>Smoking, eating and drinking should be prohibited in the application area.<br>To avoid spills during handling keep bottle on a metal tray.<br>Dispose of rinse water in accordance with local and national regulations. |
| Conditions for safe storage | : Keep container tightly closed in a dry and well-ventilated place.<br>Observe label precautions.<br>Electrical installations / working materials must comply with the technological safety standards.                                                                                                                                            |
| Materials to avoid          | : Store and keep away from bases and alkalies.<br>Oxidizing agents                                                                                                                                                                                                                                                                                |

# SAFETY DATA SHEET

## ZEP FS ACITROL 20L

Version 1.3

Revision Date 12/21/2025

Print Date 12/21/2025

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

| Components           | CAS-No.   | Value type<br>(Form of exposure) | Control parameters /<br>Permissible concentration | Basis     |
|----------------------|-----------|----------------------------------|---------------------------------------------------|-----------|
| orthophosphoric acid | 7664-38-2 | TWA                              | 1 mg/m3                                           | CA AB OEL |
|                      |           | STEL                             | 3 mg/m3                                           | CA AB OEL |
|                      |           | TWA                              | 1 mg/m3                                           | CA BC OEL |
|                      |           | STEL                             | 3 mg/m3                                           | CA BC OEL |
|                      |           | TWAEV                            | 1 mg/m3                                           | CA QC OEL |
|                      |           | STEV                             | 3 mg/m3                                           | CA QC OEL |
|                      |           | TWA                              | 1 mg/m3                                           | ACGIH     |
|                      |           | STEL                             | 3 mg/m3                                           | ACGIH     |
| 2-butoxyethanol      | 111-76-2  | TWA                              | 20 ppm<br>97 mg/m3                                | CA AB OEL |
|                      |           | TWA                              | 20 ppm                                            | CA BC OEL |
|                      |           | TWAEV                            | 20 ppm<br>97 mg/m3                                | CA QC OEL |
|                      |           | TWA                              | 20 ppm                                            | ACGIH     |
| propan-2-ol          | 67-63-0   | TWA                              | 200 ppm<br>492 mg/m3                              | CA AB OEL |
|                      |           | STEL                             | 400 ppm<br>984 mg/m3                              | CA AB OEL |
|                      |           | TWA                              | 200 ppm                                           | CA BC OEL |
|                      |           | STEL                             | 400 ppm                                           | CA BC OEL |
|                      |           | TWAEV                            | 400 ppm<br>983 mg/m3                              | CA QC OEL |
|                      |           | STEV                             | 500 ppm<br>1,230 mg/m3                            | CA QC OEL |
|                      |           | TWA                              | 200 ppm                                           | ACGIH     |
|                      |           | STEL                             | 400 ppm                                           | ACGIH     |
| propane-1,2-diol     | 57-55-6   | TWA<br>(Vapour and aerosols)     | 50 ppm<br>155 mg/m3                               | CA ON OEL |
|                      |           | TWA<br>(aerosol)                 | 10 mg/m3                                          | CA ON OEL |

#### Biological occupational exposure limits

| Components      | CAS-No.  | Control parameters      | Biological specimen | Sampling time                                     | Permissible concentration | Basis     |
|-----------------|----------|-------------------------|---------------------|---------------------------------------------------|---------------------------|-----------|
| 2-BUTOXYETHANOL | 111-76-2 | Butoxyacetic acid (BAA) | Urine               | End of shift (As soon as possible after exposure) | 200 mg/g Creatinine       | ACGIH BEI |

# SAFETY DATA SHEET

## ZEP FS ACITROL 20L

Version 1.3

Revision Date 12/21/2025

Print Date 12/21/2025

|             |         |         |       |                                                         |         |              |
|-------------|---------|---------|-------|---------------------------------------------------------|---------|--------------|
| PROPAN-2-OL | 67-63-0 | Acetone | Urine | ceases)<br>End of<br>shift at<br>end of<br>workwee<br>k | 40 mg/l | ACGIH<br>BEI |
|-------------|---------|---------|-------|---------------------------------------------------------|---------|--------------|

**Engineering measures** : effective ventilation in all processing areas

### Personal protective equipment

**Respiratory protection** : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

### Hand protection

**Material** : Protective gloves

**Remarks** : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

**Eye protection** : Tightly fitting safety goggles

Wear face-shield and protective suit for abnormal processing problems.

**Skin and body protection** : Impervious clothing  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

**Hygiene measures** : When using do not eat or drink.  
When using do not smoke.  
  
Wash hands before breaks and at the end of workday.

# SAFETY DATA SHEET

## ZEP FS ACITROL 20L

Version 1.3

Revision Date 12/21/2025

Print Date 12/21/2025

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

|                                        |                     |
|----------------------------------------|---------------------|
| Physical state                         | : liquid            |
| Colour                                 | : colourless        |
| Odour                                  | : slight            |
| Odour Threshold                        | : No data available |
| pH                                     | : 1.5               |
| Melting point/freezing point           | : No data available |
| Boiling point                          | : No data available |
| Flash point                            | :<br>does not flash |
| Evaporation rate                       | : No data available |
| Upper explosion limit                  | : No data available |
| Lower explosion limit                  | : No data available |
| Vapour pressure                        | : No data available |
| Relative vapour density                | : No data available |
| Relative density                       | : 1.086             |
| Density                                | : No data available |
| Solubility(ies)                        |                     |
| Water solubility                       | : soluble           |
| Partition coefficient: n-octanol/water | : No data available |
| Auto-ignition temperature              | : No data available |
| Decomposition temperature              | : No data available |
| Viscosity                              |                     |
| Viscosity, kinematic                   | : No data available |

---

### SECTION 10. STABILITY AND REACTIVITY

|                                    |                                                       |
|------------------------------------|-------------------------------------------------------|
| Reactivity                         | : Stable                                              |
| Chemical stability                 | : Stable under normal conditions.                     |
| Possibility of hazardous reactions | : No decomposition if stored and applied as directed. |
| Conditions to avoid                | : No data available                                   |
| Incompatible materials             | : Bases<br>Oxidizing agents                           |



# SAFETY DATA SHEET

## ZEP FS ACITROL 20L

Version 1.3

Revision Date 12/21/2025

Print Date 12/21/2025

Hazardous decomposition products : No hazardous decomposition products are known.

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Potential Health Effects

Aggravated Medical Condition : None known.

Symptoms of Overexposure : Effects are immediate and delayed.  
Symptoms may include blistering, irritation, burns, and pain.  
Effects are dependent on exposure (dose, concentration, contact time).  
Causes severe skin burns and eye damage.  
Review section 2 of SDS to see all potential hazards.  
Treat symptomatically. Symptoms may be delayed.

#### Carcinogenicity:

##### IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

##### ACGIH

Confirmed animal carcinogen with unknown relevance to humans

2-butoxyethanol

111-76-2

Confirmed animal carcinogen with unknown relevance to humans

#### Acute toxicity

##### Product:

Acute oral toxicity : Acute toxicity estimate : > 5,000 mg/kg

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate : > 40 mg/l

Exposure time: 4 h

Test atmosphere: vapour

# SAFETY DATA SHEET

## ZEP FS ACITROL 20L

Version 1.3

Revision Date 12/21/2025

Print Date 12/21/2025

Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate : > 5,000 mg/kg

Method: Calculation method

### Components:

#### **2-butoxyethanol:**

Acute oral toxicity : LD50 Oral Rat: 880 mg/kg

Acute dermal toxicity : LD50 Dermal Rabbit: 1,060 mg/kg

#### **Alcohols, C12-15, ethoxylated:**

Acute oral toxicity : LD50 Oral Rat: 500 - 5,000 mg/kg

#### **propan-2-ol:**

Acute oral toxicity : LD50 Oral Rat: 4,396 mg/kg

Method: Calculation method

#### **2-butoxyethanol:**

Acute oral toxicity : LD50 Oral Rat: 880 mg/kg

Acute dermal toxicity : LD50 Dermal Rabbit: 1,060 mg/kg

#### **propan-2-ol:**

Acute oral toxicity : LD50 Oral Rat: 4,396 mg/kg

Method: Calculation method

#### **Alcohols, C9-11, ethoxylated:**

Acute oral toxicity : LD50 Oral Rat: 1,400 mg/kg

### **Skin corrosion/irritation**

#### Product:

Remarks: Extremely corrosive and destructive to tissue.

# SAFETY DATA SHEET

## ZEP FS ACITROL 20L

Version 1.3

Revision Date 12/21/2025

Print Date 12/21/2025

---

### Serious eye damage/eye irritation

**Product:**

Remarks: May cause irreversible eye damage.

### Respiratory or skin sensitisation

No data available

### Germ cell mutagenicity

No data available

### Carcinogenicity

No data available

### Reproductive toxicity

No data available

### STOT - single exposure

No data available

### STOT - repeated exposure

No data available

### Aspiration toxicity

No data available

### Further information

**Product:**

Remarks: No data available

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

No data available

### Persistence and degradability

No data available

### Bioaccumulative potential

**Product:**

# SAFETY DATA SHEET

## ZEP FS ACITROL 20L

Version 1.3

Revision Date 12/21/2025

Print Date 12/21/2025

Partition coefficient: n-octanol/water : Remarks: No data available

### **Components:**

#### **propane-1,2-diol :**

Partition coefficient: n-octanol/water : log Pow: -1.07

#### **propan-2-ol :**

Partition coefficient: n-octanol/water : log Pow: 0.05

#### **propan-2-ol :**

Partition coefficient: n-octanol/water : log Pow: 0.05

#### **propane-1,2-diol :**

Partition coefficient: n-octanol/water : log Pow: -1.07

### **Mobility in soil**

No data available

### **Other adverse effects**

No data available

### **Product:**

Additional ecological information : No data available

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### **Disposal methods**

Waste from residues : Do not dispose of waste into sewer.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.

---

## SECTION 14. TRANSPORT INFORMATION

|                                                                                |
|--------------------------------------------------------------------------------|
| Transportation Regulation (TDG) / Règlement Pour Le Transport (TMD): (Canada): |
|--------------------------------------------------------------------------------|

# **SAFETY DATA SHEET**

## **ZEP FS ACITROL 20L**

Version 1.3

Revision Date 12/21/2025

Print Date 12/21/2025

UN3264, CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S., (PHOSPHORIC ACID), 8, III

Transportation Regulation / Règlement Pour Le Transport: IMDG (Vessel):

UN3264, CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S., (PHOSPHORIC ACID), 8, III

Transportation Regulation / Règlement Pour Le Transport: IATA (Cargo Air):

UN3264, Corrosive liquid, acidic, inorganic, n.o.s., (PHOSPHORIC ACID), 8, III

Transportation Regulation / Règlement Pour Le Transport: IATA (Passenger Air):

UN3264, Corrosive liquid, acidic, inorganic, n.o.s., (PHOSPHORIC ACID), 8, III

Transportation Regulation / Règlement Pour Le Transport: 49 CFR (USA):

UN3264, Corrosive liquid, acidic, inorganic, n.o.s., (PHOSPHORIC ACID), 8, III

The product as delivered to the customer conforms to packaging requirements for shipment by road under Transport Dangerous Goods (TDG) Canada regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

---

### **SECTION 15. REGULATORY INFORMATION**

# SAFETY DATA SHEET

## ZEP FS ACITROL 20L

Version 1.3

Revision Date 12/21/2025

Print Date 12/21/2025

This product has been classified according to the hazard criteria of the HPR and the SDS contains all of the information required by the HPR.

**The components of this product are reported in the following inventories:**

**DSL** All components of this product are on the Canadian DSL  
**TSCA** On TSCA Inventory

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

### Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

## SECTION 16. OTHER INFORMATION

### WHMIS - GHS Label Information:

Hazard pictograms



Corrosion



Corrosion

Signal word

: **Danger**

Hazard statements

: Causes severe skin burns and eye damage. Causes severe skin burns and eye damage.

Precautionary statements

:  
**Prevention:** Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection. **Prevention:** Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection.  
**Response:** IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Wash contaminated clothing before reuse. **Response:** IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Wash contaminated clothing before reuse.  
**Storage:** Store locked up.  
**Disposal:** Dispose of contents/container in accordance with local regulation. **Disposal:** Dispose of contents/container in accordance with local regulation.

Version:

1.3

# SAFETY DATA SHEET

## ZEP FS ACITROL 20L

Version 1.3

Revision Date 12/21/2025

Print Date 12/21/2025

---

|                |            |
|----------------|------------|
| Revision Date: | 12/21/2025 |
| Print Date:    | 12/21/2025 |

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.