

# SAFETY DATA SHEET

## ZEP FOAMING TUNNEL CLEANER

Version 1.3

Revision Date 12/21/2025

Print Date 12/21/2025

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name : ZEP FOAMING TUNNEL CLEANER

Material number : 000000000000081135

#### Manufacturer or supplier's details

Company : Zep Inc.

Address : 11627 - 178 Street  
Edmonton, Alberta T5S 1N6  
Canada

Telephone : Compliance Services - 877-428-9937

#### Emergency telephone numbers

**For SDS Information** : Compliance Services - 877-428-9937

**For a Medical Emergency** : 877-541-2016 Toll Free - All Calls Recorded

**For a Transportation  
Emergency** : CHEMTREC: 800-424-9300 - All Calls Recorded.

#### Recommended use of the chemical and restrictions on use

### SECTION 2. HAZARDS IDENTIFICATION

#### Emergency Overview

|            |                   |
|------------|-------------------|
| Appearance | liquid            |
| Colour     | clear, colourless |
| Odour      | mild              |

#### GHS Classification

Skin corrosion : Category 1

Serious eye damage : Category 1

#### GHS label elements

# SAFETY DATA SHEET

## ZEP FOAMING TUNNEL CLEANER

Version 1.3

Revision Date 12/21/2025

Print Date 12/21/2025

Hazard pictograms

:



Corrosion

Signal word

: Danger

Hazard statements

: H314 Causes severe skin burns and eye damage.

Precautionary statements

: **Prevention:**

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

P363 Wash contaminated clothing before reuse.

**Disposal:**

P501 Dispose of contents/container in accordance with local regulation.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

: Mixture

#### Hazardous components

| Chemical name                                                         | CAS-No.     | Concentration [%] * |
|-----------------------------------------------------------------------|-------------|---------------------|
| orthophosphoric acid                                                  | 7664-38-2   | >= 30 - < 60        |
| 4-Nonylphenol branched, ethoxylated                                   | 127087-87-0 | >= 1 - < 5          |
| Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts | 68439-57-6  | >= 1 - < 5          |

\* The exact percentages of disclosed substances are withheld as trade secrets.

|                      |           |              |
|----------------------|-----------|--------------|
| orthophosphoric acid | 7664-38-2 | >= 30 - < 60 |
|----------------------|-----------|--------------|

# SAFETY DATA SHEET

## ZEP FOAMING TUNNEL CLEANER

Version 1.3

Revision Date 12/21/2025

Print Date 12/21/2025

|                                                                       |             |                |
|-----------------------------------------------------------------------|-------------|----------------|
| 4-Nonylphenol branched, ethoxylated                                   | 127087-87-0 | $\geq 1 - < 5$ |
| Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts | 68439-57-6  | $\geq 1 - < 5$ |

\* The exact percentages of disclosed substances are withheld as trade secrets.

### SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.  
Consult a physician.
- Show this safety data sheet to the doctor in attendance.
- Do not leave the victim unattended.
- If inhaled : If unconscious, place in recovery position and seek medical advice.  
If symptoms persist, call a physician.
- In case of skin contact : Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty.  
Wash off immediately with plenty of water for at least 15 minutes.  
Wash contaminated clothing before re-use.  
If skin irritation persists, call a physician.
- In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.  
In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
Continue rinsing eyes during transport to hospital.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.  
Do NOT induce vomiting.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.  
Take victim immediately to hospital.
- Most important symptoms and effects, both acute and delayed : Effects are immediate and delayed.  
Symptoms may include blistering, irritation, burns, and pain.  
Effects are dependent on exposure (dose, concentration, contact time).

# SAFETY DATA SHEET

## ZEP FOAMING TUNNEL CLEANER

Version 1.3

Revision Date 12/21/2025

Print Date 12/21/2025

Causes severe skin burns and eye damage.  
Review section 2 of SDS to see all potential hazards.

Notes to physician : Treat symptomatically. Symptoms may be delayed.

---

### SECTION 5. FIREFIGHTING MEASURES

- |                                               |                                                                                                                                                                                                                           |
|-----------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Suitable extinguishing media                  | : Dry chemical                                                                                                                                                                                                            |
| Unsuitable extinguishing media                | : High volume water jet                                                                                                                                                                                                   |
| Specific hazards during firefighting          | : Do not allow run-off from fire fighting to enter drains or water courses.                                                                                                                                               |
| Hazardous combustion products                 | : Carbon dioxide (CO <sub>2</sub> )<br>Carbon monoxide<br>Smoke<br>Phosphorus compounds<br>Sulphur oxides                                                                                                                 |
| Specific extinguishing methods                | : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.                                                                                                                 |
| Further information                           | : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.<br>Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. |
| Special protective equipment for firefighters | : Wear self-contained breathing apparatus for firefighting if necessary.                                                                                                                                                  |

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- |                                                                     |                                                                                                                                                                                                                     |
|---------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Personal precautions, protective equipment and emergency procedures | : Use personal protective equipment.<br>Evacuate personnel to safe areas.                                                                                                                                           |
| Environmental precautions                                           | : Prevent product from entering drains.<br>Prevent further leakage or spillage if safe to do so.<br>If the product contaminates rivers and lakes or drains, inform respective authorities.                          |
| Methods and materials for containment and cleaning up               | : Neutralize with chalk, alkali solution or ammonia.<br>Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).<br>Keep in suitable, closed containers for disposal. |

# SAFETY DATA SHEET

## ZEP FOAMING TUNNEL CLEANER

Version 1.3

Revision Date 12/21/2025

Print Date 12/21/2025

### SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : Do not breathe vapours or spray mist.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
To avoid spills during handling keep bottle on a metal tray.  
Dispose of rinse water in accordance with local and national regulations.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Observe label precautions.  
Electrical installations / working materials must comply with the technological safety standards.
- Materials to avoid : Keep away from oxidizing agents and strongly acid or alkaline materials.  
Do not store near acids.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

| Components           | CAS-No.   | Value type<br>(Form of exposure) | Control parameters /<br>Permissible concentration | Basis     |
|----------------------|-----------|----------------------------------|---------------------------------------------------|-----------|
| orthophosphoric acid | 7664-38-2 | TWA                              | 1 mg/m3                                           | CA AB OEL |
|                      |           | STEL                             | 3 mg/m3                                           | CA AB OEL |
|                      |           | TWA                              | 1 mg/m3                                           | CA BC OEL |
|                      |           | STEL                             | 3 mg/m3                                           | CA BC OEL |
|                      |           | TWAEV                            | 1 mg/m3                                           | CA QC OEL |
|                      |           | STEV                             | 3 mg/m3                                           | CA QC OEL |
|                      |           | TWA                              | 1 mg/m3                                           | ACGIH     |
|                      |           | STEL                             | 3 mg/m3                                           | ACGIH     |

Engineering measures : effective ventilation in all processing areas

#### Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

# SAFETY DATA SHEET

## ZEP FOAMING TUNNEL CLEANER

Version 1.3

Revision Date 12/21/2025

Print Date 12/21/2025

|                          |                                                                                                                                                                                                                                                                  |
|--------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Hand protection          |                                                                                                                                                                                                                                                                  |
| Material                 | : Protective gloves                                                                                                                                                                                                                                              |
| Remarks                  | : The suitability for a specific workplace should be discussed with the producers of the protective gloves.                                                                                                                                                      |
| Eye protection           | : Access to clean water to rinse eyes must be available, options include: eye wash stations or showers, or eye wash bottles with pure water.<br><br>Tightly fitting safety goggles<br><br>Wear face-shield and protective suit for abnormal processing problems. |
| Skin and body protection | : Impervious clothing<br>Choose body protection according to the amount and concentration of the dangerous substance at the work place.                                                                                                                          |
| Hygiene measures         | : When using do not eat or drink.<br>When using do not smoke.<br><br>Wash hands before breaks and at the end of workday.                                                                                                                                         |

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

|                 |                     |
|-----------------|---------------------|
| Physical state  | : liquid            |
| Colour          | : clear, colourless |
| Odour           | : mild              |
| Odour Threshold | : No data available |
| pH              | : 1.0 - 1.5         |

# SAFETY DATA SHEET

## ZEP FOAMING TUNNEL CLEANER

Version 1.3

Revision Date 12/21/2025

Print Date 12/21/2025

|                                        |                                               |
|----------------------------------------|-----------------------------------------------|
| Boiling point                          | : 107.22 °C                                   |
| Flash point                            | : does not flash                              |
| Evaporation rate                       | : 1                                           |
| Upper explosion limit                  | : No data available                           |
| Lower explosion limit                  | : No data available                           |
| Vapour pressure                        | : No data available                           |
| Relative vapour density                | : No data available                           |
| Density                                | : 1.253 g/cm3                                 |
| Solubility(ies)                        |                                               |
| Water solubility                       | : soluble in cold water, soluble in hot water |
| Partition coefficient: n-octanol/water | : No data available                           |
| Auto-ignition temperature              | : not determined                              |
| Decomposition temperature              | : No data available                           |
| Viscosity                              |                                               |
| Viscosity, kinematic                   | : 32.5 mm2/s (20 °C)                          |

---

### SECTION 10. STABILITY AND REACTIVITY

|                                    |                                                                                                                |
|------------------------------------|----------------------------------------------------------------------------------------------------------------|
| Reactivity                         | : Stable                                                                                                       |
| Chemical stability                 | : Stable under normal conditions.                                                                              |
| Possibility of hazardous reactions | : No decomposition if stored and applied as directed.                                                          |
| Conditions to avoid                | : No data available                                                                                            |
| Incompatible materials             | : Oxidizing agents                                                                                             |
| Hazardous decomposition products   | : Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).<br>Sulphur oxides<br>Phosphorus compounds |

---

### SECTION 11. TOXICOLOGICAL INFORMATION

# SAFETY DATA SHEET

## ZEP FOAMING TUNNEL CLEANER

Version 1.3

Revision Date 12/21/2025

Print Date 12/21/2025

### Potential Health Effects

Aggravated Medical Condition : None known.

Symptoms of Overexposure : Effects are immediate and delayed.  
Symptoms may include blistering, irritation, burns, and pain.  
Effects are dependent on exposure (dose, concentration, contact time).  
Causes severe skin burns and eye damage.  
Review section 2 of SDS to see all potential hazards.  
Treat symptomatically. Symptoms may be delayed.

### Carcinogenicity:

#### IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

#### ACGIH

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

### Acute toxicity

#### Product:

Acute dermal toxicity : Acute toxicity estimate : > 5,000 mg/kg

Method: Calculation method

#### Components:

##### 4-Nonylphenol branched, ethoxylated:

Acute oral toxicity : LD50 Oral Rat: 16,000 mg/kg

Acute dermal toxicity : LD50 Rabbit: 2,573 mg/kg

##### 4-Nonylphenol branched, ethoxylated:

Acute oral toxicity : LD50 Oral Rat: 16,000 mg/kg

Acute dermal toxicity : LD50 Rabbit: 2,573 mg/kg

### Skin corrosion/irritation

#### Product:

Remarks: Extremely corrosive and destructive to tissue.

# SAFETY DATA SHEET

## ZEP FOAMING TUNNEL CLEANER

Version 1.3

Revision Date 12/21/2025

Print Date 12/21/2025

---

### Serious eye damage/eye irritation

**Product:**

Remarks: May cause irreversible eye damage.

### Respiratory or skin sensitisation

No data available

### Germ cell mutagenicity

No data available

### Carcinogenicity

No data available

### Reproductive toxicity

No data available

### STOT - single exposure

No data available

### STOT - repeated exposure

No data available

### Aspiration toxicity

No data available

### Further information

**Product:**

Remarks: No data available

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

No data available

### Persistence and degradability

No data available

### Bioaccumulative potential

**Product:**

# SAFETY DATA SHEET

## ZEP FOAMING TUNNEL CLEANER

Version 1.3

Revision Date 12/21/2025

Print Date 12/21/2025

Partition coefficient: n-octanol/water : Remarks: No data available

### Mobility in soil

No data available

### Other adverse effects

No data available

### Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal., Toxic to aquatic life.  
The GHS H401 statement "Toxic to aquatic life" noted above is an Acute Aquatic Toxicity Category 2 classification. Although the product has the potential to harm the environment, it is not classified as a marine pollutant or regulated under transportation regulations.

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.

---

## SECTION 14. TRANSPORT INFORMATION

|                                                                                                                                                                  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Transportation Regulation (TDG) / Règlement Pour Le Transport (TMD): (Canada):<br>UN3264, CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S., (PHOSPHORIC ACID), 8, III |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------|

# SAFETY DATA SHEET

## ZEP FOAMING TUNNEL CLEANER

Version 1.3

Revision Date 12/21/2025

Print Date 12/21/2025

Transportation Regulation / Règlement Pour Le Transport: IMDG (Vessel):  
UN3264, CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S., (PHOSPHORIC ACID), 8, III

Transportation Regulation / Règlement Pour Le Transport: IATA (Cargo Air):  
UN3264, Corrosive liquid, acidic, inorganic, n.o.s., (PHOSPHORIC ACID), 8, III

Transportation Regulation / Règlement Pour Le Transport: IATA (Passenger Air):  
UN3264, Corrosive liquid, acidic, inorganic, n.o.s., (PHOSPHORIC ACID), 8, III

Transportation Regulation / Règlement Pour Le Transport: 49 CFR (USA):  
UN3264, Corrosive liquid, acidic, inorganic, n.o.s., (PHOSPHORIC ACID), 8, III

The product as delivered to the customer conforms to packaging requirements for shipment by road under Transport Dangerous Goods (TDG) Canada regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

---

### SECTION 15. REGULATORY INFORMATION

This product has been classified according to the hazard criteria of the HPR and the SDS contains all of the information required by the HPR.

**The components of this product are reported in the following inventories:**

# SAFETY DATA SHEET

## ZEP FOAMING TUNNEL CLEANER

Version 1.3

Revision Date 12/21/2025

Print Date 12/21/2025

**DSL**  
**TSCA**

All components of this product are on the Canadian DSL  
On TSCA Inventory

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

### Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

---

## SECTION 16. OTHER INFORMATION

### WHMIS - GHS Label Information:

Hazard pictograms :



Corrosion

Signal word :

**Danger:**

Hazard statements :

Causes severe skin burns and eye damage.

Precautionary statements :

**Prevention:** Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:** IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Wash contaminated clothing before reuse.

**Disposal:** Dispose of contents/container in accordance with local regulation.

---

|                |            |
|----------------|------------|
| Version:       | 1.3        |
| Revision Date: | 12/21/2025 |
| Print Date:    | 12/21/2025 |

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

**SAFETY DATA SHEET**  
**ZEP FOAMING TUNNEL CLEANER**

Version 1.3

Revision Date 12/21/2025

Print Date 12/21/2025

---