



Safety Data Sheet

Issue Date: 2016-11-21

Revision Date: 2019-07-11

Revision Number: 6

1. IDENTIFICATION

1.1. Product identifier

Product name MAGRABAR® 3303

Other means of identification

Material No. 7735

Historic Material No. 7735

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Anti-foaming agent (defoamer)
Uses advised against Consumer use

1.3. Details of the supplier of the safety data sheet

Manufacturer MUNZING NORTH AMERICA – MAGRABAR LLC
6100 Madison Court
Morton Grove, IL 60053-3216
United States

Email: info@magrabar.com
Telephone: 1-847-965-7550

Emergency Telephone CHEMTREC (24 hrs - for spill, leak or transportation incidents):
US: 1-800-424-9300
non-US: 1-703-527-3887

2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

OSHA Regulatory Status

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

2.2. Label Elements

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

2.3. Other hazards

Hazards not otherwise classified (HNOC) Not applicable

Unknown acute toxicity Not applicable

Other Information Not applicable

3. COMPOSITION/INFORMATION ON INGREDIENTS**3.2. Mixtures**

Chemical name	CAS No	Weight-%
Synthetic Amorphous Silica	Proprietary	1 - 5
Synthetic Amorphous Silica	Proprietary	1 - 5

The product contains no substances which at their given concentration, are considered to be hazardous to health. If CAS number is "proprietary", the specific chemical identity and percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES**4.1. Description of first aid measures**

Eye Contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If symptoms persist, call a physician.

Skin Contact IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash before reuse. If symptoms persist, call a physician.

Inhalation IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. If symptoms persist, call a physician.

Ingestion IF SWALLOWED: Rinse mouth. DO NOT induce vomiting. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.

4.2. Most important symptoms and effects, both acute and delayed

Most important symptoms and effects No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES**5.1. Extinguishing media**

Suitable extinguishing media Carbon dioxide (CO₂). Foam. Dry chemical.

Unsuitable Extinguishing Media No information available.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products Oxides of sulfur. Carbon monoxide. Carbon dioxide (CO₂). Flammable/toxic gases may accumulate in tanks and hopper cars. Produce flammable and toxic gases on contact with water.

Explosion Data**Sensitivity to mechanical impact**

Not applicable.

Sensitivity to static discharge

Not sensitive.

5.3. Advice for firefighters

Advice for fire-fighters As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES**6.1. Personal precautions, protective equipment and emergency procedures**

Personal precautions Use personal protection equipment. Avoid contact with skin, eyes or clothing.

Protective precautions Ensure adequate ventilation. Avoid exceeding of the given occupational exposure limits (see section 8).

Emergency procedures Evacuate personnel to safe areas. Remove all sources of ignition. Keep people away from and upwind of spill/leak.

6.2. Environmental precautions

Environmental precautions Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for Containment Local authorities should be advised if significant spillages cannot be contained. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

Methods for Clean-Up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Pick up and transfer to properly labelled containers.

6.4. Reference to other sections

Reference to other sections See Sections 5 & 7 for additional information.

7. HANDLING AND STORAGE**7.1. Precautions for safe handling**

Handling Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Use personal protection equipment.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep cool. Protect from sunlight. Keep away from open flames, hot surfaces and sources of ignition. Keep from freezing.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters**Exposure Guidelines**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Synthetic Amorphous Silica	-	TWA: 6 mg/m ³	-
Synthetic Amorphous Silica	TWA: 10 mg/m ³ inhalable fraction TWA: 3 mg/m ³ respirable fraction	5 mg/m ³ , respirable fraction 15 mg/m ³ total dust	-

8.2. Exposure controls

Engineering Controls Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Safety glasses with side-shields.

Skin protection Long sleeved clothing. Wear protective nitrile rubber gloves.

Respiratory protection In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. Wash hands thoroughly after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State Liquid
Appearance Opaque
Odor Mild Organic
Odor threshold No information available

<u>Property</u>	<u>Values</u>	<u>Remarks/ Method</u>
pH	No information available	No information available
Melting point	No information available	No information available
Boiling point	> 400 °F	No information available
Flash Point	282 °C	Open cup
Evaporation rate	No information available	No information available
Flammability (solid, gas)	No information available	No information available
Flammability Limit in Air		
Upper flammability limit	No information available	
Lower flammability limit	No information available	
Vapor Pressure	< 0.1 mmHg	No information available
Vapor density	No information available	No information available
Specific Gravity	0.94	No information available
Water Solubility	insoluble	No information available
Solubility in other solvents	No information available	No information available
Partition coefficient: n-octanol/water	No information available	No information available
Autoignition temperature	No information available	No information available
Decomposition temperature	No information available.	No information available
Viscosity	No information available	No information available
Explosive properties	No information available	
Oxidizing properties	No information available	

9.2. Other information

VOC content (%) No information available

10. STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity Stable under normal conditions.

10.2. Chemical stability

Chemical Stability Stable under normal conditions.

10.3. Possibility of hazardous reactions

Possibility of Hazardous Reactions None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

10.4. Conditions to avoid

Conditions to Avoid Heat, flames and sparks.

10.5. Incompatible materials

Incompatible Materials Strong oxidizing agents.

Hazardous decomposition products

Hazardous decomposition products Carbon monoxide. Carbon dioxide (CO₂). Fumes.

11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Information on likely routes of exposure

Product Information Information given is based on data on the components and the toxicology of similar products.

Eyes Contact with eyes may cause irritation. Avoid contact with eyes.

Skin Substance may cause slight skin irritation. Avoid contact with skin.

Inhalation May cause irritation of respiratory tract. Avoid breathing vapors or mists.

Ingestion Health injuries are not known or expected under normal use.

Numerical measures of toxicity - Product Information

ATEmix (oral)	5,281.00 mg/kg
ATEmix (dermal)	5,281.00 mg/kg
ATEmix (inhalation-dust/mist)	No data available

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Synthetic Amorphous Silica	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	LC0: >= 0.139 mg/l (4hr). Maximum attainable concentration. No deaths occurred.
Synthetic Amorphous Silica	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	LC50: >= 0.139 mg/l (4hr).

			Maximum attainable concentration. No deaths occurred.
--	--	--	---

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	No information available.
Mutagenic effects	No information available.
Reproductive Effects	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Chronic Toxicity	Avoid repeated exposure.
Aspiration Hazard	No information available.
Carcinogenicity	The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Synthetic Amorphous Silica	-	Group 3	-	-
Synthetic Amorphous Silica	-	Group 3	-	-

*IARC (International Agency for Research on Cancer)
Group 3 - Not Classifiable as to Carcinogenicity in Humans*

12. ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity

Chemical name	Algae	Fish	Daphnia magna
Synthetic Amorphous Silica	EC50, 72h: Pseudokirchneriella subcapitata: 440 mg/L	LC50: >10000 96h (Brachydanio rerio)	EC50: >10000 24h
Synthetic Amorphous Silica	-	LC50: >10000 mg/L, 96h (Brachydanio rerio)	EC50: >10000, 24h (daphnia)

Persistence and degradability

Persistence and degradability . No information available.

12.3. Bioaccumulative potential

Bioaccumulation/Accumulation . No information available.

12.4. Mobility in soil

Mobility in Environmental Media . No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment . Not applicable.

12.6. Other adverse effects

Other adverse effects . No information available.

13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Disposal Methods	Contain and dispose of waste according to local regulations.
Contaminated packaging	Empty containers should be taken for local recycling, recovery or waste disposal. Dispose of contents/containers in accordance with local regulations.
US EPA Waste Number	Product, as sold, is not a US EPA RCRA Waste.

14. TRANSPORT INFORMATION

DOT	Not regulated
ICAO/IATA	Not regulated
IMDG/IMO	Not regulated

15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

US TSCA	Complies
Australia (AICS)	Complies
Canada (DSL)	Complies
China (IECSC)	Complies
Europe (EINECS/ELINCS/NLP)	Complies
Japan (ENCS)	Contact manufacturer
South Korea (KECL)	Complies
Philippines (PICCS)	Complies
New Zealand	Complies
Taiwan (TCSI)	Complies

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances

Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier II reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (40 CFR 61)

This product does not contain any HAPs.

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know

Chemical name	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Synthetic Amorphous Silica 1 - 5	X	X	X		

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA		HMIS III	
Health	1	Health	1
Flammability	1	Flammability	1
Instability	0	Physical Hazard	0

Issue Date: 2016-11-21
 Revision Date: 2019-07-11
 Reason for revision: Not applicable.

For industrial use only. Refer to the safety data sheet and/or instructions for use.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet