



AF 7765 (AFCO 18003)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations
Revision Date: 02/11/2025

Version: 1.0

SECTION 1: IDENTIFICATION

Product Identifier

Product Form: Mixture

Product Name: AF 7765

Product Code: AFCO 18003

Intended Use of the Product

Use of the Substance/Mixture: Water treatment. For professional use only.

Name, Address, and Telephone of the Responsible Party

Company

AFCO

550 Development Avenue

Chambersburg, PA 17201

T: 800-345-1329

www.afcocare.com

Emergency Telephone Number

Emergency Number : 1-800-424-9300 (CHEMTREC)

SECTION 2: HAZARDS IDENTIFICATION

Classification of the Substance or Mixture

Classification (GHS-US)

Skin Irrit. 3 H316

Eye Irrit. 2B H320

STOT SE H335

Label Elements

GHS-US Labeling

Hazard Pictograms (GHS-US) :



GHS07

Signal Word (GHS-US)

: Warning.

Hazard Statements (GHS-US)

: H316 - Causes mild skin irritation

H320 - Causes eye irritation

H335 - May cause respiratory irritation

Precautionary Statements (GHS-US)

: P261 - Avoid breathing mist/spray.

P264 - Wash thoroughly hands, forearms, and other exposed areas after handling.

P271 - Use only outdoors or in a well-ventilated area.

P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P312 - Call a POISON CENTER or doctor/physician if you feel unwell.

P332+P313 - If skin irritation occurs: Get medical advice/attention.

P337+P313 - If eye irritation persists: Get medical attention.

P403+P233 - Store in a well-ventilated place. Keep container tightly closed.

P405 - Store locked up.

P501 - Dispose of contents/container in accordance with local/regional/national/international regulations.

Other Hazards

Other Hazards Not Contributing to the Classification: Exposure may aggravate those with pre-existing eye, skin, or respiratory conditions. When heated to decomposition emits toxic oxides of carbon and sulfur and chlorine compounds including hydrogen chloride. Reacts with metals to form flammable hydrogen gas.

AF 7765 (AFCO 18003)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Unknown Acute Toxicity (GHS-US): Not available.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Substances

Mixture

Name	Product identifier	% (w/w)
Water	(CAS No) 7732-18-5	0-50
Aluminum chlorohydrate	(CAS No) 12042-91-0	0-25
OE-108	Proprietary	0-25

Full text of H-phrases: see section 16.

SECTION 4: FIRST AID MEASURES

Description of First Aid Measures

General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

Inhalation: Immediately remove victim to fresh air. If breathing is difficult, have qualified personnel administer oxygen. If breathing has stopped, administer artificial respiration. Get immediate medical attention.

Skin Contact: Immediately flush skin with plenty of water for 15 minutes while removing contaminated clothing and shoes. Wash skin thoroughly with soap and water. Get medical attention. Launder clothing before re-use.

Eye Contact: Immediately flush victim's eyes with large quantities of water for at least 15 minutes, holding the eyelids apart. Get immediate medical attention.

Ingestion: Do NOT induce vomiting. Rinse mouth with water and give one glass of water to drink. Never give anything by mouth to an unconscious or convulsing person. Get immediate medical attention.

Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention.

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media: Use media appropriate for surrounding fire. Cool fire exposed containers and structures with water.

Unsuitable Extinguishing Media: Do not use a heavy water stream. Use of heavy stream of water may spread fire.

Special Hazards Arising From the Substance or Mixture

Fire Hazard: None known.

Explosion Hazard: None known.

Reactivity: When heated to decomposition emits toxic oxides of carbon and sulfur and chlorine compounds including hydrogen chloride. Reacts with metals to form flammable hydrogen gas.

Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire.

Firefighting Instructions: Use water spray for cooling exposed containers.

Protection During Firefighting: Firefighters should wear positive pressure self-contained breathing apparatus and full protective clothing.

Hazardous Combustion Products: Carbon oxides (CO, CO₂). Sulfur oxides and chlorine compounds including hydrogen chloride.

Reference to Other Sections

Refer to section 9 for flammability properties.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Avoid breathing (vapors, mist, spray). Avoid contact with skin, eyes, or clothing. Evacuate spill area and keep unprotected personnel away.

For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protection equipment (PPE) as described in Section 8.

Emergency Procedures: Ventilate area.

For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection. Use appropriate personal protection equipment (PPE) as described in Section 8.

Emergency Procedures: Ventilate area.

AF 7765 (AFCO 18003)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Environmental Precautions

Prevent entry to sewers and public waters.

Methods and Material for Containment and Cleaning Up

For Containment: Contain and recover liquid where possible.

Methods for Cleaning Up: Collect using an inert absorbent material and place in appropriate containers for disposal. Prevent spill from entering sewers and water courses. Report releases as required by local, state and federal authorities.

Reference to Other Sections

See heading 8, Exposure Controls and Personal Protection.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling

Additional Hazards When Processed: Avoid contact with skin and eyes. Avoid breathing mists or aerosols. Wear protective clothing and equipment described in Section 8. Use with adequate ventilation.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures. Wash thoroughly after handling.

Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Comply with applicable regulations.

Storage Conditions: Store in a cool, dry, well ventilated area away from heat and incompatible materials. Protect from physical damage. Product may slowly corrode iron, brass, copper, aluminum and mild steel.

Incompatible Materials: Metals (zinc and aluminum), alkalies.

Special Rules on Packaging: Keep containers closed when not in use. Do not reuse containers. Empty containers retain product residues can be hazardous. Follow all SDS precautions when handling empty containers.

Specific End Use(s): Water treatment. For professional use only.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Water (7732-18-5)	None established
Aluminum chlorohydrate (12042-91-0)	2 mg/m ³ TLV-TWA (as Al)
OE-108 (Proprietary)	2 mg/m ³ TLV-TWA (as Al)

Exposure Controls

Appropriate Engineering Controls: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure all national/local regulations are observed. Ensure adequate ventilation, especially in confined areas. Use with adequate general or local exhaust ventilation to maintain exposure levels below the occupational exposure limits.

Personal Protective Equipment: Protective goggles. Protective clothing. Gloves.



Materials for Protective Clothing: Chemically resistant materials and fabrics.

Hand Protection: Wear impervious gloves such as rubber or neoprene.

Eye Protection: Chemical safety goggles recommended.

Skin and Body Protection: Impervious coveralls, apron and boots as needed to prevent contact.

Respiratory Protection: In operations where exposure levels are exceeded, a NIOSH approved respirator with dust/mist cartridges or supplied air respirator appropriate for the form and concentration of the contaminants should be used. Selection and use of respiratory equipment must be in accordance with OSHA 1910.134 and good industrial hygiene practice.

Other Information: A safety shower and eyewash should be available in the immediate work area.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical State	: Liquid.
Appearance	: Clear, colorless to yellow.
Odor	: None.
Odor Threshold	: Not available.
pH	: 4.3
Relative Evaporation Rate	: Same as water.
Melting Point	: -5.5°C (22°F)

AF 7765 (AFCO 18003)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Freezing Point	: Not available.
Boiling Point	: 100°C (212°F)
Flash Point	: None.
Auto-ignition Temperature	: None.
Decomposition Temperature	: Not available.
Flammability (solid, gas)	: Not flammable.
Lower Flammable Limit (LEL)	: Not applicable.
Upper Flammable Limit (UEL)	: Not applicable.
Vapor Pressure	: Same as water.
Relative Vapor Density at 20°C	: Same as water.
Specific Gravity	: 1.29 – 1.35
Solubility	: Soluble in water.
Partition coefficient: n-octanol/water	: Not determined.
Viscosity	: Not available.
VOC Content, wt. %	: 0%
Explosion Data – Sensitivity to Mechanical Impact	: None known.
Explosion Data – Sensitivity to Static Discharge	: None known.

SECTION 10: STABILITY AND REACTIVITY

Reactivity: Reacts with metals to form flammable hydrogen gas.

Chemical Stability: Stable under normal storage and handling conditions. Product degrades at elevated temperatures. Avoid temperatures above 45°C (113°F).

Possibility of Hazardous Reactions: Hazardous polymerization will not occur.

Conditions to Avoid: Heat. Incompatible materials.

Incompatible Materials: Metals (zinc and aluminum), alkalis.

Hazardous Decomposition Products: When heated to decomposition emits toxic oxides of carbon and sulfur and chlorine compounds including hydrogen chloride.

SECTION 11: TOXICOLOGICAL INFORMATION

Information on Toxicological Effects - Product

Acute Toxicity: No data available.

LD50 and LC50 Data: No data available.

Skin Corrosion/Irritation: May cause skin irritation.

Serious Eye Damage/Irritation: Causes eye irritation.

Respiratory or Skin Sensitization: This material is not known to cause sensitization.

Germ Cell Mutagenicity: None currently known.

Teratogenicity: No data available.

Carcinogenicity: None of the components are listed as a carcinogen or suspected carcinogen by IARC, NTP or OSHA.

Specific Target Organ Toxicity (Repeated Exposure): No data available.

Reproductive Toxicity: No data available.

Specific Target Organ Toxicity (Single Exposure): No data available.

Aspiration Hazard: No data available.

Symptoms/Injuries After Inhalation: Inhalation of mists may cause irritation of the nose throat and upper respiratory tract.

Symptoms/Injuries After Skin Contact: May cause irritation on prolonged or repeated contact.

Symptoms/Injuries After Eye Contact: May cause moderate to severe irritation with pain and tearing. Corneal damage is possible.

Symptoms/Injuries After Ingestion: Ingestion may cause irritation of the mucous membranes, esophagus and stomach. May cause nausea, vomiting and diarrhea. Large amounts may cause liver and kidney effects.

Chronic Symptoms: Prolonged inhalation of aluminum chlorohydrate in laboratory animals causes fibrosis of the lungs.

Information on Toxicological Effects - Ingredient(s)

LD50 and LC50 Data: No data available.

AF 7765 (AFCO 18003)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 12: ECOLOGICAL INFORMATION

Toxicity No ecotoxicity data is available.

Persistence and Degradability

AF 7765 (AFCO 18003)	
Persistence and Degradability	Not established.

Bioaccumulative Potential

AF 7765 (AFCO 18003)	
Bioaccumulative Potential	Not established.

Mobility in Soil Not available.

Other Adverse Effects

Other Information: Not available.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal Recommendations: Dispose of waste material in accordance with all local, regional, national, provincial, territorial and international regulations.

Disposal Considerations: Do not reuse containers. Empty containers retain product residues, can be hazardous.

SECTION 14: TRANSPORT INFORMATION

14.1 In Accordance with DOT	:	Not regulated for transport.
14.2 In Accordance with IMDG	:	Not regulated for transport.
14.3 In Accordance with IATA	:	Not regulated for transport.
14.4 In Accordance with TDG	:	Not regulated for transport.

SECTION 15: REGULATORY INFORMATION

US Federal Regulations

AF 7765 (AFCO 18003)	
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard.
CERCLA	This product is not subject to CERCLA reporting requirements. Many states have more stringent release reporting requirements. Report spills required under federal, state and local regulations.
SARA Title III, Section 313 (40 CFR 372)	None.

Water (7732-18-5)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory.	
Aluminum chlorohydrate (12042-91-0)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory.	
OE-108 (Proprietary)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory.	

US State Regulations: None.

Canadian Regulations

Water (7732-18-5)	
Listed on the Canadian DSL (Domestic Substances List) inventory.	
Aluminum chlorohydrate (12042-91-0)	
Listed on the Canadian DSL (Domestic Substances List) inventory.	
OE-108 (Proprietary)	
Listed on the Canadian DSL (Domestic Substances List) inventory.	

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by CPR.

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Revision date	:	02/11/2025
Other Information	:	This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

AF 7765 (AFCO 18003)


Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

GHS Full Text Phrases:

Eye Irrit.	Serious eye damage/eye irritation Category 2B.
Skin Irrit. 2	Skin corrosion/irritation Category 2.
STOT SE 3	Specific Target Organ Toxicity (Single Exposure) Category 3.
H316	May cause skin irritation.
H320	Causes eye irritation.
H335	May cause respiratory irritation.

- NFPA Health Hazard** : 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.
- NFPA Fire Hazard** : 0 - Materials that will not burn.
- NFPA Reactivity** : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.



HMIS III Rating

- Health** : 2 Moderate Hazard - Temporary or minor injury may occur.
- Flammability** : 0 - Minimal Hazard.
- Physical** : 0 - Minimal Hazard.

Party Responsible for the Preparation of This Document

AFCO
550 Development Avenue
Chambersburg, PA 17201
T: 800-345-1329

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

North America GHS SDS 2015 (U.S., Can., Mex.)