



# Manual Cleaner WCD 9 (AFCO 3102)

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision Date: 08/26/2024

Version: 1.2

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY

### Product Identifier

**Product Form:** Mixture

**Product name:** Manual Cleaner WCD 9

**Product Code:** AFCO 3102

### Intended Use of the Product

**Use of the Substance/Mixture:** Heavy duty cleaner/degreaser. For professional use only.

### Name, Address, and Telephone of the Responsible Party

#### **Company**

AFCO

550 Development Avenue

Chambersburg, PA 17201

T: 800-345-1329

[www.afcocare.com](http://www.afcocare.com)

### Emergency Telephone Number

**Emergency Number** : 1-800-424-9300 (CHEMTREC)

## SECTION 2: HAZARDS IDENTIFICATION

### Classification of the Substance or Mixture

#### **Classification (GHS-US)**

Met. Corr. 1 H290

Skin Corr. 1B H314

Eye Dam. 1 H318

### Label Elements

#### **GHS-US Labeling**

#### **Hazard Pictograms (GHS-US)**

:



GHS05

#### **Signal Word (GHS-US)**

: Danger

#### **Hazard Statements (GHS-US)**

H290 - May be corrosive to metals  
H314 - Causes severe skin burns and eye damage  
H318 - Causes serious eye damage

#### **Precautionary Statements (GHS-US)**

: P234 - Keep only in original container.  
P260 - Do not breathe dust if inhalable particles of dust occur during use.  
P264 - Wash hands, forearms, and other exposed areas thoroughly after handling.  
P280 - Wear protective gloves, protective clothing, eye protection, face protection.  
P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.  
P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.  
P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 - Immediately call a POISON CENTER or doctor/physician.  
P321 - Specific treatment (see section 4).  
P363 - Wash contaminated clothing before reuse.  
P390 - Absorb spillage to prevent material damage.  
P391 - Collect spillage.  
P405 - Store locked up.

# Manual Cleaner WCD 9 (AFCO 3102)

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P406 - Store in corrosive resistant container with a resistant inner liner.

P501 - Dispose of contents/container to local, regional, national, territorial, provincial, and international regulations.

### Other Hazards

**Other Hazards Not Contributing to the Classification:** Exposure may aggravate those with pre-existing eye, skin, or respiratory conditions. When heated to decomposition, emits toxic fumes. Contains an oxidizing material which may accelerate fire.

**Unknown Acute Toxicity (GHS-US)** Not available.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### Substances

#### Mixture

| Name                    | Product identifier  | % (w/w) | Classification (GHS-US)                                                                                       |
|-------------------------|---------------------|---------|---------------------------------------------------------------------------------------------------------------|
| Sodium metasilicate     | (CAS No) 6834-92-0  | 80-90   | Met. Corr. 1, H290<br>Acute Tox. 4 (Oral), H302<br>Skin Corr. 1B, H314<br>Eye Dam. 1, H318<br>STOT SE 3, H335 |
| Sodium salt of tall oil | (CAS No) 65997-01-5 | 5-10    | Skin Irrit. 2, H315<br>Eye Irrit. 2A, H319<br>Skin Sens. 1B, H317<br>STOT SE 3, H335                          |
| Sodium carbonate        | (CAS No) 497-19-8   | 1-5     | Eye Irrit. 2A, H319                                                                                           |
| Kerosene                | (CAS No) 8008-20-6  | 0.1-1   | Flam. Liq. 4, H227<br>Skin Irrit. 2, H315<br>Aspiration 2, H305<br>Aquatic Acute 2, H411                      |

Full text of H-phrases: see section 16.

## SECTION 4: FIRST AID MEASURES

### Description of First Aid Measures

**General:** Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

**Inhalation:** When symptoms occur: go into open air and ventilate suspected area. Remove to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.

**Skin Contact:** Remove contaminated clothing. Drench affected area with water for several minutes. Immediately call a POISON CENTER or doctor/physician. Wash contaminated clothing before reuse.

**Eye Contact:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

**Ingestion:** Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

### Most Important Symptoms and Effects Both Acute and Delayed

**General:** Causes serious eye damage and severe skin burns. Contact may cause immediate severe irritation progressing quickly to chemical burns.

**Inhalation:** None under normal and intended conditions of use.

**Skin Contact:** Contact may cause immediate severe irritation progressing quickly to chemical burns.

**Eye Contact:** Causes serious eye damage.

**Ingestion:** Ingestion is likely to be harmful or have adverse effects. Contact may cause immediate severe irritation progressing quickly to chemical burns.

**Chronic Symptoms:** Not available.

### Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention.

# Manual Cleaner WCD 9 (AFCO 3102)

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 5: FIREFIGHTING MEASURES

#### Extinguishing Media

**Suitable Extinguishing Media:** Water spray, fog, carbon dioxide, foam, dry chemical.

**Unsuitable Extinguishing Media:** Do not use a heavy water stream. Use of heavy stream of water may spread fire.

#### Special Hazards Arising From the Substance or Mixture

**Fire Hazard:** Not flammable.

**Explosion Hazard:** Product is not explosive.

**Reactivity:** Thermal decomposition generates: Corrosive vapors. May liberate silicon oxides, carbon oxides (CO, CO<sub>2</sub>). When heated to decomposition, emits toxic fumes.

#### Advice for Firefighters

**Precautionary Measures Fire:** Exercise caution when fighting any chemical fire.

**Firefighting Instructions:** Use water spray or fog for cooling exposed containers.

**Protection During Firefighting:** Do not enter fire area without proper protective equipment, including respiratory protection.

**Hazardous Combustion Products:** May liberate silicon oxides, carbon oxides (CO, CO<sub>2</sub>). Corrosive vapors.

**Other information:** Do not allow run-off from fire fighting to enter drains or water courses.

#### Reference to Other Sections

Refer to section 9 for flammability properties.

### SECTION 6: ACCIDENTAL RELEASE MEASURES

#### Personal Precautions, Protective Equipment and Emergency Procedures

**General Measures:** Do not allow product to spread into the environment. Do NOT breathe (dust). Avoid all contact with skin, eyes, or clothing.

#### For Non-Emergency Personnel

**Protective Equipment:** Use appropriate personal protection equipment (PPE).

**Emergency Procedures:** Evacuate unnecessary personnel.

#### For Emergency Personnel

**Protective Equipment:** Equip cleanup crew with proper protection.

**Emergency Procedures:** None.

#### Environmental Precautions

Prevent entry to sewers and public waters. Avoid release to the environment.

#### Methods and Material for Containment and Cleaning Up

**For Containment:** Avoid generating dust. Sweep or vacuum the product to recover it. As an immediate precautionary measure, isolate spill or leak area in all directions.

**Methods for Cleaning Up:** Clean up spills immediately and dispose of waste safely. Absorb spillage to prevent material damage. Contact competent authorities after a spill.

#### Reference to Other Sections

See heading 8, Exposure Controls and Personal Protection.

### SECTION 7: HANDLING AND STORAGE

#### Precautions for Safe Handling

**Additional Hazards When Processed:** When heated to decomposition, emits toxic fumes. Corrosive vapors are released. May be corrosive to soft metals.

**Hygiene Measures:** Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work. Do not eat, drink or smoke when using this product. Wash hands and forearms thoroughly after handling.

#### Conditions for Safe Storage, Including Any Incompatibilities

**Technical Measures:** Comply with applicable regulations.

**Storage Conditions:** Store in a dry, cool and well-ventilated place. Keep container closed when not in use. Keep/Store away from moisture, incompatible materials.

**Incompatible Materials:** Acids, moisture.

**Special Rules on Packaging:** Keep only in original container.

# Manual Cleaner WCD 9 (AFCO 3102)

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Specific End Use(s)

Heavy duty caustic cleaner/degreaser. For professional use only

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control Parameters

None.

### Exposure Controls

**Appropriate Engineering Controls:** Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure all national/local regulations are observed. If user operations generate dust, fumes, vapors, gas, or spray use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or regulatory limits.

**Personal Protective Equipment:** Protective goggles. Face shield. Protective clothing. Gloves.



**Materials for Protective Clothing:** Chemically resistant materials and fabrics. Corrosionproof clothing.

**Hand Protection:** Wear chemically resistant protective gloves.

**Eye Protection:** Chemical goggles or face shield.

**Skin and Body Protection:** Wear suitable protective clothing.

**Respiratory Protection:** A respirator is not needed under normal and intended conditions of use.

**Other Information:** When using, do not eat, drink or smoke.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### Information on Basic Physical and Chemical Properties

|                                                   |                         |
|---------------------------------------------------|-------------------------|
| Physical State                                    | : Solid                 |
| Appearance                                        | : Brown granular powder |
| Odor                                              | : Solvent-like          |
| Odor Threshold                                    | : Not available         |
| pH                                                | : 12.0 (1%)             |
| Relative Evaporation Rate (butylacetate=1)        | : Not available         |
| Melting Point                                     | : Not available         |
| Freezing Point                                    | : Not available         |
| Boiling Point                                     | : Not available         |
| Flash Point                                       | : None                  |
| Auto-ignition Temperature                         | : None                  |
| Decomposition Temperature                         | : Not available         |
| Flammability (solid, gas)                         | : No flammable          |
| Lower Flammable Limit                             | : Not available         |
| Upper Flammable Limit                             | : Not available         |
| Vapor Pressure                                    | : Not available         |
| Relative Vapor Density at 20°C                    | : Not available         |
| Specific Gravity                                  | : Not available         |
| Solubility                                        | : Complete.             |
| Log Pow                                           | : Not available         |
| Log Kow                                           | : Not available         |
| Viscosity, Kinematic                              | : Not available         |
| Viscosity, Dynamic                                | : Not available         |
| Explosion Data – Sensitivity to Mechanical Impact | : Not available         |
| Explosion Data – Sensitivity to Static Discharge  | : Not available         |

# Manual Cleaner WCD 9 (AFCO 3102)

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 10: STABILITY AND REACTIVITY

**Reactivity:** Thermal decomposition generates: Corrosive vapors. When heated to decomposition, emits toxic fumes.

**Chemical Stability:** Stable under normal conditions.

**Possibility of Hazardous Reactions:** Hazardous polymerization will not occur.

**Conditions to Avoid:** Incompatible materials, moisture.

**Incompatible Materials:** Acids.

**Hazardous Decomposition Products:** Carbon oxides (CO, CO<sub>2</sub>). Thermal decomposition generates: Corrosive vapors. Silicon oxides. Sodium oxides.

### SECTION 11: TOXICOLOGICAL INFORMATION

#### Information on Toxicological Effects - Product

**Acute Toxicity:** Not classified.

**LD50 and LC50 Data:** Not available.

**Skin Corrosion/Irritation:** Causes severe skin burns. **pH:** 12.0 (1%)

**Serious Eye Damage/Irritation:** Causes serious eye damage. **pH:** 12.0 (1%)

**Respiratory or Skin Sensitization:** Not classified.

**Germ Cell Mutagenicity:** Not classified.

**Teratogenicity:** Not available.

**Carcinogenicity:** Not classified.

**Specific Target Organ Toxicity (Repeated Exposure):** Not classified.

**Reproductive Toxicity:** Not classified.

**Specific Target Organ Toxicity (Single Exposure):** Not classified.

**Aspiration Hazard:** Not classified.

**Symptoms/Injuries After Inhalation:** None under normal and intended conditions of use.

**Symptoms/Injuries After Skin Contact:** Contact may cause immediate severe irritation progressing quickly to chemical burns.

**Symptoms/Injuries After Eye Contact:** Causes serious eye damage.

**Symptoms/Injuries After Ingestion:** Ingestion is likely to be harmful or have adverse effects. Contact may cause immediate severe irritation progressing quickly to chemical burns.

#### Information on Toxicological Effects - Ingredient(s)

**LD50 and LC50 Data:**

|                                             |                                             |
|---------------------------------------------|---------------------------------------------|
| <b>Sodium metasilicate (6834-92-0)</b>      |                                             |
| LD50 Oral Rat                               | 1153 mg/kg                                  |
| <b>Sodium salt of tall oil (65997-01-5)</b> |                                             |
| LD50 Oral Rat                               | >5000 mg/kg                                 |
| <b>Kerosene (8008-20-6)</b>                 |                                             |
| LD50 Oral Rat                               | 2835 mg/kg                                  |
| <b>Sodium carbonate (497-19-8)</b>          |                                             |
| LD50 Oral Rat                               | 4090 mg/kg                                  |
| LC50 Inhalation Rat (mg/l)                  | 2300 mg/m <sup>3</sup> (Exposure time: 2 h) |

### SECTION 12: ECOLOGICAL INFORMATION

#### Toxicity

**Ecology - General:** Not available

|                                        |                                                                           |
|----------------------------------------|---------------------------------------------------------------------------|
| <b>Sodium metasilicate (6834-92-0)</b> |                                                                           |
| LC50 Fish 1                            | 210 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [semi-static]) |
| LC50 Fish 2                            | 210 mg/l (Exposure time: 96 h - Species: Brachydanio rerio)               |
| <b>Sodium carbonate (497-19-8)</b>     |                                                                           |
| LC50 Fish 1                            | 300 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])    |
| EC50 Daphnia 1                         | 265 mg/l (Exposure time: 48 h - Species: Daphnia magna)                   |

# Manual Cleaner WCD 9 (AFCO 3102)

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

|             |                                                                               |
|-------------|-------------------------------------------------------------------------------|
| LC50 Fish 2 | 310 - 1220 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static]) |
|-------------|-------------------------------------------------------------------------------|

|                                             |                                                            |
|---------------------------------------------|------------------------------------------------------------|
| <b>Sodium salt of tall oil (65997-01-5)</b> |                                                            |
| LC50 Fish 1                                 | 20 mg/l (Exposure time: 96 h - Species: Brachydanio rerio) |
| EC50 Daphnia 1                              | 560 mg/l (Exposure time: 48 h - Species: Daphnia magna)    |

### Persistence and Degradability

|                                        |                  |
|----------------------------------------|------------------|
| <b>Manual Cleaner WCD9 (AFCO 3102)</b> |                  |
| Persistence and Degradability          | Not established. |

### Bioaccumulative Potential

|                                        |                  |
|----------------------------------------|------------------|
| <b>Manual Cleaner WCD9 (AFCO 3102)</b> |                  |
| Bioaccumulative Potential              | Not established. |

|                                    |                      |
|------------------------------------|----------------------|
| <b>Sodium carbonate (497-19-8)</b> |                      |
| BCF fish 1                         | (no bioaccumulation) |

**Mobility in Soil** Not available.

### Other Adverse Effects

**Other Information:** Not available.

## SECTION 13: DISPOSAL CONSIDERATIONS

**Waste Disposal Recommendations:** Dispose of waste material in accordance with all local, regional, national, provincial, territorial and international regulations.

**Ecology – Waste Materials:** This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

## SECTION 14: TRANSPORT INFORMATION

### 14.1 In Accordance with DOT

**Proper Shipping Name** : CORROSIVE SOLID, BASIC, INORGANIC, N.O.S. (Disodium Trioxosilicate Pentahydrate)  
**Hazard Class** : 8  
**Identification Number** : UN3262  
**Label Codes** : 8  
**Packing Group** : III  
**ERG Number** : 154



### 14.2 In Accordance with IMDG

**Proper Shipping Name** : CORROSIVE SOLID, BASIC, INORGANIC, N.O.S. (Disodium Trioxosilicate Pentahydrate)  
**Hazard Class** : 8  
**Identification Number** : UN3262  
**Packing Group** : III  
**Label Codes** : 8  
**EmS-No. (Fire)** : F-A  
**EmS-No. (Spillage)** : S-B



### 14.3 In Accordance with IATA

**Proper Shipping Name** : CORROSIVE SOLID, BASIC, INORGANIC, N.O.S. (Disodium Trioxosilicate Pentahydrate)  
**Packing Group** : III  
**Identification Number** : UN3262  
**Hazard Class** : 8  
**Label Codes** : 8  
**ERG Code (IATA)** : 8L



### 14.4 In Accordance with TDG

**Proper Shipping Name** : CORROSIVE SOLID, BASIC, INORGANIC, N.O.S. (Disodium Trioxosilicate Pentahydrate)  
**Packing Group** : III  
**Hazard Class** : 8  
**Identification Number** : UN3262



# Manual Cleaner WCD 9 (AFCO 3102)

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Label Codes : 8

### SECTION 15: REGULATORY INFORMATION

#### US Federal Regulations

|                                                                            |                                  |
|----------------------------------------------------------------------------|----------------------------------|
| <b>Manual Cleaner WCD9 (AFCO 3102)</b>                                     |                                  |
| <b>SARA Section 311/312 Hazard Classes</b>                                 | Immediate (acute) health hazard. |
| <b>Sodium metasilicate (6834-92-0)</b>                                     |                                  |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory. |                                  |
| <b>Sodium carbonate (497-19-8)</b>                                         |                                  |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory. |                                  |
| <b>Sodium salt of tall oil (65997-01-5)</b>                                |                                  |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory. |                                  |
| <b>Kerosene (8008-20-6)</b>                                                |                                  |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory. |                                  |

#### US State Regulations

|                                                            |  |
|------------------------------------------------------------|--|
| <b>Sodium metasilicate (6834-92-0)</b>                     |  |
| U.S. - Texas - Effects Screening Levels - Long Term        |  |
| U.S. - Texas - Effects Screening Levels - Short Term       |  |
| <b>Sodium carbonate (497-19-8)</b>                         |  |
| U.S. - Texas - Effects Screening Levels - Long Term        |  |
| U.S. - Texas - Effects Screening Levels - Short Term       |  |
| <b>Kerosene (8008-20-6)</b>                                |  |
| U.S. - New Jersey - Right to Know Hazardous Substance List |  |
| U.S. - Pennsylvania - RTK (Right to Know) List             |  |
| U.S. - Massachusetts - RTK (Right to Know) List            |  |

#### Canadian Regulations

|                                                                  |  |
|------------------------------------------------------------------|--|
| <b>Sodium metasilicate (6834-92-0)</b>                           |  |
| Listed on the Canadian DSL (Domestic Substances List) inventory. |  |
| <b>Sodium carbonate (497-19-8)</b>                               |  |
| Listed on the Canadian DSL (Domestic Substances List) inventory. |  |
| <b>Sodium salt of tall oil (65997-01-5)</b>                      |  |
| Listed on the Canadian DSL (Domestic Substances List) inventory. |  |
| <b>Kerosene (8008-20-6)</b>                                      |  |
| Listed on the Canadian DSL (Domestic Substances List) inventory. |  |

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by CPR.

### SECTION 16: OTHER INFORMATION

**Revision date** : 08/26/2024  
**Other Information** : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

#### GHS Full Text Phrases:

|                      |                                                                |
|----------------------|----------------------------------------------------------------|
| Acute Tox. 4 (Oral)  | Acute toxicity (oral) Category 4                               |
| Flam Liquid 4        | Flamamable Liquids Category 4                                  |
| Aquatic Acute 2      | Hazardous to the aquatic environment - Acute Hazard Category 2 |
| Aspiration Hazard 2  | Aspiration Hazard Category 2                                   |
| Eye Dam. 1           | Serious eye damage/eye irritation Category 1                   |
| Eye Irrit. 2A        | Serious eye damage/eye irritation Category 2A                  |
| Sensitization-Skin 1 | Sensitization-Skin Category 1B                                 |

# Manual Cleaner WCD 9 (AFCO 3102)

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

|               |                                                             |
|---------------|-------------------------------------------------------------|
| Met. Corr. 1  | Corrosive to metals Category 1                              |
| Skin Corr. 1B | Skin corrosion/irritation Category 1B                       |
| Skin Irrit. 2 | Skin corrosion/irritation Category 2                        |
| STOT SE 3     | Specific target organ toxicity (single exposure) Category 3 |
| H227          | Combustible liquid                                          |
| H290          | May be corrosive to metals                                  |
| H302          | Harmful if swallowed                                        |
| H304          | May be fatal if swallowed and enters airways                |
| H314          | Causes severe skin burns and eye damage                     |
| H315          | Causes skin irritation                                      |
| H317          | May cause an allergic skin reaction                         |
| H318          | Causes serious eye damage                                   |
| H319          | Causes serious eye irritation                               |
| H335          | May cause respiratory irritation                            |
| H401          | Toxic to aquatic life                                       |

### NFPA Health Hazard


: 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.

### NFPA Fire Hazard

: 0 - Materials that will not burn.

### NFPA Reactivity

: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.



### HMIS III Rating

#### Health

: 3 Serious Hazard - Major injury likely unless prompt action is taken, and medical treatment is given.

#### Flammability

: 0 - Minimal Hazard.

#### Physical

: 0 - Minimal Hazard.

### Party Responsible for the Preparation of This Document

AFCO

550 Development Avenue

Chambersburg, PA 17201

T: 800-345-1329

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*

North America GHS SDS 2015 (U.S., Can., Mex.)