



# TM-BI-OXID NC (AFCO 5352)

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations  
Revision Date: 04/26/2023

Version: 1.0

### SECTION 1: IDENTIFICATION

#### Product Identifier

**Product Form:** Mixture

**Product Name:** TM-BI-OXID NC

**Product Code:** AFCO 5352

#### Intended Use of the Product

**Use of the Substance/Mixture:** Generation of chlorine dioxide for use as an oxidant. Bleaching of textiles and other fibers. For professional use only.

#### Name, Address, and Telephone of the Responsible Party

##### **Company**

AFCO

550 Development Avenue

Chambersburg, PA 17201

T: 800-345-1329

[www.afcocare.com](http://www.afcocare.com)

#### Emergency Telephone Number

**Emergency Number** : 1-800-424-9300 (CHEMTREC)

### SECTION 2: HAZARDS IDENTIFICATION

#### Classification of the Substance or Mixture

##### **Classification (GHS-US)**

Skin Corr. 1C H314

Eye Dam. 1 H318

Acute Tox. 4 (Inhalation) H332

STOT RE 2 H373

#### Label Elements

##### **GHS-US Labeling**

##### **Hazard Pictograms (GHS-US)**

:



GHS05



GHS08



GHS07

##### **Signal Word (GHS-US)**

: Danger.

##### **Hazard Statements (GHS-US)**

: H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

H332 - Harmful if inhaled

H373 - May cause damage to organs (blood, liver, kidney, spleen) through prolonged or repeated exposure

##### **Precautionary Statements (GHS-US)**

: P234 - Keep only in original container.

P260 - Do not breathe vapors, mist, spray.

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.

P264 - Wash hands, forearms, and other exposed areas thoroughly after handling.

P271 - Use only outdoors or in well-ventilated area.

P280 - Wear protective glove, protective clothing, eye protection, face protection.

P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTER or doctor/physician.

# TM-BI-OXID NC (AFCO 5352)

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P321 - Specific treatment (see section 4).  
P364 - Wash contaminated clothing before reuse.  
P405 - Store locked up.  
P501 - Dispose of contents/container according to local, regional, national, territorial, provincial, and international regulations.

### Other Hazards

**Other Hazards Not Contributing to the Classification:** Contact with some metals will generate flammable hydrogen gas. Chronic skin contact with low concentrations may cause dermatitis. Contact with acids or reducing agents will generate toxic chlorine dioxide gas.

**Unknown Acute Toxicity (GHS-US):** Not available.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### Substances

#### Mixture

| Name            | Product identifier | % (w/w) | Classification (GHS-US) |
|-----------------|--------------------|---------|-------------------------|
| Water           | (CAS No) 7732-18-5 | Balance | Not classified.         |
| Sodium chlorite | (CAS No) 7758-19-2 | 7.5     | Not classified.         |

## SECTION 4: FIRST AID MEASURES

### Description of First Aid Measures

**General:** Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

**Inhalation:** Remove person to fresh air and keep comfortable for breathing. If breathing is difficult, trained personnel should give oxygen. If breathing stops, provide artificial respiration. Immediately call a POISON CENTER or doctor/physician.

**Skin Contact:** Take off immediately all contaminated clothing. Immediately flush skin with running water for at least 20 minutes. Wash contaminated clothing promptly. Leather and shoes that have been contaminated with the solution may need to be destroyed. Immediately call a POISON CENTER or doctor/physician.

**Eye Contact:** Immediately flush eyes with plenty of water for at least 20 minutes. Remove contact lenses, if present and easy to do so. Continue rinsing. Take care not to rinse contaminated water into the unaffected eye or onto the face. Immediately call a POISON CENTER or doctor/physician.

**Ingestion:** Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious person or someone having convulsions. Immediately call a POISON CENTER or doctor/physician if you feel unwell.

### Most Important Symptoms and Effects Both Acute and Delayed

Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. May be harmful if swallowed. Symptoms may include pain, headache, nausea, vomiting, dizziness, drowsiness and other central nervous system effects. Can cause severe skin burns. Symptoms may include redness, edema, drying, defatting and cracking of the skin. Prolonged exposure may cause chronic effects. Material is irritating to mucus membranes and upper respiratory tract. Symptoms may include bloody nose and sneezing. High concentrations may cause lung damage.

### Indication of Any Immediate Medical Attention and Special Treatment Needed

Immediate medical attention is required. Causes chemical burns. May be harmful if swallowed. Symptoms may be delayed.

**General Information:** Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

## SECTION 5: FIRE-FIGHTING MEASURES

### Extinguishing Media

**Suitable Extinguishing Media:** Water spray, fog (flooding amounts). Water only; no dry chemical, CO<sub>2</sub> or Halon. This product itself does not burn but combustibles wetted with this solution and subsequently dried are easily ignited and burn vigorously.

**Unsuitable Extinguishing Media:** DO NOT use dry chemical fire extinguishing agents containing ammonium compounds (such as ABC extinguisher agents), since an explosive compound can be formed. DO NOT use carbon dioxide, dry chemical powder or other extinguishing agents that smother flames, since they are not effective in extinguishing fires involving oxidizers. Use chemical extinguishing agents with caution.

### Special Hazards Arising From the Substance or Mixture

**Fire Hazard:** May intensify fire; oxidizer when dry. Drying of this product on clothing or combustible materials may cause fire.

# TM-BI-OXID NC (AFCO 5352)

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

**Explosion Hazard:** Product is not explosive.

**Reactivity:** Hazardous reactions will not occur under normal conditions.

### Advice for Firefighters

**Precautionary Measures Fire:** Exercise caution when fighting any chemical fire.

**Firefighting Instructions:** Evacuate area. Remove all sources of ignition. In case of fire: Stop leak if safe to do so. Move combustibles out of the path of advancing pool if you can do so without risk. Move containers away from the fire area. Fight fire from upwind to avoid exposure to combustion products. In case of fire and/or explosion do not breathe fumes.

**Protection During Firefighting:** Do not enter fire area without proper protective equipment, including flame retardant coat, helmet with face shield, gloves, rubber boots, and enclosed spaces, SCBA.

**Hazardous Combustion Products:** Disodium oxide. Hydrogen chloride. Oxygen. Contact with acids, organic materials, reducing agents or chlorine donors will produce chlorine dioxide gas and heat. Ventilate area with large amounts of air to keep the chlorine dioxide concentration low.

### Reference to Other Sections

Refer to section 9 for flammability properties.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### Personal Precautions, Protective Equipment and Emergency Procedures

**General Measures:** Avoid breathing (vapors, mist, spray). Avoid prolonged contact with skin, eyes, or clothing. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. DO NOT USE RAGS, SAWDUST, OR OTHER COMBUSTIBLES ABSORBENTS.

### For Non-Emergency Personnel

**Protective Equipment:** Use appropriate personal protection equipment (PPE).

**Emergency Procedures:** Evacuate unnecessary personnel.

### For Emergency Personnel

**Protective Equipment:** Equip cleanup crew with proper protection.

**Emergency Procedures:** Ventilate area. Keep upwind of spill/leak.

### Environmental Precautions

Avoid release to the environment. Avoid discharge into drains, water courses or onto the ground. Contact local authorities in case of spillage to drain/aquatic environment.

### Methods and Material for Containment and Cleaning Up

**Small Spills:** Absorb spill with dry sand, earth or other inert material. Neutralize the spilled material before disposal.

**Large Spills:** Stop the leak, if this is without risk. Dike the spilled material, where this is possible. Absorb in dry sand or earth and place into containers. If not recoverable, dilute with water or flush to holding area and neutralize. Use water spray to reduce vapors or divert vapor cloud drift. Prevent entry into waterways, sewer, basements or confined areas. Never return spills to original containers for re-use.

### Reference to Other Sections

For waste disposal, see section 13 of the SDS.

## SECTION 7: HANDLING AND STORAGE

### Precautions for Safe Handling

Use only in a well-ventilated area. Wear chemically resistant protective equipment during handling. Do not breathe mist or vapor. Do not taste or swallow. Keep away from heat. Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Do not let the product dry. Keep away from clothing and other combustible material.

**Hygiene Measures:** Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work. Do not eat, drink or smoke when using this product. Wash hands and forearms thoroughly after handling.

### Conditions for Safe Storage, Including Any Incompatibilities

**Technical Measures:** Comply with applicable regulations.

**Storage Conditions:** Store in a cool, dry place out of direct sunlight. Store in a well-ventilated place. Storage area should be clearly identified, clear of obstruction and accessible only to trained and authorized personnel. Store away from incompatible materials. Store in original tightly closed container. Do not store near combustible materials. Do not handle or store near an open flame, heat or other sources of ignition.

**Incompatible Materials:** Combustible material. Acids. Organic compounds. Oxidizing agents. Metals. Sulfur and Sulfur-containing materials. Ethylene glycol. Ammonia. Amines. Phosphorus. Reducing agents.

# TM-BI-OXID NC (AFCO 5352)

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

**Specific End Use(s):** Generation of chlorine dioxide for use as an oxidant. Bleaching of textiles and other fibers. For professional use only.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control Parameters

No exposure limits noted for ingredient(s). No biological exposure limits noted for the ingredient(s).

### Exposure Controls

**Appropriate Engineering Controls:** Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Use separate, corrosion-resistant ventilation system to capture mist or fume. Do not use wood or other combustibles to construct vent system. Prevent entry into bearings or gear boxes, which could cause an explosion. Provide eyewash station.

**Personal Protective Equipment:** Protective goggles. Protective clothing. Gloves.



**Materials for Protective Clothing:** Chemically resistant materials and fabrics.

**Hand Protection:** Gloves impervious to the material are recommended, such as butyl rubber or neoprene gloves. Advice should be sought from glove suppliers.

**Eye Protection:** Wear safety glasses with side shields (or goggles) and a face shield. Provide an emergency eye wash fountain and quick drench shower in the immediate work area.

**Skin and Body Protection:** Where contact is likely, wear chemical-resistant gloves, a chemical suit, rubber boots, and chemical safety goggles plus a face shield. Wear chemical protective equipment that is specifically recommended by the manufacturer. It may provide little or no thermal protection. Eye wash facilities and emergency shower must be available when handling this product.

**Respiratory Protection:** In case of insufficient ventilation, wear suitable respiratory equipment. A NIOSH/MSHA approved air-purifying respirator with the appropriate chemical cartridges or a positive-pressure, air-supplied respirator may be used to reduce exposure. Use a positive-pressure air-supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, or any other circumstances where air-purifying respirators may not provide adequate protection. Respirators should be selected based on the form and concentration of contaminants in air, and in accordance with OSHA (29 CFR 1910.134). Seek advice from respiratory protection specialists.

**Other Information:** When using, do not eat, drink or smoke. Routinely wash work clothing and protective equipment to remove contaminants.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### Information on Basic Physical and Chemical Properties

|                                             |                                          |
|---------------------------------------------|------------------------------------------|
| Physical State                              | : Liquid.                                |
| Appearance                                  | : Clear, water-white to slightly yellow. |
| Odor                                        | : Odorless to slight chlorine-like.      |
| Odor Threshold                              | : Not available.                         |
| pH                                          | : >11                                    |
| Relative Evaporation Rate (butyl acetate=1) | : Not available.                         |
| Melting Point                               | : Not available.                         |
| Freezing Point                              | : Not available.                         |
| Boiling Point                               | : 104°C (1013 hPa)                       |
| Flash Point                                 | : Not applicable.                        |
| Auto-ignition Temperature                   | : Not available.                         |
| Decomposition Temperature                   | : Not available.                         |
| Flammability (solid, gas)                   | : Not flammable.                         |
| Lower Flammable Limit                       | : Not available.                         |
| Upper Flammable Limit                       | : Not available.                         |
| Vapor Pressure                              | : 22.67 hPa (20°C)                       |
| Relative Vapor Density at 20°C              | : Not available.                         |
| Specific Gravity                            | : 1.06 g/cm <sup>3</sup>                 |

# TM-BI-OXID NC (AFCO 5352)

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

|                                                          |                      |
|----------------------------------------------------------|----------------------|
| <b>Solubility</b>                                        | : Miscible in water. |
| <b>Partition coefficient: n-octanol/water</b>            | : Not available.     |
| <b>Viscosity</b>                                         | : Not available.     |
| <b>Explosion Data – Sensitivity to Mechanical Impact</b> | : Not available.     |
| <b>Explosion Data – Sensitivity to Static Discharge</b>  | : Not available.     |

### SECTION 10: STABILITY AND REACTIVITY

**Reactivity:** The product is stable and non-reactive under normal conditions of use, storage and transport. Reacts on mixing with acids to give toxic chlorine dioxide and chlorine gases. Mixtures with combustibles, if allowed to dry out, are easily ignited by heat or friction and burn vigorously or may explode.

**Chemical Stability:** Material is stable under normal conditions. Will decompose if heated. Absorption of atmospheric carbon dioxide may lower the pH of the solution, which will cause it to slowly decompose.

**Possibility of Hazardous Reactions:** Contact with acids, organic materials, reducing agents and oxidizing agents will release toxic gases of chlorine and/or chlorine dioxide.

**Conditions to Avoid:** Keep away from heat, sparks and open flame. Keep away from direct sunlight and contact with incompatible materials. This product may react with reducing agents.

**Incompatible Materials:** Combustible material. Acids. Organic compounds. Oxidizing agents. Metals. Sulfur and Sulfur-containing materials. Ethylene glycol. Ammonia. Amines. Phosphorus. Reducing agents.

**Hazardous Decomposition Products:** In the event of fire, the following can be released: Chlorine, Chlorine Dioxide.

### SECTION 11: TOXICOLOGICAL INFORMATION

#### Information on Toxicological Effects - Product

**Acute Toxicity:** Harmful if inhaled. May be harmful if swallowed. Causes severe skin burns. Causes serious eye damage/irritation.

**LD50 and LC50 Data:** Not available.

**Skin Corrosion/Irritation:** Can cause severe skin burns. (pH: >11)

**Serious Eye Damage/Irritation:** Causes serious eye damage/irritation. (pH: >11)

**Respiratory or Skin Sensitization:** Not expected to be a respiratory or skin sensitizer.

**Germ Cell Mutagenicity:** Not expected to be mutagenic.

**Teratogenicity:** Not available.

**Carcinogenicity:** This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

**Specific Target Organ Toxicity (Repeated Exposure):** Specific Target Organ Toxicity (STOT), Repeated Exposure: blood, kidneys, liver, spleen.

**Reproductive Toxicity:** Not classified as a reproductive toxin.

**Specific Target Organ Toxicity (Single Exposure):** Not classified as a specific target organ toxicity-single exposure.

**Aspiration Hazard:** Not expected to be an aspiration hazard.

**Symptoms/Injuries After Inhalation:** Harmful if inhaled. Material is irritating to mucous membranes and upper respiratory tract. Symptoms may include coughing, bloody nose, and sneezing. High concentrations can cause lung damage.

**Symptoms/Injuries After Skin Contact:** Causes severe skin burns. Symptoms may include redness, edema, drying, defatting, and cracking of the skin.

**Symptoms/Injuries After Eye Contact:** Causes serious eye damage/irritation. May cause severe irritation and possibly burns. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

**Symptoms/Injuries After Ingestion:** May be harmful if swallowed. Symptoms may include pain, headache, nausea, vomiting, dizziness, drowsiness, and other central nervous system effects. Acute ingestion of large quantities may also cause anemia due to the oxidizing effects of chemical.

**Chronic Effects:** Chronic skin contact with low concentrations may cause dermatitis. Prolonged or repeated overexposure may cause blood, liver, spleen and kidney effects. Other symptoms may include methemoglobinemia (causes bluish discoloration of skin and mucous membranes). Will irritate and may cause corrosion of the gastrointestinal tract.

#### Information on Toxicological Effects - Ingredient(s)

**LD50 and LC50 Data:**

| <b>Sodium Chlorite Solution 7.5%</b>                               |                                                         |
|--------------------------------------------------------------------|---------------------------------------------------------|
| LC50 Inhalation Rat                                                | 3.07 mg/L (Calculated ATE at 7.5%)                      |
| LD50 Oral Rat                                                      | 2200 mg/kg (Calculated ATE at 7.5%)                     |
| Dermal OECD Guideline 435, "In Vitro Membrane Barrier Test Method" | 50.5 min (Average breakthrough time calculated at 7.5%) |
| <b>Sodium chlorite (7758-19-2)</b>                                 |                                                         |
| LC50 Rat                                                           | 0.23 mg/L (Mist)                                        |

# TM-BI-OXID NC (AFCO 5352)

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

LD50 Oral Rat

165 mg/kg

## SECTION 12: ECOLOGICAL INFORMATION

**Ecotoxicity:** Toxic to aquatic life. In water and soil, sodium chlorite will eventually degrade to sodium chloride.

### Sodium chlorite (7758-19-2)

|                      |                                                                      |
|----------------------|----------------------------------------------------------------------|
| EC50 Algae (Acute)   | 1.2 mg/l Species: Green algae ( <i>Selenastrum capricornutum</i> )   |
| EC50 Crustacea       | 0.025 mg/l Species: Water flea ( <i>Daphnia</i> )                    |
| LC50 Fish            | 110 mg/l Species: Sheepshead minnow ( <i>Cyprinodon variegatus</i> ) |
| EC50 Algae (Chronic) | 1 mg/l Species: Green algae ( <i>Selenastrum capricornutum</i> )     |

### Persistence and Degradability

#### TM-BI-OXID NC (AFCO 5352)

|                               |                                                           |
|-------------------------------|-----------------------------------------------------------|
| Persistence and Degradability | Biodegradation is not applicable to inorganic substances. |
|-------------------------------|-----------------------------------------------------------|

### Bioaccumulative Potential

#### TM-BI-OXID NC (AFCO 5352)

|                           |                                         |
|---------------------------|-----------------------------------------|
| Bioaccumulative Potential | The product itself has not been tested. |
|---------------------------|-----------------------------------------|

### Mobility in Soil

In soil, it will degrade to sodium chloride but may form chlorine dioxide in contact with acidic soils. Chlorate is an intermediate product of decomposition; it will slowly degrade to chloride.

### Other Adverse Effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

## SECTION 13: DISPOSAL CONSIDERATIONS

**Waste Disposal Recommendations:** Dispose of waste material in accordance with all local, regional, national, provincial, territorial and international regulations.

**Ecology - Waste Materials:** This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

## SECTION 14: TRANSPORT INFORMATION

### 14.1 In Accordance with DOT

Proper Shipping Name : Chlorite Soutlion  
Hazard Class : 8  
Identification Number : UN1908  
Label Codes : 8  
Packing Group : III  
Marine Pollutant : Yes



### 14.2 In Accordance with IMDG

Proper Shipping Name : Chlorite Soutlion  
Hazard Class : 8  
Identification Number : UN1908  
Packing Group : III  
Label Codes : 8  
EmS-No. (Fire) : F-A  
EmS-No. (Spillage) : S-B  
Marine Pollutant : Yes



### 14.3 In Accordance with IATA

Proper Shipping Name : Chlorite Soutlion  
Packing Group : III  
Identification Number : UN1908  
Hazard Class : 8  
Label Codes : 8



# TM-BI-OXID NC (AFCO 5352)

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

**ERG Code (IATA)** : 8L  
**Marine Pollutant** : Yes

### SECTION 15: REGULATORY INFORMATION

#### US Federal Regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard 29 CFR 1910.1200.

|                                                                                         |                                                                                      |
|-----------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
| <b>TM-BI-OXID NC (AFCO 5352)</b>                                                        |                                                                                      |
| <b>SARA Section 311/312 Hazard Classes</b>                                              | Immediate (acute) health hazard.<br>Delayed (chronic) health hazard.<br>Fire hazard. |
| <b>Water (7732-18-5)</b>                                                                |                                                                                      |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory.              |                                                                                      |
| <b>Sodium chlorite (7758-19-2)</b>                                                      |                                                                                      |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory.              |                                                                                      |
| <b>CERCLA Hazardous Substance List (40 CFR 302.4)</b>                                   |                                                                                      |
| Not listed.                                                                             |                                                                                      |
| <b>SARA 304 Emergency release notification</b>                                          |                                                                                      |
| Not regulated.                                                                          |                                                                                      |
| <b>OSHA Specifically Regulated Substance (29 CFR 1910.1001-1050)</b>                    |                                                                                      |
| Not listed.                                                                             |                                                                                      |
| <b>SARA 302 Extremely Hazardous Substance</b>                                           |                                                                                      |
| Not listed.                                                                             |                                                                                      |
| <b>SARA 313 (TRI Reporting)</b>                                                         |                                                                                      |
| Not regulated.                                                                          |                                                                                      |
| <b>Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPS) list</b>             |                                                                                      |
| Not regulated.                                                                          |                                                                                      |
| <b>Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)</b> |                                                                                      |
| Not regulated.                                                                          |                                                                                      |
| <b>Safe Drinking Water Act (SDWA)</b>                                                   |                                                                                      |
| Not regulated.                                                                          |                                                                                      |

#### US State Regulations

|                                                                                                                                                      |
|------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Sodium chlorite (7758-19-2)</b>                                                                                                                   |
| <b>U.S. - California Proposition 65:</b> This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. |
| U.S. - Massachusetts - RTK (Right to Know) - Hazardous Substances List.                                                                              |
| U.S. - New Jersey - Worker and Community Right to Know Act.                                                                                          |
| U.S. - Pennsylvania - RTK (Right to Know) - Hazardous Substances.                                                                                    |
| U.S. - Rhode Island RTK - Not regulated.                                                                                                             |

#### Canadian Regulations

|                                                                  |
|------------------------------------------------------------------|
| <b>Water (7732-18-5)</b>                                         |
| Listed on the Canadian DSL (Domestic Substances List) inventory. |
| <b>Sodium chlorite (7758-19-2)</b>                               |
| Listed on the Canadian DSL (Domestic Substances List) inventory. |

# TM-BI-OXID NC (AFCO 5352)

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

**Revision date** : 04/26/2023  
**Other Information** : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

#### GHS Full Text Phrases

|                          |                                                                    |
|--------------------------|--------------------------------------------------------------------|
| Skin Corr. 1C            | Skin corrosion/irritation Category 1C                              |
| Eye Damage 1             | Serious eye damage/eye irritation Category 1.                      |
| Acute Tox 4 (Inhalation) | Acute toxicity, inhalation Category 4                              |
| STOT RE 2                | Specific target organ toxicity, repeated exposure Category 2       |
| H314                     | Causes severe skin burns and eye damage                            |
| H318                     | Causes serious eye damage                                          |
| H332                     | Harmful if inhaled.                                                |
| H373                     | May cause damage to organs through prolonged or repeated exposure. |

#### Revision Indicator:

Updated based on review of toxicological data. Updated SDS template.

#### List of Abbreviations:

ACGIH: American Conference of Governmental Industrial Hygienists  
CAS: Chemical Abstract Services  
CERCLA: Comprehensive Environmental Response, Compensation and Liability Act of 1980  
CFR: Code of Federal Regulations  
DOT: Department of Transportation  
EPA: Environmental Protection Agency  
EPCRA: Emergency Planning and Community Right-to-Know Act  
ERG: Emergency Response Guidebook  
HSDB® - Hazardous Substances Data Bank  
IARC: International Agency for Research on Cancer  
IATA: International Air Transport Association  
IBC: Intermediate Bulk Container  
IDLH: Immediately Dangerous to Life or Health  
IMDG: International Maritime Dangerous Goods  
LC: Lethal Concentration  
LD: Lethal Dose  
NIOSH: National Institute of Occupational Safety and Health  
NOEC: No Observable Effect Concentration  
NTP: National Toxicology Program  
OECD: Organization for Economic Cooperation and Development  
OEL: National Occupational Exposure Limits  
OSHA: Occupational Safety and Health Administration  
PEL: Permissible Exposure Limit  
RCRA: Resource Conservation and Recovery Act  
RQ: Reportable Quantity  
RTECS: Registry of Toxic Effects of Chemical Substances  
SAR: Supplied-Air Respirator  
SCBA: Self-Contained Breathing Apparatus  
SDS: Safety Data Sheet  
STEL: Short Term Exposure Limit  
TWA: Time Weighted Average  
UN: United Nations

#### References:

None.



# TM-BI-OXID NC (AFCO 5352)

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

---

### **Disclaimer:**

Information presented in this SDS is furnished in accordance with OSHA's Hazard Communication Standard (HCS) 2012.

This information provided was developed and is provided for educational purposes and is not intended to be, nor should it be construed as legal advice or as ensuring compliance with any laws or regulations of any jurisdiction.