

SECTION 1: IDENTIFICATION

Product Identifier

Product Form: Mixture

Product Name: AF 1655

Product Code: AFCO 8819

Intended Use of the Product

Use of the Substance/Mixture: Flocculation agent. For professional use only.

Name, Address, and Telephone of the Responsible Party

Company

AFCO
800 Development Avenue
Chambersburg, PA 17201
T: 800-345-1329
www.afcocare.com

Emergency Telephone Number

Emergency Number : 1-800-424-9300 (CHEMTREC)

SECTION 2: HAZARDS IDENTIFICATION

Classification of the Substance or Mixture

Classification (GHS-US)

Skin Irrit. 2 H315

Eye Irrit. 2B H320

Aquatic Acute 3 H402

Label Elements

GHS-US Labeling

Hazard Pictograms (GHS-US)

:



GHS07

Signal Word (GHS-US)

: Warning

Hazard Statements (GHS-US)

: H315 - Causes skin irritation
H320 - Causes eye irritation
H402 - Harmful to aquatic life

Precautionary Statements (GHS-US)

: P264 - Wash hands, forearms, and other exposed areas thoroughly after handling.
P273 - Avoid release to the environment.
P280 - Wear protective gloves.
P302+P352 - IF ON SKIN: Wash with plenty of soap and water.
P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P321 - Specific treatment (see section 4).
P332+P313 - If skin irritation occurs: Get medical advice/attention.
P337+P313 - If eye irritation persists: Get medical advice/attention.
P362 - Take off contaminated clothing and wash before reuse.
P501 - Dispose of contents/container to local, regional, national, territorial, provincial, and international regulations.

Other Hazards

Other Hazards Not Contributing to the Classification: Exposure may aggravate those with pre-existing eye, skin, or respiratory conditions. When heated to decomposition, emits toxic fumes. Slippery when wet.

Unknown Acute Toxicity (GHS-US) Not available.

AF 1655 (AFCO 8819)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Substances

Mixture

Name	Product identifier	% (w/w)	Classification (GHS-US)
Ethanaminium, N,N N-trimethyl-2-((1-oxo-2-propenyl) oxy)-, chloride, polymer with 2-propenamide	(CAS No) 69418-26-4	30 - 60	N/A
Distillates (petroleum), hydrotreated light	(CAS No) 64742-47-8	15 - 40	N/A
Secondary alcohol ethoxylate	(CAS No) 68131-40-8	1-5	Skin Sens. 1, H317 Aquatic Acute 2, H401 Aquatic Chronic 2, H411
Adipic acid	(CAS No) 124-04-9	0 - 5	N/A

Full text of H-phrases: see section 16.

SECTION 4: FIRST AID MEASURES

Description of First Aid Measures

General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). IF exposed or concerned: Get medical advice/attention.

Inhalation: When symptoms occur: go into open air and ventilate suspected area. Remove to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.

Skin Contact: Remove contaminated clothing. Drench affected area with water for several minutes.

Eye Contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.

Ingestion: Rinse mouth. Do NOT induce vomiting. Get medical advice/attention.

Most Important Symptoms and Effects Both Acute and Delayed

General: Causes skin irritation. Causes eye irritation. Central Nervous System depression.

Inhalation: Prolonged contact with mists may cause respiratory tract irritation. Continued overexposure may cause headache and dizziness.

Skin Contact: Causes skin irritation. Repetate exposure may cause skin dryness and cracking.

Eye Contact: Causes eye irritation. Vapors may irritate eyes.

Ingestion: Ingestion is likely to be harmful or have adverse effects. May cause lung complications.

Chronic Symptoms: Not available.

Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention.

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media: Water spray, foam, dry powder.

Unsuitable Extinguishing Media: Water jet. Do not use a heavy water stream. Use of heavy stream of water may spread fire.

Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not flammable. May emit harmful vapors.

Explosion Hazard: Product is not explosive.

Reactivity: When heated to decomposition, emits harmful vapours. Evolution of fumes/fog. The substances/groups of substances mentioned can be released in case of fire. Spilled product is slippery underfoot. Very slippery when wet.

Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire.

Firefighting Instructions: Use water spray or fog for cooling exposed containers.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: Carbon oxides (CO, CO₂).

Other information: Do not allow run-off from fire fighting to enter drains or water courses.

Reference to Other Sections

Refer to section 9 for flammability properties.

AF 1655 (AFCO 8819)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Avoid all contact with skin, eyes, or clothing.

For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protection equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: N/A.

Environmental Precautions

Prevent entry to sewers and public waters. Avoid release to the environment.

Methods and Material for Containment and Cleaning Up

Spills should be contained, solidified, and placed in suitable containers for disposal.

Reference to Other Sections

See heading 8, Exposure Controls and Personal Protection.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling

Additional Hazards When Processed: When heated to decomposition, emits toxic fumes.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work. Do not eat, drink or smoke when using this product. Wash hands and forearms thoroughly after handling. Always wash your hands immediately after handling this product, and once again before leaving the workplace.

Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Comply with applicable regulations.

Storage Conditions: Store in a well-ventilated, dry, cool place. Keep container tightly closed. Keep/Store away from sources of ignition and extreme heat. No smoking. Take precautionary measures against static discharges.

Incompatible Materials: Strong oxidizers.

Specific End Use(s): Flocculation agent. For professional use only.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Distillates (petroleum), hydrotreated light (64742-47-8)		
USA ACGIH	ACGIH Ceiling TLV (mg/m ³)	200 mg/m ³
Adipic acid (124-04-9)		
USA ACGIH	ACGIH Ceiling TLV (mg/m ³)	5 mg/m ³

Exposure Controls

Appropriate Engineering Controls: Ensure all national/local regulations are observed. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

Personal Protective Equipment: Protective clothing. Protective goggles. Gloves. Respiratory protection.



Materials for Protective Clothing: Chemically resistant materials and fabrics.

Hand Protection: Wear chemically resistant protective gloves.

Eye Protection: Chemical goggles.

Skin and Body Protection: Wear suitable protective clothing.

Respiratory Protection: Wear a NIOSH-certified organic vapor/particulate respirator.

Thermal Hazard Protection: Wear suitable protective clothing.

Other Information: When using, do not eat, drink or smoke.

AF 1655 (AFCO 8819)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical State	: Emulsion
Appearance	: Cream-white
Odor	: Mineral oil-like
Odor Threshold	: Not available
pH	: 4.0
Relative Evaporation Rate (butylacetate=1)	: Not available
Melting Point	: Not available
Freezing Point	: Not available
Boiling Point	: 100°C(212°F)
Flash Point	: None
Auto-ignition Temperature	: None
Decomposition Temperature	: Not available
Flammability (solid, gas)	: Not flammable
Lower Flammable Limit	: Not available
Upper Flammable Limit	: Not available
Vapor Pressure	: Not available
Relative Vapor Density at 20°C	: Not available
Specific Gravity	: 1.0
Solubility	: Dispersible
Partition coefficient: n-octanol/water	: Not available
Viscosity, Dynamic	: 1000-1500 mPa/s
Viscosity, Kinematic	: >20.5 mm²/s
Explosion Data – Sensitivity to Mechanical Impact	: Not expected to present an explosion hazard due to mechanical impact
Explosion Data – Sensitivity to Static Discharge	: Not expected to present an explosion hazard due to static discharge

SECTION 10: STABILITY AND REACTIVITY

Reactivity: When heated to decomposition, emits toxic fumes.

Chemical Stability: Stable at standard temperature and pressure.

Possibility of Hazardous Reactions: Hazardous polymerization will not occur.

Conditions to Avoid: Extreme temperatures. Avoid freezing. Avoid all sources of ignition: heat, sparks, open flame. Incompatible materials.

Incompatible Materials: Strong oxidizers.

Hazardous Decomposition Products: Carbon oxides (CO, CO₂). Thermal decomposition generates: None if stored and handled as prescribed.

SECTION 11: TOXICOLOGICAL INFORMATION

Information on Toxicological Effects - Product

Acute Toxicity: Not classified.

LD50 and LC50 Data:

AF 1655 (AFCO 8819)	
LD50 Oral Rat	>2000 mg/kg

Skin Corrosion/Irritation: Causes skin irritation. (pH: 4.0)

Serious Eye Damage/Irritation: Causes eye irritation. (pH: 4.0)

Respiratory or Skin Sensitization: May cause slight irritation.

Germ Cell Mutagenicity: Not classified.

Teratogenicity: Not available.

Carcinogenicity: Not classified.

Specific Target Organ Toxicity (Repeated Exposure): Not classified.

Reproductive Toxicity: Not classified.

AF 1655 (AFCO 8819)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Specific Target Organ Toxicity (Single Exposure): Not classified.

Aspiration Hazard: Not classified.

Symptoms/Injuries After Inhalation: May cause slight respiratory irritation.

Symptoms/Injuries After Skin Contact: Causes skin irritation.

Symptoms/Injuries After Eye Contact: Causes eye irritation.

Symptoms/Injuries After Ingestion: Ingestion is likely to be harmful or have adverse effects.

Information on Toxicological Effects - Ingredient(s)

LD50 and LC50 Data:

Secondary alcohol ethoxylate (68131-40-8)	
LD50 Oral Rat	>2000 mg/kg

SECTION 12: ECOLOGICAL INFORMATION

Toxicity

Ecology - General: Acutely harmful to aquatic life.

Ethanaminium, N,N N-trimethyl-2-((1-oxo-2-propenyl) oxy)-, chloride, polymer with 2-propenamide (69418-26-4)	
LC50 Fish 1	10 - 100 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)
EC50 Daphnia 1	10 - 100 mg/l (Exposure time: 48 h - Species: Daphnia magna)

Secondary alcohol ethoxylate (68131-40-8)	
LC50 Fish 1	1.53 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)
EC50 Daphnia 1	5.66 mg/l (Exposure time: 48 h - Species: Daphnia magna)

Persistence and Degradability: Not readily biodegradable (by OECD criteria). The substance can be virtually eliminated from water in suitable effluent treatment plants by biodegradation, stripping and mechanical separation.

Bioaccumulative Potential: Based on its structural properties, the polymer is not biologically available. Accumulation in organism is not to be expected.

Mobility in Soil Not available.

Other Adverse Effects

Other Information: Avoid release to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal Recommendations: Dispose of waste material in accordance with all local, regional, national, provincial, territorial and international regulations.

Ecology - Waste Materials: This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

SECTION 14: TRANSPORT INFORMATION

14.1 In Accordance with DOT	:	Not regulated for transport.
14.2 In Accordance with IMDG	:	Not regulated for transport.
14.3 In Accordance with IATA	:	Not regulated for transport.
14.4 In Accordance with TDG	:	Not regulated for transport.

SECTION 15: REGULATORY INFORMATION

US Federal Regulations

AF 1655 (AFCO 8819)	
SARA Section 311/312 Hazard Classes	Immediate (Acute) health hazard. Delayed (Chronic) health hazard.

AF 1655 (AFCO 8819)	
All components are either listed or exempt from being listed on the United States TSCA (Toxic Substances Control Act) inventory.	

US State Regulations

Disillates (petroleum), hydrotreated light (64742-47-8)	
U.S. - California - Proposition 65 - Carcinogens List	WARNING: This product contains chemicals known to the State of California to cause cancer.
Distillates (petroleum), hydrotreated light (64742-47-8)	
U.S. - New Jersey - Right to Know Hazardous Substance List	

AF 1655 (AFCO 8819)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

U.S. - Pennsylvania - RTK (Right to Know) List
U.S. - Massachusetts - RTK (Right to Know) list
Secondary alcohol ethoxylate (68131-40-8)
U.S. - Pennsylvania- R.T.K. (Right To Know) List
U.S. - New Jersey - R.T.K. (Right To Know) List
Adipic acid (124-04-9)
U.S. - New Jersey - Right to Know Hazardous Substance List
U.S. - Pennsylvania - RTK (Right to Know) List
U.S. - Massachusetts - RTK (Right to Know) list

Canadian Regulations

Adipic acid (124-04-9)
Listed on the Canadian DSL (Domestic Substances List) inventory.
Secondary alcohol ethoxylate (68131-40-8)
Listed on the Canadian DSL (Domestic Substances List) inventory.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by CPR.


SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Revision date	: 07/25/2022
Other Information	: This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

GHS Full Text Phrases:

Aquatic Acute 2	Hazardous to the aquatic environment - Acute Hazard Category 2
Aquatic Acute 3	Hazardous to the aquatic environment - Acute Hazard Category 3
Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2
Eye Irrit. 2B	Serious eye damage/eye irritation Category 2B
Skin Irrit. 2	Skin corrosion/irritation Category 2
Skin Sens. 1	Skin Sensitisation Category 1
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H320	Causes eye irritation
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H411	Toxic to aquatic life with long lasting effects

NFPA Health Hazard	: 1 - Exposure could cause irritation but only minor residual injury even if no treatment is given.
NFPA Fire Hazard	: 1 - Must be preheated before ignition can occur.
NFPA Reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.



HMIS III Rating

Health	: 1 Slight Hazard- Irritation or minor reversible injury possible.
Flammability	: 1 - Slight Hazard.
Physical	: 0 - Minimal Hazard.

Party Responsible for the Preparation of This Document

AFCO
800 Development Avenue
Chambersburg, PA 17201
T: 800-345-1329

AF 1655 (AFCO 8819)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

North America GHS SDS 2015 (U.S., Can., Mex.)