



AF 1450 (AFCO 8843)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations
Revision Date: 02/17/2025

Version: 1.1

SECTION 1: IDENTIFICATION

Product Identifier

Product Form: Mixture

Product Name: AF 1450

Product Code: AFCO 8843

Intended Use of the Product:

Use of the Substance/Mixture: Processing aid for industrial applications. For professional use only.

Name, Address, and Telephone of the Responsible Party

Company

AFCO
550 Development Avenue
Chambersburg, PA 17201
T: 800-345-1329
www.afcocare.com

Emergency Telephone Number

Emergency Number : 1-800-424-9300 (CHEMTREC)

SECTION 2: HAZARDS IDENTIFICATION

Classification of the Substance or Mixture

Classification (GHS-US) : Not classified.

Label Elements

GHS-US Labeling : No labeling required.

Hazard Statements (GHS-US) : None required.

Precautionary Statements (GHS-US) : None required.

Other Hazards

Other Hazards: Spills produce extremely slippery surfaces.

Unknown Acute Toxicity (GHS-US) Not available.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Substances: Not applicable.

Mixture:

Name	Product identifier	% (w/w)	Classification (GHS-US)
Water	(CAS No) 7732-18-5	50-70	Not classified
Distillates (petroleum), hydrotreated light	(CAS No) 64742-47-8	20-45	Asp. Tox. 1, H304
Poly(oxy-1,2-ethanediyl), a-tridecyl-w-hydroxy-, branched	(CAS No) 69011-36-5	<5	Acute Tox. 4, H302 Eye Dam. 1, H318

Notes: Does not result in classification of the mixture if the kinematic viscosity is greater than 20.5 mm²/s measured at 40°C.

Full text of H-phrases: see section 16.

SECTION 4: FIRST AID MEASURES

Description of First Aid Measures

General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

Inhalation: Move to fresh air. No hazards which require special first aid measures.

Skin Contact: Remove contaminated clothing. Wash immediately affected area with soap and plenty of water. Obtain medical attention if irritation persists. Wash contaminated clothing before reuse.

Eye Contact: Rinse immediately with plenty of water, also under eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain prompt medical attention.

Ingestion: Rinse mouth with water. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

AF 1450 (AFCO 8843)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Most Important Symptoms and Effects Both Acute and Delayed

None under normal use.

Indication of Any Immediate Medical Attention and Special Treatment Needed

None reasonably foreseeable.

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media: Water, water spray, dry chemical, carbon dioxide, foam.

Warning! Spills produce extremely slippery surfaces.

Unsuitable Extinguishing Media: None known.

Special Hazards Arising From the Substance or Mixture

Fire Hazard: None

Explosion Hazard: None.

Reactivity: Thermal decomposition may produce: Nitrogen Oxides (NO_x). Carbon oxides (CO, CO₂). Ammonia. Hydrogen cyanide (hydrocyanic acid) may be produced in the event of combustion in an oxygen deficient atmosphere.

Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire.

Firefighting Instructions: Use water spray or fog for cooling exposed containers.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: Carbon oxides (CO, CO₂). Nitrogen Oxides (NO_x). Ammonia. Hydrogen cyanide (hydrocyanic acid) may be produced in the event of combustion in an oxygen deficient atmosphere.

Other information: Do not allow run-off from fire fighting to enter drains or water courses. Spills produce extremely slippery surfaces.

Reference to Other Sections

Refer to section 9 for flammability properties.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Avoid contact with skin and eyes. Spills produce extremely slippery surfaces. Use appropriate personal protection. Do not touch or walk through spilled material.

For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protection equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Keep people away from spill/leak. Prevent further leakage if safe to do so.

Environmental Precautions

Prevent entry to sewers and public waters.

Methods and Material for Containment and Cleaning Up

Small Spills: Do not flush with water. Soak up with inert absorbant material. Sweep up and shovel into suitable containers for disposal.

Large Spills: Do not flush with water. Dam up. Soak up with inert absorbant material. Clean up promptly by scoop or vacuum.

Residues: After cleaning, flush away traces with water.

Reference to Other Sections

See Section 7: Handling and storage. Section 8: Exposure Controls and Personal Protection. Section 13: Disposal considerations.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling

Avoid contact with skin and eyes. Renders surfaces extremely slippery when spilled. Do not eat, drink or smoke when using this product. Handle in accordance with good industrial hygiene and safety procedures. Wash hands before eating, drinking, or smoking and again when leaving work. Wash hands and forearms immediately after handling.

Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Comply with applicable regulations.

AF 1450 (AFCO 8843)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Storage Conditions: Keep away from heat and sources of ignition. Freezing will affect the physical condition and may damage the material. Incompatible with oxidizing agents.

Incompatible Materials: Oxidizing agents.

Specific End Use(s)

Processing aid for industrial applications. For professional use only.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Distillates (petroleum), hydrotreated light (64742-47-8)		
USA ACGIH	ACGIH STEL (mg/m ³)	200 mg/m ³ (8 hours) (vapors)

Exposure Controls

Appropriate Engineering Controls: Use local exhaust if misting occurs. Natural ventilation is adequate in absence of mists. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure all national/local regulations are observed.

Personal Protective Equipment: Protective goggles. Gloves. Coveralls and/or chemical apron.



Materials for Protective Clothing: PVC or other.

Hand Protection: Wear chemically resistant protective gloves.

Eye Protection: Safety goggles.

Skin and Body Protection: Coveralls and/or chemical apron.

Respiratory Protection: Breathing apparatus needed only when aerosol or mist is formed.

Other Information: Handle in accordance with good industrial hygiene and safety procedures. Wash hands before eating, drinking, or smoking and again when leaving work. Wash hands and forearms immediately after handling.

Environmental Exposure Controls: Do not allow uncontrolled discharge of this product into the environment.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical State	: Liquid
Appearance	: Milky, viscous
Odor	: Aliphatic
Odor Threshold	: Not data available
pH	: Not applicable
Relative Evaporation Rate (butylacetate=1)	: Not data available
Melting Point	: <5°C (<41°F)
Freezing Point	: Not available
Boiling Point	: >100°C (>212°F)
Flash Point	: Does not flash
Auto-ignition Temperature	: Not data available
Decomposition Temperature	: >150°C (>302°F)
Flammability (solid, gas)	: Not applicable
Lower Flammable Limit	: Not expected to create explosive atmospheres
Upper Flammable Limit	: Not expected to create explosive atmospheres
Vapor Pressure	: 2.3 kPa @ 20°C
Vapor Density	: 0.804 g/L @ 20°C
Relative Density	: 1.0-1.2
Solubility	: Complete
Partition coefficient: n-octanol/water	: Not applicable
Viscosity	: >20.5 mm ² /s @ 40°C
Explosive Properties	: Not expected to be explosive based on the chemical structure
Oxidizing Properties	: Not expected to be oxidizing based on the chemical structure

AF 1450 (AFCO 8843)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 10: STABILITY AND REACTIVITY

Reactivity: Stable under recommended storage conditions.

Chemical Stability: Stable under recommended storage conditions.

Possibility of Hazardous Reactions: None known.

Conditions to Avoid: Frost, heat and sunlight. Incompatible materials.

Incompatible Materials: Oxidizing agents.

Hazardous Decomposition Products: Thermal decomposition may produce: Nitrogen Oxides (NO_x). Carbon oxides (CO, CO₂).

Ammonia. Hydrogen cyanide (hydrocyanic acid) may be produced in the event of combustion in an oxygen deficient atmosphere.

SECTION 11: TOXICOLOGICAL INFORMATION

Information on Toxicological Effects - Product

Acute Toxicity: The product is not expected to be toxic by inhalation.

LD50 and LC50 Data:

AF 1450 (AFCO 8843)	
LD50 Oral Rat	>5000 mg/kg (Estimated)
LD50 Dermal Rat	>5000 mg/kg (Estimated)

Skin Corrosion/Irritation: Non-irritating.

Serious Eye Damage/Irritation: Non-irritating.

Respiratory or Skin Sensitization: Not sensitizing.

Germ Cell Mutagenicity: Not mutagenic.

Teratogenicity: Not available.

Carcinogenicity: Not carcinogenic.

Specific Target Organ Toxicity (Repeated Exposure): No known effects.

Reproductive Toxicity: Not toxic for reproduction.

Specific Target Organ Toxicity (Single Exposure): No known effect.

Aspiration Hazard: Due to the viscosity, this product does not present an aspiration hazard.

Information on Toxicological Effects - Ingredient(s)

LD50 and LC50 Data:

Distillates (petroleum), hydrotreated light (64742-47-8)	
LD50 Oral Rat	>5000 mg/kg
LD50 Dermal Rabbit	>5000 mg/kg
LC50 Inhalation Rat	4591 mg/m ³ (4h)
Poly(oxy-1,2-ethanediyl), a-tridecyl-w-hydroxy-, branched (69011-36-5)	
LD50 Oral Rat	500-2000 mg/kg
LD50 Dermal Rabbit	>2000 mg/kg

SECTION 12: ECOLOGICAL INFORMATION

Toxicity

Ecology – Not available.

AF 1450 (AFCO 8843)	
LC50 Fish 1	>100 mg/l (Exposure time: 96 h - Species: Danio rerio [Estimated])
LC50 Fish 2	>100 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [Estimated])
EC50 Daphnia 1	>100 mg/l (Exposure time: 48 h - Species: Daphnia magna [Estimated])
IC50 (Algae)	>100 mg/l (Exposure time: 72 h - [Estimated])

Persistence and Degradability

AF 1450 (AFCO 8843)	
Persistence and Degradability	Not readily biodegradable.

Bioaccumulative Potential

AF 1450 (AFCO 8843)	
Bioaccumulative Potential	This product is not expected to bioaccumulate.

AF 1450 (AFCO 8843)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Mobility in Soil Not available.

Other Adverse Effects

Other Information: None known.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal Recommendations: Dispose of waste material in accordance with all local, regional, national, provincial, territorial and international regulations.

Ecology – Waste Materials: Not established.

SECTION 14: TRANSPORT INFORMATION

14.1 In Accordance with DOT : Not regulated for transport.

14.2 In Accordance with IMDG : Not regulated for transport.

14.3 In Accordance with IATA : Not regulated for transport.

14.4 In Accordance with TDG : Not regulated for transport.

SECTION 15: REGULATORY INFORMATION

US Federal Regulations

AF 1450 (AFCO 8843)

SARA Section 311/312 Hazard Classes

No data available.

AF 1450 (AFCO 8843)

All components of this product are listed or exempt from listing on the United States TSCA (Toxic Substances Control Act) inventory.

US State Regulations

Acrylamide

U.S. - California - WARNING! This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

Canadian Regulations

No data available.

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Revision date : 02/17/2025

Other Information : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.


GHS Full Text Phrases:

Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Asp. Tox. 1	Aspiration hazard Category 1
Eye Dam. 1	Serious eye damage/eye irritation Category 1
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H318	Causes serious eye damage

NFPA Health Hazard : 0 - Exposure under fire conditions would offer no hazard beyond that of ordinary combustible materials.

NFPA Fire Hazard : 1 - Must be preheated before ignition can occur.

NFPA Reactivity : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.



HMIS III Rating

Health : 0 - Minimal Hazard.

Flammability : 1 - Slight Hazard.

Physical : 0 - Minimal Hazard.

AF 1450 (AFCO 8843)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Party Responsible for the Preparation of This Document

AFCO
550 Development Avenue
Chambersburg, PA 17201
T: 800-345-1329

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

North America GHS SDS 2015 (U.S., Can., Mex.)