

SECTION 1: IDENTIFICATION

Product Identifier

Product Form: Mixture

Product Name: AF1679 (AFCO 8889)

Product Code: AFCO 8889

Intended Use of the Product

Use of the Substance/Mixture: Flocculant agent. For professional use only.

Name, Address, and Telephone of the Responsible Party

Company

Alex C. Fergusson, LLC.

800 Development Avenue

Chambersburg, PA 17201

T: 800-345-1329

www.afcocare.com

Emergency Telephone Number

Emergency Number : 1-800-424-9300 (CHEMTREC)

SECTION 2: HAZARDS IDENTIFICATION

Classification of the Substance or Mixture

Classification (GHS-US)

Eye Irrit. 2A H319

9Label Elements

GHS-US Labeling

Hazard Pictograms (GHS-US) :



Signal Word (GHS-US)

: Warning.

Hazard Statements (GHS-US)

: H319 - Causes serious eye irritation

Precautionary Statements (GHS-US)

: P264 - Wash hands, forearms, and other exposed areas thoroughly after handling.
P280 - Wear eye protection, face protection.
P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 If eye irritation persists: Get medical advice/ attention.

Other Hazards

Other Hazards Not Contributing to the Classification: None known.

Unknown Acute Toxicity (GHS-US): Not available.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Substances

Mixture

Name	Product identifier	% (w/w)	Classification (GHS-US)
Aliphatic Hydrocarbon	Trade Secret	>=20 - <30	Flam. Liq. 4; H227 Asp. Tox. 1; H304
Alcohol Alkoxylates	Trade Secret	>=1.5 - <3	Acute Tox. 4; H302 Eye Dam. 1; H318
Alkoxylated Alcohol	Trade Secret	>=1 - <1.5	Eye Dam. 1; H318

Full text of H-phrases: see section 16.

SECTION 4: FIRST AID MEASURES

Description of First Aid Measures

General: Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.

AF1679 (AFCO 8889)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Inhalation: If breathed in, move person into fresh air. If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.

Skin Contact: First aid is not normally required. However, it is recommended that exposed areas be cleaned by washing with soap and water.

Eye Contact: Immediately flush eye(s) with plenty of water. Remove contact lenses, if present and easy to do. Protect unharmed eye.

Ingestion: Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.

Most Important Symptoms and Effects Both Acute and Delayed

Inhalation of high concentrations of this material, as could occur in enclosed spaces or during deliberate abuse, may be associated with cardiac arrhythmias. Sympathomimetic drugs may initiate cardiac arrhythmias in persons exposed to this material.

This material is an aspiration hazard. Potential danger from aspiration must be weighed against possible oral toxicity when deciding whether to induce vomiting. Signs and symptoms of exposure to this material through breathing, swallowing, and/or passage of the material through the skin may include:

Stomach or intestinal upset (nausea, vomiting, diarrhea) irritation (nose, throat, airways)

Lung irritation, confusion, irregular heartbeat, convulsions.

Causes serious eye irritation.

Notes to Physician

No hazards which require special first aid measures.

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media: Water spray, carbon dioxide, foam, dry chemical.

Unsuitable Extinguishing Media: High volume water jet.

Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not flammable.

Explosion Hazard: Product is not explosive.

Reactivity: N/A.

Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire.

Firefighting Instructions: Use water spray or fog for cooling exposed containers.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: Carbon oxides (CO, CO₂). Nitrogen oxides (NO_x). Hydrocarbons.

Other information: Do not allow run-off from fire fighting to enter drains or water courses. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Reference to Other Sections

Refer to section 9 for flammability properties.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Do not breathe (vapors, dust). Avoid all contact with skin, eyes, or clothing. Do not smoke.

For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protection equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Ventilate area.

Environmental Precautions

Prevent entry to drains, sewers and public waters. Avoid release to the environment. Prevent further leakage or spillage if safe to do so. If product contaminates rivers or lakes or drains inform proper authorities.

Methods and Material for Containment and Cleaning Up

Methods for Containment and Cleaning Up: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

Reference to Other Sections

See heading 8, Exposure Controls and Personal Protection.

AF1679 (AFCO 8889)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling

Additional Hazards When Processed: Normal measures for preventive fire protection.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures. Do not breathe vapors or dust. Avoid skin & eye contact. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work. Do not eat, drink or smoke when using this product. Wash hands and forearms thoroughly after handling.

Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Comply with applicable regulations.

Storage Conditions: Store in a dry, cool and well-ventilated place. Keep container closed when not in use. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Electrical installations/working materials must comply with the technological safety standards.

Incompatible Materials: N/A.

Specific End Use(s): Flocculant agent. For professional use only.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters/Permissible concentration	Basis
Aliphatic Hydrocarbon	Trade Secret	TWA (Mist)	5 mg/m ³	OSHA Z-1
		TWA	200 mg/m ³ (total hydrocarbon vapor)	ACGIH
		TWA (Mist)	5 mg/m ³	OSHA P0
		TWA (Mist)	5 mg/m ³	NIOSH REL
		ST (Mist)	10 mg/m ³	NIOSH REL

Exposure Controls

Appropriate Engineering Controls: Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

Personal Protective Equipment: Protective goggles. Protective clothing. Gloves.



Materials for Protective Clothing: Chemically resistant materials and fabrics. Impervious clothing.

Hand Protection: Wear chemically resistant protective gloves. (consult your safety equipment supplier).

Eye Protection: Wear chemical splash goggles when there is the potential for exposure of the eyes to liquid, vapor or mist.

Skin and Body Protection: Wear suitable protective clothing.

Respiratory Protection: N/A.

Other Information: When using, do not eat, drink or smoke. Wash hands before breaks and at end of workday.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical State	: Viscous liquid.
Appearance	: White.
Odor	: Mild, hydrocarbon-like
Odor Threshold	: No data available.
pH	: No data available.
Relative Evaporation Rate (butylacetate=1)	: <1
Melting Point	: No data available.
Freezing Point	: No data available.
Boiling Point	: No data available.
Flash Point	: >100°C Method: Cleveland open cup.
Auto-ignition Temperature	: No data available.
Decomposition Temperature	: No data available.
Flammability (solid, gas)	: No data available.

AF1679 (AFCO 8889)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Lower Flammable Limit	: No data available.
Upper Flammable Limit	: No data available.
Vapor Pressure	: No data available.
Relative Vapor Density at 20°C	: No data available.
Specific Gravity	: Approximate 1.03 g/cm ³
Solubility	: Soluble in water.
Partition coefficient: n-octanol/water	: No data available.
Viscosity, Dynamic	: No data available.
Viscosity, Kinematic	: >21 mm ² /s (40°C) Based on a similar product formulation.
Oxidizing Properties	: No data available.

SECTION 10: STABILITY AND REACTIVITY

Reactivity: No decomposition if stored and applied as directed.

Chemical Stability: Stable under recommended storage conditions.

Possibility of Hazardous Reactions: Product will not undergo hazardous polymerization.

Conditions to Avoid: Heat, flames and sparks.

Incompatible Materials: Acids. Strong oxidizing agents. Strong reducing agents.

Hazardous Decomposition Products: Carbon oxides (CO, CO₂). Nitrogen oxides (NO_x). Hydrocarbons.

SECTION 11: TOXICOLOGICAL INFORMATION

Information on Toxicological Effects - Product

Acute Toxicity: Not classified based on available information.

Product:

Acute oral toxicity: Acute toxicity estimate: >5,000 mg/kg. Method: Calculation method.

Acute dermal toxicity: Acute toxicity estimate: >5,000 mg/kg. Method: Calculation method.

Components:

Aliphatic Hydrocarbon:

Acute oral toxicity: LD50 (Rat): >5,000 mg/kg.

Acute inhalation toxicity: LC50 (Rat, male and female): >5.28 mg/l Exposure time: 4 h; Test atmosphere: vapor; Method: OECD Test Guideline 403. Assessment: No adverse effect has been observed in acute inhalation toxicity tests.

Acute dermal toxicity: LC50 (Rabbit): >2,000 mg/kg. Assessment: No adverse effect has been observed in acute dermal toxicity tests.

Alcohol Alkoxylates:

Acute oral toxicity: LD50 (Rat): 1,380 mg/kg.

Alkoxylated Alcohol:

Acute oral toxicity: LD50 (Rat): >2,000 mg/kg.

Acute inhalation toxicity: Remarks: No data available.

Acute dermal toxicity: LC50 (Rabbit): >2,000 mg/kg.

Skin Corrosion/Irritation: Not classified based on available information.

Product:

Result: Repeated exposure may cause skin dryness or cracking.

May cause skin irritation in susceptible persons.

Components:

Aliphatic Hydrocarbon:

Result: Mildly irritating to skin.

Alcohol Alkoxylates:

Result: Not irritating to skin.

Alkoxylated Alcohol:

Result: Not irritating to skin.

Serious Eye Damage/Irritation: Causes serious eye irritation.

Product:

Remarks: Vapors may cause irritation to the eyes, respiratory system and the skin. Causes serious eye irritation.

Components:

Aliphatic Hydrocarbon:

Result: Mildly irritating to eyes.

AF1679 (AFCO 8889)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Alcohol Alkoxylates:

Result: Risk of serious damage to eyes.

Alkoxylated Alcohol:

Result: Corrosive.

Product:

Respiratory or Skin Sensitization: Not classified based on available information.

Germ Cell Mutagenicity: Not classified based on available information.

Teratogenicity: Not available.

Reproductive Toxicity: Not classified based on available information.

Specific Target Organ Toxicity (Single Exposure): Not classified based on available information.

Specific Target Organ Toxicity (Repeated Exposure): Not classified based on available information.

Carcinogenicity: Not classified based on available information.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Aspiration Hazard: Not classified based on available information.

Components:

Aliphatic Hydrocarbon:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

Further Information:

Product:

Remarks: No data available.

SECTION 12: ECOLOGICAL INFORMATION

Product Ecotoxicity: Acute aquatic toxicity - Category 2; Toxic to aquatic life.

Chronic aquatic toxicity - Not classified based on available information.

Product	
LC50 Fish 1	11 mg/l (Exposure time: 48 h - Species: Pimephales promelas [fathead minnow]) Remarks: Based on a similar product formulation.
LC50 Other Aquatic Invertebrates	1.75 mg/l (Exposure time: 48 h - Species: Water flea [Ceriodaphnia dubia]) Remarks: Based on a similar product formulation.
LC50 Fish 2	>100 mg/l (Exposure time: 96 h - Species: Cyprinodon variegatus [sheepshead minnow]) Method: EPA-821-R-02-012 GLP: No
EC50 Daphnia 1	1.15 mg/l (Exposure time: 48 h - Species: Mysisopsis bahia [opossum shrimp]) Method: EPA-821-R-02-012 GLP: No

Components:

Aliphatic Hydrocarbon Ecotoxicology assessment	
Acute aquatic toxicity	No toxicity at the limit of solubility.
Chronic aquatic toxicity	No toxicity at the limit of solubility.

Alcohol Alkoxylates	
LC50 Fish 1	>1 - 10 mg/l (Exposure time: 96 h) - Test Type: static
EC50 Daphnia 1	>1 - 10 mg/l (Exposure time: 48 h - Species: Daphnia [Water flea]) Test Type: static.

AF1679 (AFCO 8889)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

EC50 Daphnia 2	0.17 mg/l (Exposure time: 21 d - Species: Daphnia [Water flea])
Ecotoxicology assessment	
Chronic aquatic toxicity	Harmful to aquatic life with long lasting effects
Alkoxylated Alcohol	
LC50 Fish 1	0.876 mg/l (Exposure time: 96 h - Species: Danio rerio [zebra fish]) Test Type: semi-static Method: Directive 67/548/EEC, Annex V, C.1. Remarks: Information given is based on data obtained from similar substances.
EC50 Daphnia 1	0.999 mg/l (Exposure time: 48 h - Species: Daphnia magna [Water flea]) Test Type: static.
EC50 (algae)	0.41 mg/l (Exposure time: 72 h - Species: Pseudokirchneriella subcapitata [green algae]) Test Type: static. End point: Growth inhibition. Method: OECD Test Guideline 201. Remarks: Information given is based on data obtained from similar substances.
NOEC	0.16 mg/l (Exposure time: 10 d - Species: Lepomis macrochirus [Bluegill sunfish]) Test Type: flow-through.
NOEC	0.77 mg/l (Exposure time: 21 d - Species: Daphnia magna [Water flea]) Test Type: flow-through. End point: Reproduction. Remarks: Information given is based on data obtained from similar substances.

Components:

Persistence and Degradability

Alcohol Alkoxylates	
Biodegradability	Readily biodegradable.
Alkoxylated Alcohol	
Biodegradability	Readily biodegradable. Biodegradation: 95%, Exposure time: 28 d Method: OECD Test Guideline 301F.

Bioaccumulative Potential

No data available

Mobility in Soil No data available.

Product:

Other Adverse Effects:

Other Information: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal Recommendations: Dispose of waste material in accordance with all local, regional, national, provincial, territorial and international regulations. Do not re-use empty containers.

Ecology - Waste Materials: Keep out of drains, ponds, waterways, and the soil.

SECTION 14: TRANSPORT INFORMATIONand the soil.

14.1 In Accordance with DOT	:	Not regulated for transport.
14.2 In Accordance with IMDG	:	Not regulated for transport.
14.3 In Accordance with IATA	:	Not regulated for transport.
14.4 In Accordance with TDG	:	Not regulated for transport.

SECTION 15: REGULATORY INFORMATION

US Federal Regulations

EPCRA - Emergency Planning and Community Right-to-Know Act	
SARA 302 Extremely Hazardous Substances TPQ	This material does not contain any components with a section 302 EHS TPQ.
SARA 311/312 Hazards	Serious eye damage or eye irritation.
SARA 313	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

AF1679 (AFCO 8889)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

California Prop. 65

Proposition 65 warnings are not required for this product based on the results of a risk assessment.

The components of this product are reported in the following inventories:

DSL	:	q (quantity restricted)
AICS	:	On the inventory, or in compliance with the inventory
ENCS	:	Not in compliance with the inventory
KECI	:	On the inventory, or in compliance with the inventory
PICCS	:	On the inventory, or in compliance with the inventory
IECSC	:	On the inventory, or in compliance with the inventory
TCSI	:	Not in compliance with the inventory
TSCA	:	On TSCA Inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Revision date : 03/13/2021

Other Information : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

GHS Full Text Phrases:

Acute Tox. 4	Acute toxicity Category 4.
Asp. Tox. 1	Aspiration hazard - Acute Hazard Category 1.
Flam. Liq. 4	Flammable liquids Category 4.
Eye Dam. 1	Serious eye damage/eye irritation Category 1.
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A.
H227	Combustible liquid.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.

Party Responsible for the Preparation of This Document

Alex C. Fergusson, LLC.
800 Development Avenue
Chambersburg, PA 17201
T: 800-345-1329

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

North America GHS SDS 2015 (U.S., Can., Mex.)