



Boiler Shield F (AFCO 9251)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision Date: 11/17/2023

Version: 1.0

SECTION 1: IDENTIFICATION

Product Identifier

Product Form: Mixture

Product Name: Boiler Shield F

Product Code: AFCO 9251

Intended Use of the Product

Use of the Substance/Mixture: Boiler treatment and condensate systems for scale and corrosion protection. For professional use only.

Name, Address, and Telephone of the Responsible Party

Company

AFCO

800 Development Avenue

Chambersburg, PA 17201

T: 800-345-1329

www.afcocare.com

Emergency Telephone Number

Emergency Number : 1-800-424-9300 (CHEMTREC)

SECTION 2: HAZARDS IDENTIFICATION

Classification of the Substance or Mixture

Classification (GHS-US)

Flam. Liq. 4 H227

Skin Corr. 1 H314

Eye Dam. 1 H318

Repr. Tox. 2 H361

STOT (RE) 2 H373

Label Elements

GHS-US Labeling

Hazard Pictograms (GHS-US)



Signal Word (GHS-US)

: Danger.

Hazard Statements (GHS-US)

: H227 - Combustible liquid

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

H361 - Suspected of damaging fertility or the unborn child

H373 - May cause damage to organs through prolonged or repeated exposure

Precautionary Statements (GHS-US)

: P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P210 - Keep away from heat, sparks, open flames, hot surfaces, combustible materials. - No smoking.

P260 - Do not breathe vapors, mist, spray.

P264 - Wash hands, forearms, and other exposed areas thoroughly after handling.

P280 - Wear protective glove, protective clothing, eye protection, face protection.

P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Boiler Shield F (AFCO 9251)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor.

P319 - Get medical help if you feel unwell.

P321 - Specific treatment (see section 4).

P362+P364 - Take off contaminated clothing and wash it before reuse.

P370+P378 - In case of fire: Use appropriate media to extinguish.

P403+P235 - Store in a well ventilated place. Keep cool.

P405 - Store locked up.

P501 - Dispose of contents/container to local, regional, national, territorial, provincial, and international regulations.

Other Hazards

Hazard(s) Not Otherwise Classified (HNOC): None known.

Unknown Acute Toxicity (GHS-US): Not available.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

Name	Product identifier	% (w/w)	Classification (GHS-US)
Cyclohexylamine	(CAS No) 108-91-8	1.0-6.0	Flam. Liq. 3, H226 Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Skin Corr. 1B, H314 Eye Damage 1, H318 Reproductive Tox. 2, H361 Aquatic Acute 3, H402
Proprietary Components*	Proprietary	1.0-6.0	Not available
Other components below reportable levels	-	88-100	Not classified

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

Full text of H-phrases: see section 16.

SECTION 4: FIRST AID MEASURES

Description of First Aid Measures

General: Take off all contaminated clothing immediately. IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse.

Inhalation: Move to fresh air. Call a physician if symptoms develop or persist.

Skin Contact: Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician or poison control center immediately. Chemical burns must be treated by a physician. Wash contaminated clothing before reuse.

Eye Contact: Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control center immediately.

Ingestion: Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Most Important Symptoms and Effects Both Acute and Delayed

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Prolonged exposure may cause chronic effects.

Indication of Any Immediate Medical Attention and Special Treatment Needed

Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media: Water fog. Foam. Dry chemical powder. Carbon dioxide.

Unsuitable Extinguishing Media: Do not use water jet as an extinguisher, as this will spread the fire.

Boiler Shield F (AFCO 9251)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Special Hazards Arising From the Substance or Mixture

The product is combustible, and heating may generate vapors which may form explosive vapor/air mixtures. During fire, gases hazardous to health may be formed.

Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire. Use standard firefighting procedures and consider the hazards of other involved materials.

Firefighting Instructions: In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.

Protection During Firefighting: Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Reference to Other Sections

Refer to section 9 for flammability properties.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist/vapors. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained.

For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protection equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Ventilate area.

Environmental Precautions

Avoid discharge into drains, water courses or onto the ground.

Methods and Material for Containment and Cleaning Up

Eliminate all sources of ignition (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. This product mixes with water.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.

Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

Reference to Other Sections

For personal protection, see section 8, For waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from open flames, hot surfaces and sources of ignition. When using do not smoke. Do not breathe mist/vapors. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.

Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Comply with applicable regulations.

Storage Conditions: Store locked up. Keep away from heat, sparks and open flame. Store in a cool, dry place out of direct sunlight. Store in tightly closed container. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials.

Incompatible Materials: Acids. Strong oxidizing agents. Oxidizing agents. Aluminum.

Boiler Shield F (AFCO 9251)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Specific End Use(s): Boiler treatment and condensate systems for scale and corrosion protection. For professional use only.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Cyclohexylamine (108-91-8)		
Mexico	OEL TWA (mg/m ³)	40 mg/m ³
Mexico	OEL TWA (ppm)	10 ppm
USA ACGIH	ACGIH TWA (ppm)	10 ppm
USA NIOSH	NIOSH REL (TWA) (mg/m ³)	40 mg/m ³
USA NIOSH	NIOSH REL (TWA) (ppm)	10ppm
Ontario	OEL TWA (ppm)	10 ppm
Québec	VEMP (mg/m ³)	41 mg/m ³
Québec	VEMP (ppm)	10ppm

Exposure Guidelines

US-California OEL's: Skin Designation:

Cyclohexylamine (CAS 108-91-8) Can be absorbed through skin.

Appropriate Engineering Controls: Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Personal Protective Equipment: Protective goggles. Protective clothing. Gloves. Face shield.



Materials for Protective Clothing: Chemically resistant materials and fabrics.

Hand Protection: Wear chemically resistant protective gloves.

Eye Protection: Wear safety glasses with side shields (or goggles) and a face shield.

Skin and Body Protection: Wear appropriate chemical resistant clothing.

Respiratory Protection: If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.

Other Information: Observe any medical surveillance requirements. When using do not smoke. Keep away from food and drink.

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical State	: Liquid.
Appearance	: Clear, colorless to light yellow.
Odor	: Amine.
Odor Threshold	: Not available.
pH	: 11.0 – 13.0
Relative Evaporation Rate (butylacetate=1)	: Not available.
Melting Point	: <40°F (<4.4°C) estimated.
Freezing Point	: <40°F (<4.4°C) estimated.
Boiling Point	: >100°C (>212°F) estimated.
Flash Point	: >140°F (>60.0°C) Pensky-Martens Closed Cup.
Auto-ignition Temperature	: Not available.
Decomposition Temperature	: Not available.
Flammability (solid, gas)	: Not applicable.

Boiler Shield F (AFCO 9251)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Lower Flammable Limit	: Not available.
Upper Flammable Limit	: Not available.
Vapor Pressure	: <1.0 mm Hg estimated.
Vapor Density	: Not available.
Specific Gravity	: 0.99 ± 0.05
Solubility (water)	: Complete.
Partition coefficient: n-octanol/water	: Not available.
Viscosity	: Not available.
Explosive Properties	: Not explosive.
Oxidizing Properties	: Not oxidizing.
Percent Volatile	: >90% estimated.

SECTION 10: STABILITY AND REACTIVITY

Reactivity: Reacts violently with strong acids. This product may react with oxidizing agents.

Chemical Stability: Stable under normal conditions.

Possibility of Hazardous Reactions: Hazardous polymerization will not occur.

Conditions to Avoid: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials. Do not mix with other chemicals.

Incompatible Materials: Acids. Strong oxidizing agents. Oxidizing agents. Aluminum.

Hazardous Decomposition Products: No hazardous decomposition products are known.

SECTION 11: TOXICOLOGICAL INFORMATION

Information on Toxicological Effects - Product

Acute Toxicity: Not available.

LD50 and LC50 Data: Not available.

Skin Corrosion/Irritation: Causes severe skin burns and eye damage.

Serious Eye Damage/Irritation: Causes serious eye damage.

Respiratory or Skin Sensitization: Not a respiratory sensitizer. This product is not expected to cause skin sensitization.

Germ Cell Mutagenicity: No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Teratogenicity: Not available.

Carcinogenicity: Not classifiable as to carcinogenicity to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity: Not listed.

OSHA Specifically Regulated Substance (29 CFR 1910.1001-1052): Not regulated.

US National Toxicology Program (NTP) Report on Carcinogens: Not listed.

Specific Target Organ Toxicity (Repeated Exposure): Causes damage to organs through prolonged or repeated exposure.

Reproductive Toxicity: Suspected of damaging fertility or the unborn child.

Specific Target Organ Toxicity (Single Exposure): Not classified.

Aspiration Hazard: Not classified.

Symptoms/Injuries After Inhalation: May cause irritation to the respiratory system. Prolonged inhalation may be harmful.

Symptoms/Injuries After Skin Contact: Causes severe skin burns.

Symptoms/Injuries After Eye Contact: Causes serious eye damage.

Symptoms/Injuries After Ingestion: Causes digestive tract burns. Harmful if swallowed.

Symptoms related to the physical, chemical, and toxicological characteristics: Burning pain and severe corrosive skin damage.

Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.

Chronic Symptoms: Prolonged inhalation may be harmful. Causes damage to organs through prolonged or repeated exposure.

Information on Toxicological Effects - Ingredient(s)

LD50 and LC50 Data: Not listed.

Boiler Shield F (AFCO 9251)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and Degradability

Boiler Shield F (AFCO 9251)	
Persistence and Degradability	No data is available on the degradability of any ingredients in the mixture.

Bioaccumulative Potential Mobility in soil:

Cyclohexylamine (108-91-8)	
Partition coefficient n-octanol / water (log Kow)	1.49

Mobility in Soil No data available.

Other Adverse Effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal Recommendations: Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Incinerate the material under controlled conditions in an approved incinerator. Dispose of waste material in accordance with all local, regional, national, provincial, territorial and international regulations.

Hazardous Waste Code: The waste code should be assigned in discussion between user, the producer, and the waste disposal company.

Waste Residues/Unused Products: Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated Packaging: Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14: TRANSPORT INFORMATION

14.1 In Accordance with DOT

Proper Shipping Name : CORROSIVE LIQUID, BASIC, N.O.S. (Cyclohexylamine)
Hazard Class : 8
Identification Number : UN3267
Packing Group : III



14.2 In Accordance with IMDG

Proper Shipping Name : CORROSIVE LIQUID, BASIC, N.O.S. (Cyclohexylamine)
Hazard Class : 8
Identification Number : UN3267
Packing Group : III



14.3 In Accordance with IATA/IMO

Proper Shipping Name : CORROSIVE LIQUID, BASIC, N.O.S. (Cyclohexylamine)
Packing Group : III
Identification Number : UN3267
Hazard Class : 8



14.4 In Accordance with TDG

Proper Shipping Name : CORROSIVE LIQUID, BASIC, N.O.S. (Cyclohexylamine)
Packing Group : III
Hazard Class : 8
Identification Number : UN3267
Identification Number : UN3267



SECTION 15: REGULATORY INFORMATION

US Federal Regulations

Boiler Shield F (AFCO 9251)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

PRODUCT: Boiler Shield F (AFCO 9251)	
This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.	
Toxic Substance Control Act (TSCA) – Yes*	
*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).	
SARA Section 311/312 Hazardous Chemical Classified hazard categories: Flammable (gases, aerosols, liquids, or solids) Skin corrosion or irritation Serious eye damage or eye irritation Reproductive toxicity Specific target organ (single or repeated exposure)	Yes.
OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)	Not regulated.
SARA 313 (TRI Reporting)	Not regulated.
Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) list	Not regulated.
Safe Drinking Water Act (SDWA)	Not regulated.
INGREDIENT(S): Cyclohexylamine (CAS 108-91-8)	
CERCLA Hazardous Substance List (40 CFR 302.4)	Listed.
SARA 304 Emergency Release Notification	10000 LBS
Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)	Listed.
Superfund Amendments and Reauthorization Act of 1986 (SARA)	
SARA 302 Extremely Hazardous Substance Reportable Quantity (RQ) – 10,000 pounds Threshold Planning Quantity (TPQ) – 10,000 pounds	

US State Regulations

Boiler Shield F (AFCO 9251)	
U.S. - California - Proposition 65	California Safe Drinking Water and Toxic Enforcement Act of 2016 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov .
Cyclohexylamine (108-91-8)	
U.S. - Connecticut - Hazardous Air Pollutants - HLVs (30 min) U.S. - Connecticut - Hazardous Air Pollutants - HLVs (8 hr) U.S. - Delaware - Accidental Release Prevention Regulations - Threshold Quantities U.S. - Delaware - Accidental Release Prevention Regulations - Toxic Endpoints U.S. - Delaware - Pollutant Discharge Requirements - Reportable Quantities U.S. - Idaho - Non-Carcinogenic Toxic Air Pollutants - Acceptable Ambient Concentrations U.S. - Idaho - Non-Carcinogenic Toxic Air Pollutants - Emission Levels (ELs) U.S. - Massachusetts - Oil & Hazardous Material List - Groundwater Reportable Concentration - Reporting Category 1 U.S. - Massachusetts - Oil & Hazardous Material List - Groundwater Reportable Concentration - Reporting Category 2 U.S. - Massachusetts - Oil & Hazardous Material List - Reportable Quantity U.S. - Massachusetts - Oil & Hazardous Material List - Soil Reportable Concentration - Reporting Category 1 U.S. - Massachusetts - Oil & Hazardous Material List - Soil Reportable Concentration - Reporting Category 2 U.S. - Massachusetts - Right To Know List (RTK) U.S. - Michigan - Occupational Exposure Limits - TWAs U.S. - Minnesota - Chemicals of High Concern U.S. - Minnesota - Hazardous Substance List U.S. - Minnesota - Permissible Exposure Limits - TWAs U.S. - New Hampshire - Regulated Toxic Air Pollutants - Ambient Air Levels (AALs) - 24-Hour	

Boiler Shield F (AFCO 9251)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

U.S. - New Hampshire - Regulated Toxic Air Pollutants - Ambient Air Levels (AALs) - Annual
U.S. - New Jersey - Discharge Prevention - List of Hazardous Substances
U.S. - New Jersey - Environmental Hazardous Substances List
U.S. - New Jersey - Worker and Community Right to Know Hazardous Substance List
U.S. - New Jersey - Special Health Hazards Substances List
U.S. - New Jersey - TCPA - Extraordinarily Hazardous Substances (EHS)
U.S. - New York - Reporting of Releases Part 597 - List of Hazardous Substances
U.S. - North Dakota - Air Pollutants - Guideline Concentrations - 8-Hour
U.S. - Ohio - Accidental Release Prevention - Threshold Quantities
U.S. - Ohio - Extremely Hazardous Substances - Threshold Quantities
U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List
U.S. - Pennsylvania - RTK Worker and Community Right to Know List
U.S. - Rhode Island-RTK
U.S. - Tennessee - Occupational Exposure Limits - TWAs
U.S. - Texas - Effects Screening Levels - Long Term
U.S. - Texas - Effects Screening Levels - Short Term
U.S. - Vermont - Permissible Exposure Limits - TWAs
U.S. - Washington - Permissible Exposure Limits - STELs
U.S. - Washington - Permissible Exposure Limits - TWAs
U.S. - Wisconsin - Hazardous Air Contaminants - All Sources - Emissions From Stack Heights 25 Feet to Less Than 40 Feet
U.S. - Wisconsin - Hazardous Air Contaminants - All Sources - Emissions From Stack Heights 40 Feet to Less Than 75 Feet
U.S. - Wisconsin - Hazardous Air Contaminants - All Sources - Emissions From Stack Heights 75 Feet or Greater
U.S. - Wisconsin - Hazardous Air Contaminants - All Sources - Emissions From Stack Heights Less Than 25 Feet

Canadian Regulations

Cyclohexylamine (108-91-8)

Listed on the Canadian DSL (Domestic Substances List) inventory.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by CPR.

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Revision date : 11/17/2023

Other Information : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

GHS Full Text Phrases:

Flam. Liquid 3	Flammable liquid Category 3
Flam Liquid 4	Flammable liquid Category 4
Acute Tox 3 (Oral)	Acute Toxicity (Oral) Category 3
Acute Tox. 3 (Dermal)	Acute Toxicity (Dermal) Category 3
Skin Corr. 1	Skin corrosion/irritation Category 1
Eye Dam. 1	Eye damage/irritation Category 1
Reproductive Tox. 2	Toxic to Reproduction Category 2
STOT (RE) 2	Specific Target Organ Toxicity (Repeated Exposure) Category 2
Aquatic Acute 3	Hazardous to the aquatic environment – Acute Hazard Category 3
H226	Flammable liquid and vapor
H227	Combustible liquid
H301	Toxic if swallowed
H311	Toxic in contact with skin
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage.
H361	Suspected of damaging fertility or the unborn child.

Boiler Shield F (AFCO 9251)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

H373	May cause damage to organs through repeated exposure.
H402	Harmful to aquatic life

- NFPA Health Hazard** : 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.
- NFPA Fire Hazard** : 1 - Must be preheated before ignition can occur.
- NFPA Reactivity** : 0 - Materials that are normally stable, even under fire conditions and are not reactive with water.



HMIS IV Rating

- Health** : 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given.
- Flammability** : 1 - Slight Hazard.
- Physical** : 0 - Minimal Hazard.

Disclaimer:

Seller cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.

Party Responsible for the Preparation of This Document

AFCO
800 Development Avenue
Chambersburg, PA 17201
T: 800-345-1329

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

North America GHS SDS 2015 (U.S., Can., Mex.)