

# SAFETY DATA SHEET

## ZEP DYNA 680-T2 MIL-PRF-680 TYPE II DEGREASING SOLVENT

Version 1.3

Revision Date 12/21/2025

Print Date 12/21/2025

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name : ZEP DYNA 680-T2 MIL-PRF-680 TYPE II DEGREASING SOLVENT

Material number : F01535C

#### Manufacturer or supplier's details

Company : Zep Inc.

Address : 11627 - 178 Street  
Edmonton, Alberta T5S 1N6  
Canada

Telephone : Compliance Services - 877-428-9937

#### Emergency telephone numbers

For SDS Information : Compliance Services - 877-428-9937

For a Medical Emergency : 877-541-2016 Toll Free - All Calls Recorded

For a Transportation  
Emergency : CHEMTREC: 800-424-9300 - All Calls Recorded.

#### Recommended use of the chemical and restrictions on use

### SECTION 2. HAZARDS IDENTIFICATION

#### Emergency Overview

|            |                  |
|------------|------------------|
| Appearance | liquid           |
| Colour     | colourless       |
| Odour      | hydrocarbon-like |

#### GHS Classification

Flammable liquids : Category 4

Aspiration hazard : Category 1

#### GHS label elements

# SAFETY DATA SHEET

## ZEP DYNA 680-T2 MIL-PRF-680 TYPE II DEGREASING SOLVENT

Version 1.3

Revision Date 12/21/2025

Print Date 12/21/2025

Hazard pictograms

:



Health hazard

Signal word

:

Danger

Hazard statements

:

H227 Combustible liquid.  
H304 May be fatal if swallowed and enters airways.

Precautionary statements

:

**Prevention:**  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.  
**Response:**  
P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.  
P331 Do NOT induce vomiting.  
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.  
**Storage:**  
P403 Store in a well-ventilated place.  
**Disposal:**  
P501 Dispose of contents/container in accordance with local regulation.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

: Mixture

#### Hazardous components

| Chemical name                           | CAS-No.    | Concentration [%] * |
|-----------------------------------------|------------|---------------------|
| Naphtha (petroleum), hydrotreated heavy | 64742-48-9 | >= 80 - <= 100      |

\* The exact percentages of disclosed substances are withheld as trade secrets.

### SECTION 4. FIRST AID MEASURES

General advice

: Move out of dangerous area.  
Show this safety data sheet to the doctor in attendance.

# SAFETY DATA SHEET

## ZEP DYNA 680-T2 MIL-PRF-680 TYPE II DEGREASING SOLVENT

Version 1.3

Revision Date 12/21/2025

Print Date 12/21/2025

Symptoms of poisoning may appear several hours later.

Do not leave the victim unattended.

Get medical attention.

|                                                             |                                                                                                                                                                                                                                                                                                                     |
|-------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| If inhaled                                                  | : If unconscious, place in recovery position and seek medical advice.<br>If symptoms persist, call a physician.                                                                                                                                                                                                     |
| In case of skin contact                                     | : Wash off immediately with soap and plenty of water.<br>Remove contaminated clothing and shoes.<br>Wash contaminated clothing before reuse.<br>If skin irritation persists, call a physician.                                                                                                                      |
| In case of eye contact                                      | : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.<br>Remove contact lenses.<br>Protect unharmed eye.<br>Keep eye wide open while rinsing.<br>If eye irritation persists, consult a specialist.                                                                             |
| If swallowed                                                | : Keep respiratory tract clear.<br>Do not give milk or alcoholic beverages.<br>Never give anything by mouth to an unconscious person.<br>If symptoms persist, call a physician.<br>Take victim immediately to hospital.<br>DO NOT induce vomiting unless directed to do so by a physician or poison control center. |
| Most important symptoms and effects, both acute and delayed | : Aspiration may cause pulmonary oedema and pneumonitis.<br>Symptoms may include shortness of breath, dry cough, and irritation of the nose, eyes, lips, mouth, and throat.<br>May be fatal if swallowed and enters airways.<br>Review section 2 of SDS to see all potential hazards.                               |
| Notes to physician                                          | : Treat symptomatically. Symptoms may be delayed.                                                                                                                                                                                                                                                                   |

---

### SECTION 5. FIREFIGHTING MEASURES

|                                      |                                                                             |
|--------------------------------------|-----------------------------------------------------------------------------|
| Suitable extinguishing media         | : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.  |
| Unsuitable extinguishing media       | : High volume water jet                                                     |
| Specific hazards during firefighting | : Do not allow run-off from fire fighting to enter drains or water courses. |

# SAFETY DATA SHEET

## ZEP DYNA 680-T2 MIL-PRF-680 TYPE II DEGREASING SOLVENT

Version 1.3

Revision Date 12/21/2025

Print Date 12/21/2025

|                                               |                                                                                                                                                                                                                                                                                                                                                                                 |
|-----------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Hazardous combustion products                 | : Carbon dioxide (CO <sub>2</sub> )<br>Carbon monoxide<br>Smoke                                                                                                                                                                                                                                                                                                                 |
| Specific extinguishing methods                | : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.                                                                                                                                                                                                                                                                       |
| Further information                           | : For safety reasons in case of fire, cans should be stored separately in closed containments.<br>Use a water spray to cool fully closed containers.<br>Collect contaminated fire extinguishing water separately. This must not be discharged into drains.<br>Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. |
| Special protective equipment for firefighters | : Wear self-contained breathing apparatus for firefighting if necessary.                                                                                                                                                                                                                                                                                                        |

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

|                                                                     |                                                                                                                                                                                                                                                                                        |
|---------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Personal precautions, protective equipment and emergency procedures | : Use personal protective equipment.<br>Ensure adequate ventilation.                                                                                                                                                                                                                   |
| Environmental precautions                                           | : Prevent product from entering drains.<br>Prevent further leakage or spillage if safe to do so.<br>If the product contaminates rivers and lakes or drains, inform respective authorities.                                                                                             |
| Methods and materials for containment and cleaning up               | : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).<br>Keep in suitable, closed containers for disposal. |

---

### SECTION 7. HANDLING AND STORAGE

|                             |                                                                                                                                                                                                                                                                                                                                              |
|-----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Advice on safe handling     | : Avoid formation of aerosol.<br>Do not breathe vapours or spray mist.<br>For personal protection see section 8.<br>Smoking, eating and drinking should be prohibited in the application area.<br>Provide sufficient air exchange and/or exhaust in work rooms.<br>Dispose of rinse water in accordance with local and national regulations. |
| Conditions for safe storage | : No smoking.<br>Keep in a well-ventilated place.<br>Observe label precautions.<br>Electrical installations / working materials must comply with                                                                                                                                                                                             |

# SAFETY DATA SHEET

## ZEP DYNA 680-T2 MIL-PRF-680 TYPE II DEGREASING SOLVENT

Version 1.3

Revision Date 12/21/2025

Print Date 12/21/2025

the technological safety standards.

Materials to avoid : Oxidizing agents

---

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Contains no substances with occupational exposure limit values.

**Engineering measures** : effective ventilation in all processing areas

#### Personal protective equipment

**Respiratory protection** : In case of insufficient ventilation, wear suitable respiratory equipment.

#### Hand protection

**Material** : Protective gloves

**Remarks** : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

**Eye protection** : Access to clean water to rinse eyes must be available, options include: eye wash stations or showers, or eye wash bottles with pure water.

Safety glasses

**Skin and body protection** : Impervious clothing  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

**Hygiene measures** : When using do not eat or drink.  
When using do not smoke.

Wash hands before breaks and at the end of workday.

# SAFETY DATA SHEET

## ZEP DYNA 680-T2 MIL-PRF-680 TYPE II DEGREASING SOLVENT

Version 1.3

Revision Date 12/21/2025

Print Date 12/21/2025

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

|                                        |                                   |
|----------------------------------------|-----------------------------------|
| Physical state                         | : liquid                          |
| Colour                                 | : colourless                      |
| Odour                                  | : hydrocarbon-like                |
| Odour Threshold                        | : No data available               |
| pH                                     | : Not applicable                  |
| Melting point/freezing point           | : No data available               |
| Boiling point                          | : 189 - 209 °C                    |
| Flash point                            | : 62 °C<br>Method: TCC            |
| Evaporation rate                       | : < 1                             |
| Upper explosion limit                  | : 5.3 %(V)                        |
| Lower explosion limit                  | : 0.7 %(V)                        |
| Vapour pressure                        | : 0.41 hPa (20 °C)                |
| Relative vapour density                | : 0.765 (15 °C)                   |
| Density                                | : 0.762 g/cm <sup>3</sup> (15 °C) |
| Bulk density                           | : No data available               |
| Solubility(ies)                        |                                   |
| Water solubility                       | : insoluble                       |
| Solubility in other solvents           | : insoluble                       |
| Partition coefficient: n-octanol/water | : No data available               |
| Auto-ignition temperature              | : 335 °C                          |
| Decomposition temperature              | : No data available               |
| Viscosity                              |                                   |
| Viscosity, dynamic                     | : No data available               |
| Viscosity, kinematic                   | : No data available               |

# SAFETY DATA SHEET

## ZEP DYNA 680-T2 MIL-PRF-680 TYPE II DEGREASING SOLVENT

Version 1.3

Revision Date 12/21/2025

Print Date 12/21/2025

---

### SECTION 10. STABILITY AND REACTIVITY

|                                    |                                                                                                       |
|------------------------------------|-------------------------------------------------------------------------------------------------------|
| Reactivity                         | : Stable                                                                                              |
| Chemical stability                 | : Stable under normal conditions.                                                                     |
| Possibility of hazardous reactions | : Vapours may form explosive mixture with air.<br>No decomposition if stored and applied as directed. |
| Conditions to avoid                | : Heat, flames and sparks.                                                                            |
| Incompatible materials             | : Strong oxidizing agents                                                                             |
| Hazardous decomposition products   | : Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).                                  |

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Potential Health Effects

Aggravated Medical Condition : None known.

Symptoms of Overexposure : Aspiration may cause pulmonary oedema and pneumonitis. Symptoms may include shortness of breath, dry cough, and irritation of the nose, eyes, lips, mouth, and throat. May be fatal if swallowed and enters airways. Review section 2 of SDS to see all potential hazards. Treat symptomatically. Symptoms may be delayed.

#### Carcinogenicity:

##### IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

##### ACGIH

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

#### Acute toxicity

No data available

#### Skin corrosion/irritation

# SAFETY DATA SHEET

## ZEP DYNA 680-T2 MIL-PRF-680 TYPE II DEGREASING SOLVENT

Version 1.3

Revision Date 12/21/2025

Print Date 12/21/2025

---

### **Product:**

Remarks: May irritate skin.

### **Serious eye damage/eye irritation**

#### **Product:**

Remarks: May irritate eyes.

### **Respiratory or skin sensitisation**

No data available

### **Germ cell mutagenicity**

No data available

### **Carcinogenicity**

No data available

### **Reproductive toxicity**

No data available

### **STOT - single exposure**

No data available

### **STOT - repeated exposure**

No data available

### **Aspiration toxicity**

No data available

### **Further information**

#### **Product:**

Remarks: Solvents may degrease the skin.

---

## **SECTION 12. ECOLOGICAL INFORMATION**

### **Ecotoxicity**

No data available

### **Persistence and degradability**



# SAFETY DATA SHEET

## ZEP DYNA 680-T2 MIL-PRF-680 TYPE II DEGREASING SOLVENT

Version 1.3

Revision Date 12/21/2025

Print Date 12/21/2025

No data available

### Bioaccumulative potential

#### Product:

Partition coefficient: n-octanol/water : Remarks: No data available

### Mobility in soil

No data available

### Other adverse effects

No data available

#### Product:

Additional ecological information : No data available  
No data available

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Dispose of in accordance with local regulations.  
Do not dispose of waste into sewer.  
Do not contaminate ponds, waterways or ditches with chemical or used container.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.  
Do not burn, or use a cutting torch on, the empty drum.

---

## SECTION 14. TRANSPORT INFORMATION

|                                                                                                                                          |
|------------------------------------------------------------------------------------------------------------------------------------------|
| Transportation Regulation (TDG) / Règlement Pour Le Transport (TMD): (Canada):<br>NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL |
|------------------------------------------------------------------------------------------------------------------------------------------|

## SAFETY DATA SHEET

### ZEP DYNA 680-T2 MIL-PRF-680 TYPE II DEGREASING SOLVENT

Version 1.3

Revision Date 12/21/2025

Print Date 12/21/2025

Transportation Regulation / Règlement Pour Le Transport: IMDG (Vessel):  
NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation / Règlement Pour Le Transport: IATA (Cargo Air):  
NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation / Règlement Pour Le Transport: IATA (Passenger Air):  
NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation / Règlement Pour Le Transport: 49 CFR (USA):  
NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

The product as delivered to the customer conforms to packaging requirements for shipment by road under Transport Dangerous Goods (TDG) Canada regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

#### SECTION 15. REGULATORY INFORMATION

**Canadian PBT Chemicals** : This product contains the following components on the DSL that are classified as Persistent, Bioaccumulative and/or Toxic (PBT) under CEPA:

# SAFETY DATA SHEET

## ZEP DYNA 680-T2 MIL-PRF-680 TYPE II DEGREASING SOLVENT

Version 1.3

Revision Date 12/21/2025

Print Date 12/21/2025

Naphtha (petroleum), hydrotreated heavy

This product has been classified according to the hazard criteria of the HPR and the SDS contains all of the information required by the HPR.

**The components of this product are reported in the following inventories:**

**DSL** All components of this product are on the Canadian DSL  
**TSCA** On TSCA Inventory

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

### Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

---

## SECTION 16. OTHER INFORMATION

---

### WHMIS - GHS Label Information:

Hazard pictograms :



Health hazard

Signal word :

**Danger:**

Hazard statements :

Combustible liquid. May be fatal if swallowed and enters airways.

Precautionary statements :

**Prevention:** Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:** IF SWALLOWED: Immediately call a POISON CENTER/doctor. Do NOT induce vomiting. In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

**Storage:** Store in a well-ventilated place.

**Disposal:** Dispose of contents/container in accordance with local regulation.

---

|                |            |
|----------------|------------|
| Version:       | 1.3        |
| Revision Date: | 12/21/2025 |
| Print Date:    | 12/21/2025 |

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this

## **SAFETY DATA SHEET**

### **ZEP DYNA 680-T2 MIL-PRF-680 TYPE II DEGREASING SOLVENT**

Version 1.3

Revision Date 12/21/2025

Print Date 12/21/2025

---

document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.