

# SAFETY DATA SHEET

## ESPORTA CLASSIC STAGE 3 23L

Version 1.1

Revision Date 12/21/2025

Print Date 12/21/2025

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name : ESPORTA CLASSIC STAGE 3 23L

Material number : P25045C

#### Manufacturer or supplier's details

Company : Zep Inc.

Address : 11627 - 178 Street  
Edmonton, Alberta T5S 1N6  
Canada

Telephone : Compliance Services - 877-428-9937

#### Emergency telephone numbers

**For SDS Information** : Compliance Services - 877-428-9937

**For a Medical Emergency** : 877-541-2016 Toll Free - All Calls Recorded

**For a Transportation  
Emergency** : CHEMTREC: 800-424-9300 - All Calls Recorded.

#### Recommended use of the chemical and restrictions on use

### SECTION 2. HAZARDS IDENTIFICATION

#### Emergency Overview

|            |                   |
|------------|-------------------|
| Appearance | liquid            |
| Colour     | colourless, clear |
| Odour      | pungent           |

#### GHS Classification

Oxidizing liquids : Category 1  
Acute toxicity (Oral) : Category 4  
Skin corrosion : Category 1  
Serious eye damage : Category 1

#### GHS label elements

# SAFETY DATA SHEET

## ESPORTA CLASSIC STAGE 3 23L

Version 1.1

Revision Date 12/21/2025

Print Date 12/21/2025

Hazard pictograms

:



Flame over  
circle



Corrosion



Exclamation  
mark

Signal word

: Danger

Hazard statements

: H271 May cause fire or explosion; strong oxidizer.  
H302 Harmful if swallowed.  
H314 Causes severe skin burns and eye damage.

Precautionary statements

: **Prevention:**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P220 Keep away from clothing and other combustible materials.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P283 Wear fire resistant or flame retardant clothing.

**Response:**

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

P306 + P360 IF ON CLOTHING: rinse immediately contaminated clothing and skin with plenty of water before removing clothes.

P363 Wash contaminated clothing before reuse.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

P371 + P380 + P375 In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.

**Storage:**

P420 Store separately.

**Disposal:**

P501 Dispose of contents/container in accordance with local regulation.

# SAFETY DATA SHEET

## ESPORTA CLASSIC STAGE 3 23L

Version 1.1

Revision Date 12/21/2025

Print Date 12/21/2025

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Hazardous components

| Chemical name     | CAS-No.   | Concentration [%] * |
|-------------------|-----------|---------------------|
| hydrogen peroxide | 7722-84-1 | >= 10 - < 30        |
| acetic acid       | 64-19-7   | >= 7 - < 13         |
| peracetic acid    | 79-21-0   | >= 5 - < 10         |

\* The exact percentages of disclosed substances are withheld as trade secrets.

### SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.  
Consult a physician.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical advice.  
If symptoms persist, call a physician.

In case of skin contact : Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty.  
Wash off immediately with plenty of water for at least 15 minutes.  
Remove contaminated clothing and shoes.  
If skin irritation persists, call a physician.

In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.  
Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

# SAFETY DATA SHEET

## ESPORTA CLASSIC STAGE 3 23L

Version 1.1

Revision Date 12/21/2025

Print Date 12/21/2025

|                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|-------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                             | <p>Do NOT induce vomiting.<br/>Do not give milk or alcoholic beverages.<br/>Never give anything by mouth to an unconscious person.<br/>If symptoms persist, call a physician.<br/>Take victim immediately to hospital.</p>                                                                                                                                                                                                                                                   |
| Most important symptoms and effects, both acute and delayed | <p>: Effects are dependent on exposure (dose, concentration, contact time).<br/>Effects are immediate and delayed.<br/>Symptoms may include blistering, irritation, burns, and pain.<br/>Symptoms of overexposure may include disorientation; dizziness; and confusion. May progress to unconsciousness, paralysis, and convulsions.</p> <p>Harmful if swallowed.<br/>Causes severe skin burns and eye damage.<br/>Review section 2 of SDS to see all potential hazards.</p> |
| Notes to physician                                          | <p>: Treat symptomatically. Symptoms may be delayed.<br/>Contact a poison treatment specialist immediately if large quantities have been ingested or inhaled, or contact with large portions of the body have occurred.</p>                                                                                                                                                                                                                                                  |

---

### SECTION 5. FIREFIGHTING MEASURES

|                                      |                                                                                                                                                                                                                                                                                                                                                                                           |
|--------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Suitable extinguishing media         | <p>: Alcohol-resistant foam<br/>Carbon dioxide (CO<sub>2</sub>)<br/>Dry chemical</p>                                                                                                                                                                                                                                                                                                      |
| Unsuitable extinguishing media       | <p>: High volume water jet</p>                                                                                                                                                                                                                                                                                                                                                            |
| Specific hazards during firefighting | <p>: Do not allow run-off from fire fighting to enter drains or water courses.</p>                                                                                                                                                                                                                                                                                                        |
| Hazardous combustion products        | <p>: Carbon dioxide (CO<sub>2</sub>)<br/>Carbon monoxide<br/>Smoke</p>                                                                                                                                                                                                                                                                                                                    |
| Specific extinguishing methods       | <p>: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.</p>                                                                                                                                                                                                                                                                          |
| Further information                  | <p>: Collect contaminated fire extinguishing water separately. This must not be discharged into drains.<br/>Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.<br/>For safety reasons in case of fire, cans should be stored separately in closed containments.<br/>Use a water spray to cool fully closed containers.</p> |
| Special protective equipment         | <p>: Wear self-contained breathing apparatus for firefighting if</p>                                                                                                                                                                                                                                                                                                                      |

# SAFETY DATA SHEET

## ESPORTA CLASSIC STAGE 3 23L

Version 1.1

Revision Date 12/21/2025

Print Date 12/21/2025

for firefighters

necessary.

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- |                                                                           |   |                                                                                                                                                                                                                                          |
|---------------------------------------------------------------------------|---|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Personal precautions,<br>protective equipment and<br>emergency procedures | : | Use personal protective equipment.<br>Evacuate personnel to safe areas.                                                                                                                                                                  |
| Environmental precautions                                                 | : | Prevent product from entering drains.<br>Prevent further leakage or spillage if safe to do so.<br>If the product contaminates rivers and lakes or drains, inform<br>respective authorities.                                              |
| Methods and materials for<br>containment and cleaning up                  | : | Contain spillage, and then collect with non-combustible<br>absorbent material, (e.g. sand, earth, diatomaceous earth,<br>vermiculite) and place in container for disposal according to<br>local / national regulations (see section 13). |

---

### SECTION 7. HANDLING AND STORAGE

- |                             |   |                                                                                                                                                                                                                                                                                                                                                       |
|-----------------------------|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Advice on safe handling     | : | Do not breathe vapours or spray mist.<br>Avoid contact with skin and eyes.<br>For personal protection see section 8.<br>Smoking, eating and drinking should be prohibited in the<br>application area.<br>To avoid spills during handling keep bottle on a metal tray.<br>Dispose of rinse water in accordance with local and national<br>regulations. |
| Conditions for safe storage | : | Prevent unauthorized access.<br>Keep container tightly closed in a dry and well-ventilated<br>place.<br>Containers which are opened must be carefully resealed and<br>kept upright to prevent leakage.<br>Observe label precautions.<br>Electrical installations / working materials must comply with<br>the technological safety standards.          |
| Materials to avoid          | : | Store and keep away from bases and alkalies.<br>Oxidizing agents                                                                                                                                                                                                                                                                                      |

---

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

# SAFETY DATA SHEET

## ESPORTA CLASSIC STAGE 3 23L

Version 1.1

Revision Date 12/21/2025

Print Date 12/21/2025

| Components        | CAS-No.   | Value type<br>(Form of exposure)       | Control parameters /<br>Permissible concentration | Basis     |
|-------------------|-----------|----------------------------------------|---------------------------------------------------|-----------|
| hydrogen peroxide | 7722-84-1 | TWA                                    | 1 ppm<br>1.4 mg/m3                                | CA AB OEL |
|                   |           | TWA                                    | 1 ppm                                             | CA BC OEL |
|                   |           | TWAEV                                  | 1 ppm<br>1.4 mg/m3                                | CA QC OEL |
|                   |           | TWA                                    | 1 ppm                                             | ACGIH     |
| acetic acid       | 64-19-7   | TWA                                    | 10 ppm<br>25 mg/m3                                | CA AB OEL |
|                   |           | STEL                                   | 15 ppm<br>37 mg/m3                                | CA AB OEL |
|                   |           | TWA                                    | 10 ppm                                            | CA BC OEL |
|                   |           | STEL                                   | 15 ppm                                            | CA BC OEL |
|                   |           | TWAEV                                  | 10 ppm<br>25 mg/m3                                | CA QC OEL |
|                   |           | STEV                                   | 15 ppm<br>37 mg/m3                                | CA QC OEL |
|                   |           | TWA                                    | 10 ppm                                            | ACGIH     |
|                   |           | STEL                                   | 15 ppm                                            | ACGIH     |
| peracetic acid    | 79-21-0   | STEL<br>(Inhalable fraction and vapor) | 0.4 ppm                                           | ACGIH     |

**Engineering measures** : effective ventilation in all processing areas

### Personal protective equipment

**Respiratory protection** : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

### Hand protection

**Material** : Protective gloves

**Remarks** : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

**Eye protection** : Tightly fitting safety goggles

Wear face-shield and protective suit for abnormal processing problems.

# SAFETY DATA SHEET

## ESPORTA CLASSIC STAGE 3 23L

Version 1.1

Revision Date 12/21/2025

Print Date 12/21/2025

Ensure that eyewash stations and safety showers are close to the workstation location.

Skin and body protection : Impervious clothing  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures : When using do not eat or drink.  
When using do not smoke.

Wash hands before breaks and at the end of workday.

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : liquid

Colour : colourless, clear

Odour : pungent

Odour Threshold : No data available

pH : < 1

Melting point/freezing point : No data available

Boiling point : No data available

Flash point : 93.3 °C  
Method: closed cup

Evaporation rate : No data available

Upper explosion limit : No data available

Lower explosion limit : No data available

Vapour pressure : 29 hPa

Density : 1.12 g/cm<sup>3</sup>

Solubility(ies)

Water solubility : soluble

Partition coefficient: n-octanol/water : No data available

Auto-ignition temperature : not determined

# SAFETY DATA SHEET

## ESPORTA CLASSIC STAGE 3 23L

Version 1.1

Revision Date 12/21/2025

Print Date 12/21/2025

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity : Stable

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : No decomposition if stored and applied as directed.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : Bases  
Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Potential Health Effects

Aggravated Medical Condition : None known.

Symptoms of Overexposure : Effects are dependent on exposure (dose, concentration, contact time).  
Effects are immediate and delayed.  
Symptoms may include blistering, irritation, burns, and pain.  
Symptoms of overexposure may include disorientation; dizziness; and confusion. May progress to unconsciousness, paralysis, and convulsions.

Harmful if swallowed.  
Causes severe skin burns and eye damage.  
Review section 2 of SDS to see all potential hazards.  
Treat symptomatically. Symptoms may be delayed.  
Contact a poison treatment specialist immediately if large quantities have been ingested or inhaled, or contact with large portions of the body have occurred.

**Carcinogenicity:**



# SAFETY DATA SHEET

## ESPORTA CLASSIC STAGE 3 23L

Version 1.1

Revision Date 12/21/2025

Print Date 12/21/2025

### IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

### ACGIH

Confirmed animal carcinogen with unknown relevance to humans

hydrogen peroxide

7722-84-1

### Acute toxicity

#### Product:

Acute oral toxicity : Acute toxicity estimate : 848.74 mg/kg

Method: Calculation method

#### Components:

##### acetic acid:

Acute oral toxicity : LD50 Oral Rat: 3,310 mg/kg

### Skin corrosion/irritation

#### Product:

Remarks: Extremely corrosive and destructive to tissue.

### Serious eye damage/eye irritation

#### Product:

Remarks: May cause irreversible eye damage.

### Respiratory or skin sensitisation

No data available

### Germ cell mutagenicity

No data available

### Carcinogenicity

No data available

### Reproductive toxicity

No data available

### STOT - single exposure

No data available

# SAFETY DATA SHEET

## ESPORTA CLASSIC STAGE 3 23L

Version 1.1

Revision Date 12/21/2025

Print Date 12/21/2025

### STOT - repeated exposure

No data available

### Aspiration toxicity

No data available

### Further information

#### Product:

Remarks: No data available

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

No data available

### Persistence and degradability

No data available

### Bioaccumulative potential

#### Product:

Partition coefficient: n-octanol/water : Remarks: No data available

#### Components:

##### **acetic acid :**

Partition coefficient: n-octanol/water : log Pow: -0.17

### Mobility in soil

No data available

### Other adverse effects

No data available

#### Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal., Harmful to aquatic life.

# SAFETY DATA SHEET

## ESPORTA CLASSIC STAGE 3 23L

Version 1.1

Revision Date 12/21/2025

Print Date 12/21/2025

---

### SECTION 13. DISPOSAL CONSIDERATIONS

#### Disposal methods

- Waste from residues : The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Dispose of in accordance with local regulations.
- Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.  
Do not burn, or use a cutting torch on, the empty drum.

---

### SECTION 14. TRANSPORT INFORMATION

Transportation Regulation (TDG) / Règlement Pour Le Transport (TMD): (Canada):  
UN3098, OXIDIZING LIQUID, CORROSIVE, N.O.S., (HYDROGEN PEROXIDE, PEROXYACETIC ACID), 5.1, (8), II

Transportation Regulation / Règlement Pour Le Transport: IMDG (Vessel):  
UN3098, OXIDIZING LIQUID, CORROSIVE, N.O.S., (HYDROGEN PEROXIDE, PEROXYACETIC ACID), 5.1, (8), II

Transportation Regulation / Règlement Pour Le Transport: IATA (Cargo Air):  
UN3098, Oxidizing liquid, corrosive, n.o.s., (HYDROGEN PEROXIDE, PEROXYACETIC ACID), 5.1, (8), II

Transportation Regulation / Règlement Pour Le Transport: IATA (Passenger Air):  
UN3098, Oxidizing liquid, corrosive, n.o.s., (HYDROGEN PEROXIDE, PEROXYACETIC ACID), 5.1, (8), II

Transportation Regulation / Règlement Pour Le Transport: 49 CFR (USA):

# SAFETY DATA SHEET

## ESPORTA CLASSIC STAGE 3 23L

Version 1.1

Revision Date 12/21/2025

Print Date 12/21/2025

UN3098, Oxidizing liquid, corrosive, n.o.s., (HYDROGEN PEROXIDE, PEROXYACETIC ACID), 5.1, (8), II

The product as delivered to the customer conforms to packaging requirements for shipment by road under Transport Dangerous Goods (TDG) Canada regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

---

### SECTION 15. REGULATORY INFORMATION

This product has been classified according to the hazard criteria of the HPR and the SDS contains all of the information required by the HPR.

**The components of this product are reported in the following inventories:**

|             |                                                        |
|-------------|--------------------------------------------------------|
| <b>TSCA</b> | On TSCA Inventory                                      |
| <b>DSL</b>  | All components of this product are on the Canadian DSL |

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

**Inventory Acronym and Validity Area Legend:**

TSCA (USA), DSL (Canada), NDSL (Canada)

---

### SECTION 16. OTHER INFORMATION

WHMIS - GHS Label Information:

# SAFETY DATA SHEET


## ESPORTA CLASSIC STAGE 3 23L

Version 1.1

Revision Date 12/21/2025

Print Date 12/21/2025

Hazard pictograms



Signal word

Hazard statements

Precautionary statements

: **Danger:**  
: May cause fire or explosion; strong oxidizer. Harmful if swallowed. Causes severe skin burns and eye damage.  
:  
: **Prevention:** Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep away from clothing and other combustible materials. Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/ protective clothing/ eye protection/ face protection. Wear fire resistant or flame retardant clothing.  
: **Response:** IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. IF ON CLOTHING: rinse immediately contaminated clothing and skin with plenty of water before removing clothes. Wash contaminated clothing before reuse. In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish. In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.  
: **Storage:** Store separately.  
: **Disposal:** Dispose of contents/container in accordance with local regulation.

|                |            |
|----------------|------------|
| Version:       | 1.1        |
| Revision Date: | 12/21/2025 |
| Print Date:    | 12/21/2025 |

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.