

# SAFETY DATA SHEET

## ZEP SSL HIGH ALK BREAK 20L

Version 1.3

Revision Date 12/21/2025

Print Date 12/21/2025

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name : ZEP SSL HIGH ALK BREAK 20L

Material number : Q05247C

#### Manufacturer or supplier's details

Company : Zep Inc.

Address : 11627 - 178 Street  
Edmonton, Alberta T5S 1N6  
Canada

Telephone : Compliance Services - 877-428-9937

#### Emergency telephone numbers

**For SDS Information** : Compliance Services - 877-428-9937

**For a Medical Emergency** : 877-541-2016 Toll Free - All Calls Recorded

**For a Transportation  
Emergency** : CHEMTREC: 800-424-9300 - All Calls Recorded.

#### Recommended use of the chemical and restrictions on use

### SECTION 2. HAZARDS IDENTIFICATION

#### Emergency Overview

|            |                   |
|------------|-------------------|
| Appearance | liquid            |
| Colour     | clear, colourless |
| Odour      | odourless         |

#### GHS Classification

Acute toxicity (Oral) : Category 4

Skin corrosion : Category 1

Serious eye damage : Category 1

#### GHS label elements

# SAFETY DATA SHEET

## ZEP SSL HIGH ALK BREAK 20L

Version 1.3

Revision Date 12/21/2025

Print Date 12/21/2025

Hazard pictograms

:



Corrosion

Exclamation  
mark

Signal word

: Danger

Hazard statements

: H302 Harmful if swallowed.  
H314 Causes severe skin burns and eye damage.

Precautionary statements

: **Prevention:**  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.  
**Response:**  
P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.  
P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.  
P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.  
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.  
P363 Wash contaminated clothing before reuse.  
**Disposal:**  
P501 Dispose of contents/container in accordance with local regulation.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

: Mixture

#### Hazardous components

| Chemical name                | CAS-No.   | Concentration [%] * |
|------------------------------|-----------|---------------------|
| sodium hydroxide             | 1310-73-2 | >= 10 - < 30        |
| potassium hydroxide          | 1310-58-3 | >= 5 - < 10         |
| Silicic acid, potassium salt | 1312-76-1 | >= 1 - < 5          |

\* The exact percentages of disclosed substances are withheld as trade secrets.

# SAFETY DATA SHEET

## ZEP SSL HIGH ALK BREAK 20L

Version 1.3

Revision Date 12/21/2025

Print Date 12/21/2025

---

### SECTION 4. FIRST AID MEASURES

|                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                          |
|-------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| General advice                                              | : Move out of dangerous area.<br>Consult a physician.<br><br>Show this safety data sheet to the doctor in attendance.<br><br>Do not leave the victim unattended.                                                                                                                                                                                                                                                         |
| If inhaled                                                  | : If unconscious, place in recovery position and seek medical advice.<br>If symptoms persist, call a physician.                                                                                                                                                                                                                                                                                                          |
| In case of skin contact                                     | : Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty.<br>Wash off immediately with plenty of water for at least 15 minutes.<br>If on clothes, remove clothes.                                                                                                                                                                                       |
| In case of eye contact                                      | : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.<br>Continue rinsing eyes during transport to hospital.<br>Remove contact lenses.<br>Protect unharmed eye.<br>Keep eye wide open while rinsing.<br>If eye irritation persists, consult a specialist.<br>If in eyes, rinse with water for 15 minutes.                                                                               |
| If swallowed                                                | : Clean mouth with water and drink afterwards plenty of water.<br>Keep respiratory tract clear.<br>Do NOT induce vomiting.<br>Do not give milk or alcoholic beverages.<br>Never give anything by mouth to an unconscious person.<br>If symptoms persist, call a physician.<br>Take victim immediately to hospital.                                                                                                       |
| Most important symptoms and effects, both acute and delayed | : Effects are immediate and delayed.<br>Symptoms may include central nervous system depression, resulting in headache, nausea and/or dizziness.<br>Effects are dependent on exposure (dose, concentration, contact time).<br>Symptoms may include blistering, irritation, burns, and pain.<br>Harmful if swallowed.<br>Causes severe skin burns and eye damage.<br>Review section 2 of SDS to see all potential hazards. |
| Notes to physician                                          | : Treat symptomatically. Symptoms may be delayed.<br>Contact a poison treatment specialist immediately if large quantities have been ingested or inhaled, or contact with large                                                                                                                                                                                                                                          |

# SAFETY DATA SHEET

## ZEP SSL HIGH ALK BREAK 20L

Version 1.3

Revision Date 12/21/2025

Print Date 12/21/2025

portions of the body have occurred.

---

### SECTION 5. FIREFIGHTING MEASURES

|                                               |                                                                                                                                                                                                                           |
|-----------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Suitable extinguishing media                  | : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.                                                                                                                                                |
| Unsuitable extinguishing media                | : High volume water jet                                                                                                                                                                                                   |
| Specific hazards during firefighting          | : Do not allow run-off from fire fighting to enter drains or water courses.                                                                                                                                               |
| Hazardous combustion products                 | : No hazardous combustion products are known                                                                                                                                                                              |
| Specific extinguishing methods                | : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.                                                                                                                 |
| Further information                           | : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.<br>Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. |
| Special protective equipment for firefighters | : Wear self-contained breathing apparatus for firefighting if necessary.                                                                                                                                                  |

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

|                                                                     |                                                                                                                                                                                            |
|---------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Personal precautions, protective equipment and emergency procedures | : Use personal protective equipment.                                                                                                                                                       |
| Environmental precautions                                           | : Prevent product from entering drains.<br>Prevent further leakage or spillage if safe to do so.<br>If the product contaminates rivers and lakes or drains, inform respective authorities. |
| Methods and materials for containment and cleaning up               | : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).<br>Keep in suitable, closed containers for disposal.                              |

---

### SECTION 7. HANDLING AND STORAGE

# SAFETY DATA SHEET

## ZEP SSL HIGH ALK BREAK 20L

Version 1.3

Revision Date 12/21/2025

Print Date 12/21/2025

- Advice on safe handling : Do not breathe vapours or spray mist.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
To avoid spills during handling keep bottle on a metal tray.  
Dispose of rinse water in accordance with local and national regulations.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Observe label precautions.  
Electrical installations / working materials must comply with the technological safety standards.
- Materials to avoid : Store and keep away from, oxidizing agents and acids.  
Do not freeze.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

| Components          | CAS-No.   | Value type<br>(Form of exposure) | Control parameters /<br>Permissible concentration | Basis     |
|---------------------|-----------|----------------------------------|---------------------------------------------------|-----------|
| sodium hydroxide    | 1310-73-2 | (c)                              | 2 mg/m <sup>3</sup>                               | CA AB OEL |
|                     |           | C                                | 2 mg/m <sup>3</sup>                               | CA BC OEL |
|                     |           | C                                | 2 mg/m <sup>3</sup>                               | CA QC OEL |
|                     |           | C                                | 2 mg/m <sup>3</sup>                               | ACGIH     |
| potassium hydroxide | 1310-58-3 | (c)                              | 2 mg/m <sup>3</sup>                               | CA AB OEL |
|                     |           | C                                | 2 mg/m <sup>3</sup>                               | CA BC OEL |
|                     |           | C                                | 2 mg/m <sup>3</sup>                               | CA QC OEL |
|                     |           | C                                | 2 mg/m <sup>3</sup>                               | ACGIH     |

Engineering measures : effective ventilation in all processing areas

#### Personal protective equipment

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment.

Hand protection

Remarks : Protective gloves Skin should be washed after contact. For prolonged or repeated contact use protective gloves. The suitability for a specific workplace should be discussed with the producers

# SAFETY DATA SHEET

## ZEP SSL HIGH ALK BREAK 20L

Version 1.3

Revision Date 12/21/2025

Print Date 12/21/2025

of the protective gloves.

- Eye protection : Eye wash bottle with pure water  
Tightly fitting safety goggles  
Wear face-shield and protective suit for abnormal processing problems.
- Skin and body protection : Impervious clothing  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.
- Hygiene measures : When using do not eat or drink.  
When using do not smoke.  
Wash hands before breaks and at the end of workday.

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Physical state : liquid
- Colour : clear, colourless
- Odour : odourless
- pH : > 13
- Melting point/freezing point : No data available
- Boiling point : 100 °C
- Flash point :  
No data available
- Evaporation rate : No data available
- Upper explosion limit : No data available
- Lower explosion limit : No data available
- Vapour pressure : No data available
- Density : 1.36 g/cm<sup>3</sup>
- Solubility(ies)

# SAFETY DATA SHEET

## ZEP SSL HIGH ALK BREAK 20L

Version 1.3

Revision Date 12/21/2025

Print Date 12/21/2025

|                                        |                     |
|----------------------------------------|---------------------|
| Water solubility                       | : soluble           |
| Partition coefficient: n-octanol/water | : No data available |
| Auto-ignition temperature              | : No data available |
| Decomposition temperature              | : No data available |
| Viscosity                              |                     |
| Viscosity, kinematic                   | : No data available |

---

### SECTION 10. STABILITY AND REACTIVITY

|                                    |                                                                      |
|------------------------------------|----------------------------------------------------------------------|
| Reactivity                         | : Stable                                                             |
| Chemical stability                 | : Stable under normal conditions.                                    |
| Possibility of hazardous reactions | : No decomposition if stored and applied as directed.                |
| Conditions to avoid                | : No data available                                                  |
| Incompatible materials             | : Oxidizing agents<br>Acids                                          |
| Hazardous decomposition products   | : Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke). |

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Potential Health Effects

|                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Aggravated Medical Condition | : None known.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Symptoms of Overexposure     | : Effects are immediate and delayed.<br>Symptoms may include central nervous system depression, resulting in headache, nausea and/or dizziness.<br>Effects are dependent on exposure (dose, concentration, contact time).<br>Symptoms may include blistering, irritation, burns, and pain.<br>Harmful if swallowed.<br>Causes severe skin burns and eye damage.<br>Review section 2 of SDS to see all potential hazards.<br>Treat symptomatically. Symptoms may be delayed.<br>Contact a poison treatment specialist immediately if large quantities have been ingested or inhaled, or contact with large portions of the body have occurred. |

# SAFETY DATA SHEET

## ZEP SSL HIGH ALK BREAK 20L

Version 1.3

Revision Date 12/21/2025

Print Date 12/21/2025

---

### Carcinogenicity:

#### IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

#### ACGIH

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

### Acute toxicity

#### Product:

Acute oral toxicity : Acute toxicity estimate : 1,111 mg/kg

Method: Calculation method

#### Components:

##### sodium hydroxide:

Acute dermal toxicity : Acute toxicity estimate Rabbit: 1,350 mg/kg

### Skin corrosion/irritation

#### Product:

Remarks: Extremely corrosive and destructive to tissue.

### Serious eye damage/eye irritation

#### Product:

Remarks: May cause irreversible eye damage.

### Respiratory or skin sensitisation

No data available

### Germ cell mutagenicity

No data available

### Carcinogenicity

No data available

### Reproductive toxicity

No data available

### STOT - single exposure



# SAFETY DATA SHEET

## ZEP SSL HIGH ALK BREAK 20L

Version 1.3

Revision Date 12/21/2025

Print Date 12/21/2025

No data available

### STOT - repeated exposure

No data available

### Aspiration toxicity

No data available

### Further information

#### Product:

Remarks: No data available

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

#### **sodium hydroxide :**

|                                                        |                                                                                                        |
|--------------------------------------------------------|--------------------------------------------------------------------------------------------------------|
| Toxicity to fish                                       | : LC50 (Gambusia affinis (Mosquito fish)): 125 mg/l<br>Exposure time: 96 h<br>Test Method: static test |
|                                                        | LC50 (Oncorhynchus tshawytscha (chinook salmon)):<br>152 mg/l<br>Exposure time: 96 h                   |
|                                                        | LC50 (Oncorhynchus mykiss (rainbow trout)): 40 mg/l<br>Exposure time: 48 h                             |
| Toxicity to daphnia and<br>other aquatic invertebrates | : EC50 (Daphnia magna (Water flea)): 34 - 47 mg/l<br>Exposure time: 48 h                               |
|                                                        | EC50 (Crangon crangon (shrimp)): 33 - 100 mg/l<br>Exposure time: 48 h                                  |

### Persistence and degradability

No data available

### Bioaccumulative potential

#### Product:

|                                            |                              |
|--------------------------------------------|------------------------------|
| Partition coefficient: n-<br>octanol/water | : Remarks: No data available |
|--------------------------------------------|------------------------------|

# SAFETY DATA SHEET

## ZEP SSL HIGH ALK BREAK 20L

Version 1.3

Revision Date 12/21/2025

Print Date 12/21/2025

### Mobility in soil

No data available

### Other adverse effects

No data available

#### **Product:**

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal., Harmful to aquatic life.

#### **Components:**

##### **sodium hydroxide :**

Additional ecological information : Harmful to aquatic life.

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### **Disposal methods**

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.

---

## SECTION 14. TRANSPORT INFORMATION

|                                                                                                                                                                                      |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Transportation Regulation (TDG) / Règlement Pour Le Transport (TMD): (Canada):<br>UN3266, CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S., (POTASSIUM HYDROXIDE, SODIUM HYDROXIDE), 8, II |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|                                                                                                                                           |
|-------------------------------------------------------------------------------------------------------------------------------------------|
| Transportation Regulation / Règlement Pour Le Transport: IMDG (Vessel):<br>UN3266, CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S., (POTASSIUM |
|-------------------------------------------------------------------------------------------------------------------------------------------|

# SAFETY DATA SHEET

## ZEP SSL HIGH ALK BREAK 20L

Version 1.3

Revision Date 12/21/2025

Print Date 12/21/2025

HYDROXIDE, SODIUM HYDROXIDE), 8, II

Transportation Regulation / Règlement Pour Le Transport: IATA (Cargo Air):

UN3266, Corrosive liquid, basic, inorganic, n.o.s., (POTASSIUM HYDROXIDE, SODIUM HYDROXIDE), 8, II

Transportation Regulation / Règlement Pour Le Transport: IATA (Passenger Air):

UN3266, Corrosive liquid, basic, inorganic, n.o.s., (POTASSIUM HYDROXIDE, SODIUM HYDROXIDE), 8, II

Transportation Regulation / Règlement Pour Le Transport: 49 CFR (USA):

UN3266, Corrosive liquid, basic, inorganic, n.o.s., (POTASSIUM HYDROXIDE, SODIUM HYDROXIDE), 8, II

The product as delivered to the customer conforms to packaging requirements for shipment by road under Transport Dangerous Goods (TDG) Canada regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

### SECTION 15. REGULATORY INFORMATION

This product has been classified according to the hazard criteria of the HPR and the SDS contains all of the information required by the HPR.

**The components of this product are reported in the following inventories:**

# SAFETY DATA SHEET

## ZEP SSL HIGH ALK BREAK 20L

Version 1.3

Revision Date 12/21/2025

Print Date 12/21/2025

### TSCA DSL

On TSCA Inventory  
All components of this product are on the Canadian DSL

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

### Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

## SECTION 16. OTHER INFORMATION

### WHMIS - GHS Label Information:

Hazard pictograms



Corrosion

Exclamation  
mark

Signal word

: **Danger:**

Hazard statements

: Harmful if swallowed. Causes severe skin burns and eye damage.

Precautionary statements

:

**Prevention:** Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:** IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Wash contaminated clothing before reuse.

**Disposal:** Dispose of contents/container in accordance with local regulation.

|                |            |
|----------------|------------|
| Version:       | 1.3        |
| Revision Date: | 12/21/2025 |
| Print Date:    | 12/21/2025 |

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

**SAFETY DATA SHEET**  
**ZEP SSL HIGH ALK BREAK 20L**

Version 1.3

Revision Date 12/21/2025

Print Date 12/21/2025

---