



# Liquid Water Softener (AFCO 1078)

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations  
Revision Date: 02/25/2025

Version: 1.2

## SECTION 1: IDENTIFICATION

### Product Identifier

**Product Form:** Mixture

**Product Name:** Liquid Water Softener

**Product Code:** AFCO 1078

### Intended Use of the Product

**Use of the Substance/Mixture:** Water softening additive for use in food processing plants.

### Name, Address, and Telephone of the Responsible Party

#### **Company**

AFCO  
550 Development Avenue  
Chambersburg, PA 17201  
T: 800-345-1329

[www.afcocare.com](http://www.afcocare.com)

### Emergency Telephone Number

**Emergency Number** : 1-800-424-9300 (CHEMTREC)

## SECTION 2: HAZARDS IDENTIFICATION

### Classification of the Substance or Mixture

#### **Classification (GHS-US)**

Skin Irrit 2 H314

Eye Dam. 1 H318

STOT RE 2 H373

Aquatic Acute 2 H401

### Label Elements

#### **GHS-US Labeling**

#### **Hazard Pictograms (GHS-US)**

:



GHS05



GHS08

#### **Signal Word (GHS-US)**

: Danger

#### **Hazard Statements (GHS-US)**

: H314 - Causes severe skin burns and eye damage  
H318 - Causes serious eye damage  
H373 - May cause damage to organs (respiratory system) through prolonged/repeated exposure (inhalation)  
H401 - Toxic to aquatic life

#### **Precautionary Statements (GHS-US)**

: P260 - Do not breathe vapors, mist, spray.  
P264 - Wash hands, forearms, and exposed areas thoroughly after handling.  
P273 - Avoid release to the environment.  
P280 - Wear protective glove, protective clothing, eye protection, face protection.  
P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.  
P302+P352 - IF ON SKIN: Wash with plenty of soap and water.  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.  
P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
P310 - Immediately call a POISON CENTER or doctor/physician.  
P314 - Get medical attention/advice if you feel unwell.  
P321 - Specific treatment (see Section 4).

# Liquid Water Softener (AFCO 1078)

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P332+P313- If skin irritation occurs, get medical advice/attention.

P362 - Take off contaminated clothing and wash before reuse.

P363 - Wash contaminated clothing before reuse.

P405 - Store locked up.

P501 - Dispose of contents/container according to local, regional, national, territorial, provincial, and international regulations.

### Other Hazards

**Other Hazards Not Contributing to the Classification:** None known.

### Supplemental Information:

42.5% of the mixture consists of component(s) of unknown acute dermal toxicity. 60% of the mixture consists of component(s) of unknown acute inhalation toxicity.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### Substances

| Name             | Product identifier | % (w/w) | Classification (GHS-US)                                                                                               |
|------------------|--------------------|---------|-----------------------------------------------------------------------------------------------------------------------|
| Water            | (CAS No) 7732-18-5 | 60-70   | Not classified                                                                                                        |
| Tetrasodium EDTA | (CAS No) 64-02-8   | 30-40   | Acute Tox. 4 (Oral), H302<br>Acute Tox. 4 (Inhalation: dust, mist), H332<br>Eye Dam. 1, H318<br>Aquatic Acute 2, H401 |

The exact percentage of composition are withheld as a trade secret [29 CFR 1910.1200].

## SECTION 4: FIRST AID MEASURES

### Description of First Aid Measures

**General:** Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

**Inhalation:** Remove to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER/doctor/physician if you feel unwell.

**Skin Contact:** Remove contaminated clothing. Drench affected area with water for several minutes. Immediately call a POISON CENTER or doctor/physician. Wash contaminated clothing before reuse.

**Eye Contact:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

**Ingestion:** Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

### Most Important Symptoms and Effects Both Acute and Delayed

**General:** Causes skin irritation and eye damage.

**Inhalation:** Under normal use not a respiratory irritant.

**Skin Contact:** Causes irritation.

**Eye Contact:** Causes serious eye damage.

**Ingestion:** Ingestion is likely to be harmful or have adverse effects.

**Chronic Symptoms:** None known.

### Indication of Any Immediate Medical Attention and Special Treatment Needed

If you feel unwell, seek medical advice (show the label where possible).

## SECTION 5: FIRE-FIGHTING MEASURES

### Extinguishing Media

**Suitable Extinguishing Media:** Use extinguishing media appropriate for surrounding fire.

**Unsuitable Extinguishing Media:** Do not use a heavy water stream. A heavy water stream may spread burning liquid.

### Special Hazards Arising From the Substance or Mixture

**Fire Hazard:** Not flammable.

**Explosion Hazard:** Product is not explosive.

**Reactivity:** Thermal decomposition generates carbon oxides.

# Liquid Water Softener (AFCO 1078)

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Advice for Firefighters

**Precautionary Measures Fire:** Exercise caution when fighting any chemical fire. Under fire conditions, hazardous fumes will be present.

**Firefighting Instructions:** Use water spray or fog for cooling exposed containers.

**Protection During Firefighting:** Do not enter fire area without proper protective equipment, including respiratory protection.

**Hazardous Combustion Products:** Carbon oxides (CO, CO<sub>2</sub>), nitrogen oxides.

### Reference to Other Sections

Refer to section 9 for flammability properties.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### Personal Precautions, Protective Equipment and Emergency Procedures

**General Measures:** Avoid all contact with skin, eyes, or clothing.

#### For Non-Emergency Personnel

**Protective Equipment:** Use appropriate personal protection equipment (PPE).

**Emergency Procedures:** Evacuate unnecessary personnel.

#### For Emergency Personnel

**Protective Equipment:** Equip cleanup crew with proper protection.

**Emergency Procedures:** Ventilate area.

### Environmental Precautions

Prevent entry to sewers and public waters.

### Methods and Material for Containment and Cleaning Up

**For Containment:** Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

**Methods for Cleaning Up:** Clear up spills immediately and dispose of waste safely. Contact competent authorities after a spill.

### Reference to Other Sections

See heading 8, Exposure Controls and Personal Protection.

## SECTION 7: HANDLING AND STORAGE

### Precautions for Safe Handling

**Hygiene Measures:** Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work. Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse.

### Conditions for Safe Storage, Including Any Incompatibilities

**Technical Measures:** Comply with applicable regulations.

**Storage Conditions:** Store in a dry, cool and well-ventilated place. Keep/Store away from extremely low temperatures and incompatible materials. Keep container closed when not in use.

**Incompatible Materials:** Strong acids. Strong oxidizers.

**Specific End Use(s):** Water softening additive for use in food processing plants.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control Parameters

No Occupational Exposure Limits (OELs) have been established for this product or its chemical components.

### Exposure Controls

**Appropriate Engineering Controls:** Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure all national/local regulations are observed.

**Personal Protective Equipment:** Protective goggles. Face shield. Gloves.



**Materials for Protective Clothing:** None usually needed.

**Hand Protection:** Wear chemically resistant protective gloves.

**Eye Protection:** Chemical goggles or face shield.

**Skin and Body Protection:** None usually needed.

# Liquid Water Softener (AFCO 1078)

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

**Respiratory Protection:** None usually needed.

**Environmental Exposure Controls:** Do not allow the product to be released into the environment.

**Consumer Exposure Controls:** Do not eat, drink or smoke during use.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### Information on Basic Physical and Chemical Properties

|                                                   |                                                                        |
|---------------------------------------------------|------------------------------------------------------------------------|
| Physical State                                    | : Liquid                                                               |
| Appearance                                        | : Clear, pale yellow                                                   |
| Odor                                              | : Mild                                                                 |
| Odor Threshold                                    | : Not available                                                        |
| pH (as is)                                        | : 11-11.8                                                              |
| Relative Evaporation Rate (butylacetate=1)        | : Not available                                                        |
| Melting Point                                     | : -13°F (-25°C)                                                        |
| Freezing Point                                    | : Not available                                                        |
| Boiling Point                                     | : 103°C (217°F)                                                        |
| Flash Point                                       | : Not flammable                                                        |
| Auto-ignition Temperature                         | : Not available                                                        |
| Decomposition Temperature                         | : Not available                                                        |
| Flammability (solid, gas)                         | : Not flammable                                                        |
| Lower Flammable Limit                             | : Not available                                                        |
| Upper Flammable Limit                             | : Not available                                                        |
| Vapor Pressure                                    | : Not available                                                        |
| Relative Vapor Density at 20°C                    | : Not available                                                        |
| Relative Density                                  | : Not available                                                        |
| Specific Gravity                                  | : 1.31                                                                 |
| Solubility                                        | : Water: Complete                                                      |
| Partition coefficient: n-octanol/water            | : Not available                                                        |
| Viscosity                                         | : Not available                                                        |
| Explosion Data – Sensitivity to Mechanical Impact | : Not expected to present an explosion hazard due to mechanical impact |
| Explosion Data – Sensitivity to Static Discharge  | : Not expected to present an explosion hazard due to static discharge  |

## SECTION 10: STABILITY AND REACTIVITY

**Reactivity:** Thermal decomposition generates carbon oxides..

**Chemical Stability:** Stable under recommended handling and storage conditions (see section 7).

**Possibility of Hazardous Reactions:** Hazardous polymerization will not occur.

**Conditions to Avoid:** Extremely low temperatures and incompatible materials.

**Incompatible Materials:** Strong acids. Strong oxidizers.

**Hazardous Decomposition Products:** Carbon oxides (CO, CO<sub>2</sub>), nitrogen oxides.

## SECTION 11: TOXICOLOGICAL INFORMATION

### Information on Toxicological Effects - Product

**Acute Toxicity:** Not classified.

**LD50 and LC50 Data:** Not available.

**Skin Corrosion/Irritation:** Causes skin irritation. (pH: 11-11.8 )

**Serious Eye Damage/Irritation:** Causes serious eye damage. (pH: 11-11.8)

**Respiratory or Skin Sensitization:** Not classified.

**Germ Cell Mutagenicity:** Not classified.

**Teratogenicity:** Not classified.

**Carcinogenicity:** Not classified.

**Specific Target Organ Toxicity (Repeated Exposure):** May cause damage to respiratory tract through repeated or prolonged exposure if inhaled.

**Reproductive Toxicity:** Not classified.

# Liquid Water Softener (AFCO 1078)

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

**Specific Target Organ Toxicity (Single Exposure):** Not classified.

**Aspiration Hazard:** Not classified.

**Symptoms/Injuries After Inhalation:** May cause irritation to the respiratory system. Prolonged inhalation may be harmful.

**Symptoms/Injuries After Skin Contact:** Causes severe skin burns.

**Symptoms/Injuries After Eye Contact:** Causes serious eye damage.

**Symptoms/Injuries After Ingestion:** Causes digestive tract burns.

**Chronic Symptoms:** None known.

### Information on Toxicological Effects - Ingredient(s)

**LD50 and LC50 Data:**

|                                   |              |
|-----------------------------------|--------------|
| <b>Water (7732-18-5)</b>          |              |
| LD50 Oral Rat                     | >90000 mg/kg |
| <b>Tetrasodium EDTA (64-02-8)</b> |              |
| LD50 Oral Rat                     | 1780 mg/kg   |

## SECTION 12: ECOLOGICAL INFORMATION

### Toxicity

**Ecology - General:** This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

**Ecology - Water:** Toxic to aquatic life.

|                                   |                                                                         |
|-----------------------------------|-------------------------------------------------------------------------|
| <b>Tetrasodium EDTA (64-02-8)</b> |                                                                         |
| LC50 Fish 1                       | 41 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])   |
| EC50 Other Aquatic Organisms 1    | 1.01 mg/l (Exposure time: 72 h - Species: Desmodesmus subspicatus)      |
| LC50 Fish 2                       | 59.8 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static]) |

**Persistence and Degradability:** Not available.

### Bioaccumulative Potential

|                                          |                  |
|------------------------------------------|------------------|
| <b>Liquid Water Softener (AFCO 1078)</b> |                  |
| Bioaccumulative Potential                | Not established. |

**Mobility in Soil:** Not available.

**Other Adverse Effects:** Not available.

## SECTION 13: DISPOSAL CONSIDERATIONS

**Waste Disposal Recommendations:** Dispose of waste material in accordance with all local, regional, national, provincial, territorial and international regulations.

**Ecology - Waste Materials:** Avoid release to the environment.

## SECTION 14: TRANSPORT INFORMATION

**14.1 In Accordance with DOT :** Not regulated for transport.

**14.2 In Accordance with IMDG :** Not regulated for transport.

**14.3 In Accordance with IATA :** Not regulated for transport.

**14.4 In Accordance with TDG :** Not regulated for transport.

## SECTION 15: REGULATORY INFORMATION

### US Federal Regulations

|                                                                            |                                  |
|----------------------------------------------------------------------------|----------------------------------|
| <b>Liquid Water Softener (AFCO 1078)</b>                                   |                                  |
| SARA Section 311/312 Hazard Classes                                        | Immediate (acute) health hazard. |
| <b>Water (7732-18-5)</b>                                                   |                                  |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory. |                                  |
| <b>Tetrasodium EDTA (64-02-8)</b>                                          |                                  |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory. |                                  |

### US State Regulations

|                                                       |  |
|-------------------------------------------------------|--|
| <b>Tetrasodium EDTA (64-02-8)</b>                     |  |
| U.S. - Texas - Effects Screening Levels - Long Term.  |  |
| U.S. - Texas - Effects Screening Levels - Short Term. |  |

# Liquid Water Softener (AFCO 1078)

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Canadian Regulations

#### Water (7732-18-5)

Listed on the Canadian DSL (Domestic Substances List) inventory.

#### Tetrasodium EDTA (64-02-8)

Listed on the Canadian DSL (Domestic Substances List) inventory.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by CPR.

### SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

**Revision date** : 02/25/2025

**Other Information** : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.


#### GHS Full Text Phrases:

|                                   |                                                                 |
|-----------------------------------|-----------------------------------------------------------------|
| Acute Tox. 4 (Inhalation: vapour) | Acute toxicity (inhalation: vapour) Category 4.                 |
| Skin Irrit. 2                     | Skin corrosion/irritation Category 2.                           |
| Acute Tox. 4 (Oral)               | Acute toxicity (oral) Category 4.                               |
| Aquatic Acute 2                   | Hazardous to the aquatic environment - Acute Hazard Category 2. |
| Eye Dam. 1                        | Serious eye damage/eye irritation Category 1.                   |
| STOT RE 2                         | Specific target organ toxicity repeated exposure Category 2.    |
| H302                              | Harmful if swallowed.                                           |
| H314                              | Causes severe skin burns and eye damage.                        |
| H318                              | Causes serious eye damage.                                      |
| H332                              | Harmful if inhaled.                                             |
| H401                              | Toxic to aquatic life.                                          |

**NFPA Health Hazard** : 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.

**NFPA Fire Hazard** : 0 - Materials that will not burn.

**NFPA Reactivity** : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.



#### HMIS III Rating

**Health** : 3 Serious Hazard - Major injury likely unless prompt action is taken, and medical treatment is given.

**Flammability** : 0 - Minimal Hazard.

**Physical** : 0 - Minimal Hazard.

#### Party Responsible for the Preparation of This Document

AFCO  
550 Development Avenue  
Chambersburg, PA 17201  
T: 800-345-1329

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*

North America GHS SDS 2015 (U.S., Can., Mex.)