



Clean Trac LF (AFCO 5561)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision Date: 11/26/2024

Version: 2.1

SECTION 1: IDENTIFICATION

Product Identifier

Product Form: Mixture

Product Name: Clean Trac LF

Product Code: AFCO 5561

Intended Use of the Product

Use of the Substance/Mixture: Synthetic conveyor lubricant for use in bottling plants, dairies, and breweries. For professional use only.

Name, Address, and Telephone of the Responsible Party

Company

AFCO

550 Development Avenue

Chambersburg, PA 17201

T: 800-345-1329

www.afcocare.com

Emergency Telephone Number

Emergency Number : 1-800-424-9300 (CHEMTREC)

SECTION 2: HAZARDS IDENTIFICATION

Classification of the Substance or Mixture

Classification (GHS-US)

Acute Tox. 4 (Oral) H302

Skin Corr 1A H314

Eye Dam. 1 H318

Skin Sens. 1 H317

Aquatic Acute 2 H401

Aquatic Chronic 2 H411

Label Elements

GHS-US Labeling

Hazard Pictograms (GHS-US)



Signal Word (GHS-US)

: Danger.

Hazard Statements (GHS-US)

: H302 - Harmful if swallowed
H314 - Causes severe skin burns and eye damage
H317 - May cause an allergic skin reaction
H318 - Causes serious eye damage
H401 - Toxic to aquatic life
H411 - Toxic to aquatic life with long lasting effects

Precautionary Statements (GHS-US)

: P260 - Do not breathe dusts or mists.
P261 - Avoid breathing vapors, mist, spray.
P264 - Wash hands, forearms, and other exposed areas thoroughly after handling.
P270 - Do not eat, drink or smoke when using this product.
P272 - Contaminated work clothing should not be allowed out of the workplace.
P273 - Avoid release to the environment.
P280 - Wear protective glove, protective clothing, eye protection, face protection.
P301+P312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
P302+P352 - IF ON SKIN: Wash with plenty of soap and water.
P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest position comfortable for breathing.

Clean Trac LF (AFCO 5561)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 - Immediately call a POISON CENTER or doctor/physician.
P321 - Specific treatment (see section 4).
P330 - If swallowed, rinse mouth.
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
P363 - Wash contaminated clothes before reuse.
P391 - Collect spillage.
P501 - Dispose of contents/container to local, regional, national, territorial, provincial, and international regulations.

Other Hazards

Other Hazards Not Contributing to the Classification: Exposure may aggravate those with pre-existing eye, skin, or respiratory conditions. When heated to decomposition, emits toxic fumes.

Unknown Acute Toxicity (GHS-US) Not available.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Substances

Mixture

Name	Product identifier	% (w/w)	Classification (GHS-US)
Water	(CAS No) 7732-18-5	70 - 80	Not classified
Ethoxylated coconut oil alkyl amine	(CAS No) 61791-14-8	5 - 10	Acute Tox. 4 (Oral), H302 Eye Irrit. 2A, H319 Aquatic Chronic 2, H411
Sodium nitrite	(CAS No) 7632-00-0	5 - 10	Ox. Sol. 2, H272 Acute Tox. 3 (Oral), H301 Eye Irrit. 2A, H319 Aquatic Acute 1, H400
N-Cis-9-octadecenyl-1,3-propanediamine	(CAS No) 7173-62-8	5 - 10	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 Skin Sens. 1B, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Octyldimethylamine oxide	(CAS No) 2605-78-9	0.1 - 1	Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400
Alcohols, C12-15, ethoxylated	(CAS No) 68131-39-5	0.1 - 1	Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 3, H412

Full text of H-phrases: see section 16.

SECTION 4: FIRST AID MEASURES

Description of First Aid Measures

General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

Inhalation: When symptoms occur: go into open air and ventilate suspected area. Remove to fresh air and keep at rest in a position comfortable for breathing. Obtain medical attention if breathing difficulty persists.

Skin Contact: Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Obtain medical attention if irritation persists. Wash contaminated clothing before reuse.

Eye Contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.

Ingestion: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

Most Important Symptoms and Effects Both Acute and Delayed

General: Harmful if swallowed. Causes severe skin burns and serious eye damage. May cause an allergic skin reaction.

Clean Trac LF (AFCO 5561)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Inhalation: May cause respiratory irritation.

Skin Contact: Causes severe skin burns. May cause an allergic skin reaction.

Eye Contact: Causes serious eye damage.

Ingestion: Harmful if swallowed. Ingestion is likely to be harmful or have adverse effects.

Chronic Symptoms: Not available.

Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention.

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media: Water spray, fog, carbon dioxide, foam, dry chemical.

Unsuitable Extinguishing Media: Do not use a heavy water stream. Use of heavy stream of water may spread fire.

Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not flammable.

Explosion Hazard: Contains an oxidizing material which may accelerate fire.

Reactivity: Thermal decomposition generates: Corrosive vapors. When heated to decomposition, emits toxic fumes.

Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire.

Firefighting Instructions: Use water spray or fog for cooling exposed containers.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: Carbon oxides (CO, CO₂). Toxic fumes are released. Nitrogen oxides (NO_x). Sodium oxides. Corrosive vapors.

Other information: Do not allow run-off from fire fighting to enter drains or water courses.

Reference to Other Sections: Refer to section 9 for flammability properties.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Avoid breathing (vapors, mist, spray). Avoid all contact with skin, eyes, or clothing.

For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protection equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Ventilate area.

Environmental Precautions

Prevent entry to sewers and public waters. Avoid release to the environment.

Methods and Material for Containment and Cleaning Up

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

Methods for Cleaning Up: Clear up spills immediately and dispose of waste safely. Contact competent authorities after a spill. Do not take up in combustible material such as: saw dust or cellulosic material.

Reference to Other Sections: See heading 8, Exposure Controls and Personal Protection.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling

Additional Hazards When Processed: When heated to decomposition, emits toxic fumes. Corrosive vapors are released. Contains an oxidizing material which may accelerate fire.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work. Do not eat, drink or smoke when using this product. Wash hands and forearms thoroughly after handling.

Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Comply with applicable regulations.

Storage Conditions: Store in a dry, cool and well-ventilated place. Keep container closed when not in use. Keep/Store away from extremely high or low temperatures, incompatible materials.

Incompatible Materials: Strong acids. Strong oxidizers. Combustible materials.

Clean Trac LF (AFCO 5561)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Special Rules on Packaging: Keep only in original container.

Specific End Use(s): Synthetic conveyor lubricant for use in bottling plant, dairies, and breweries. For professional use only.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

No Occupational Exposure Limits (OELs) have been established for this product or its chemical components.

Exposure Controls

Appropriate Engineering Controls: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure all national/local regulations are observed. Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment: Protective goggles. Protective clothing. Gloves.



Materials for Protective Clothing: Chemically resistant materials and fabrics.

Hand Protection: Wear chemically resistant protective gloves.

Eye Protection: Chemical goggles or face shield.

Skin and Body Protection: Wear suitable protective clothing.

Respiratory Protection: Use NIOSH-approved air-purifying or supplied-air respirator where airborne concentrations of vapor or mist are expected to exceed exposure limits.

Other Information: When using, do not eat, drink or smoke.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical State	: Liquid.
Appearance	: Clear to hazy pale amber.
Odor	: Slight.
Odor Threshold	: Not available.
pH	: 11.8
Relative Evaporation Rate (butylacetate=1)	: Not available.
Melting Point	: Not available.
Freezing Point	: Not available.
Boiling Point	: >100°C (212°F)
Flash Point	: None to boiling.
Auto-ignition Temperature	: Not available.
Decomposition Temperature	: Not available.
Flammability (solid, gas)	: Not available.
Lower Flammable Limit	: Not available.
Upper Flammable Limit	: Not available.
Vapor Pressure	: Not available.
Relative Vapor Density at 20°C	: Not available.
Specific Gravity	: 1.06
Solubility	: Soluble in water.
Partition coefficient: n-octanol/water	: Not available.
Viscosity	: Not available.
Explosion Data – Sensitivity to Mechanical Impact	: Not expected to present an explosion hazard due to mechanical impact.
Explosion Data – Sensitivity to Static Discharge	: Not expected to present an explosion hazard due to static discharge.

Clean Trac LF (AFCO 5561)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 10: STABILITY AND REACTIVITY

Reactivity: Thermal decomposition generates: Corrosive vapors. When heated to decomposition, emits toxic fumes.

Chemical Stability: Stable under normal conditions.

Possibility of Hazardous Reactions: Hazardous polymerization will not occur.

Conditions to Avoid: Extremely high or low temperatures. Combustible materials. Incompatible materials.

Incompatible Materials: Strong acids. Strong oxidizers.

Hazardous Decomposition Products: Carbon oxides (CO, CO₂). Thermal decomposition generates: Toxic gases. Nitrogen oxides (NO_x). Corrosive vapors. Sodium oxides.

SECTION 11: TOXICOLOGICAL INFORMATION

Information on Toxicological Effects - Product

Acute Toxicity: Harmful if swallowed.

LD50 and LC50 Data: Not available.

Skin Corrosion/Irritation: Causes severe skin burns. (pH: 11.8)

Serious Eye Damage/Irritation: Causes serious eye damage. (pH: 11.8)

Respiratory or Skin Sensitization: May cause an allergic skin reaction.

Germ Cell Mutagenicity: Not classified.

Teratogenicity: Not available.

Carcinogenicity: Not classified.

Specific Target Organ Toxicity (Repeated Exposure): Not classified.

Reproductive Toxicity: Not classified.

Specific Target Organ Toxicity (Single Exposure): Not classified.

Aspiration Hazard: Not classified.

Symptoms/Injuries After Inhalation: May cause respiratory irritation.

Symptoms/Injuries After Skin Contact: May cause severe skin burns. May cause an allergic skin reaction.

Symptoms/Injuries After Eye Contact: Causes serious eye damage.

Symptoms/Injuries After Ingestion: Harmful if swallowed. Ingestion is likely to be harmful or have adverse effects.

Information on Toxicological Effects - Ingredient(s)

LD50 and LC50 Data:

Water (7732-18-5)	
LD50 Oral Rat	>90000 mg/kg
Sodium nitrite (7632-00-0)	
LD50 Oral Rat	180 mg/kg
LC50 Inhalation Rat (mg/l)	5.5 mg/l/4h
Alcohols, C12-15, ethoxylated (68131-39-5)	
LD50 Oral Rat	1600 mg/kg
LD50 Dermal Rabbit	2500 mg/kg
N-Cis-9-octadecenyl-1,3-propanediamine (7173-62-8)	
LD50 Oral Rat	500 mg/kg

SECTION 12: ECOLOGICAL INFORMATION

Toxicity Ecology - General: Toxic to aquatic life with long lasting effects.

Sodium nitrite (7632-00-0)	
LC50 Fish 1	0.19 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through])
LC50 Fish 2	0.092 - 0.13 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through])
Alcohols, C12-15, ethoxylated (68131-39-5)	
LC50 Fish 1	0.59 mg/l
N-Cis-9-octadecenyl-1,3-propanediamine (7173-62-8)	
LC50 Fish 1	0.148 mg/l (Brachydanio rerio)
EC50 Daphnia 1	0.013 mg/l

Clean Trac LF (AFCO 5561)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Persistence and Degradability

Clean Trac LF (AFCO 5561)	
Persistence and Degradability	May cause long-term adverse effects in the environment.

Bioaccumulative Potential

Clean Trac LF (AFCO 5561)	
Bioaccumulative Potential	Not established.

Sodium nitrite (7632-00-0)	
Log Pow	-3.7 (at 25°C)

Mobility in Soil Not available. **Other Adverse Effects** **Other Information:** Avoid release to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal Recommendations: Dispose of waste material in accordance with all local, regional, national, provincial, territorial and international regulations.

Ecology – Waste Materials: This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

SECTION 14: TRANSPORT INFORMATION

14.1 In Accordance with DOT

Proper Shipping Name : ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S. (sodium nitrite, N-Cis-9-octadecenyl-1,3-propanediamine)

Hazard Class : 9


Identification Number : UN3082

Label Codes : 9

Packing Group : III

Marine Pollutant : Yes

EGR Number : 171



14.2 In Accordance with IMDG

Proper Shipping Name : ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S. (sodium nitrite, N-Cis-9-octadecenyl-1,3-propanediamine)

Hazard Class : 9

Identification Number : UN3082

Packing Group : III

Label Codes : 9

EmS-No. (Fire) : F-A

EmS-No. (Spillage) : S-F

Marine pollutant : Yes



14.3 In Accordance with IATA

Proper Shipping Name : ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S. (sodium nitrite, N-Cis-9-octadecenyl-1,3-propanediamine)

Packing Group : III

Identification Number : UN3082

Hazard Class : 9

Label Codes : 9

ERG Code (IATA) : 9L



14.4 In Accordance with TDG

Proper Shipping Name : ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S. (sodium nitrite, N-Cis-9-octadecenyl-1,3-propanediamine)

Packing Group : III

Hazard Class : 9

Identification Number : UN3082

Label Codes : 9



Clean Trac LF (AFCO 5561)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Marine Pollutant (TDG) : Yes

SECTION 15: REGULATORY INFORMATION

US Federal Regulations

Clean Trac LF (AFCO 5561)	
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard.
Water (7732-18-5)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory.	
Sodium nitrite (7632-00-0)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory.	
Listed on SARA Section 313 (Specific toxic chemical listings).	
EPA TSCA Regulatory Flag	S - S - indicates a substance that is identified in a proposed or final Significant New Uses Rule.
SARA Section 311/312 Hazard Classes	Reactive hazard. Immediate (acute) health hazard.
SARA Section 313 - Emission Reporting	1.0%
Alcohols, C12-15, ethoxylated (68131-39-5)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory.	
N-Cis-9-octadecenyl-1,3-propanediamine (7173-62-8)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory.	
Ethoxylated coconut oil alkyl amine (61791-14-8)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory.	
Octyldimethylamine oxide (2605-78-9)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory.	

US State Regulations

Sodium nitrite (7632-00-0)	
U.S. - New Jersey - Discharge Prevention - List of Hazardous Substances.	
U.S. - New Jersey - Environmental Hazardous Substances List.	
RTK - U.S. - New Jersey - Right to Know Hazardous Substance List.	
U.S. - New York - Reporting of Releases Part 597 - List of Hazardous Substances.	
RTK - U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List.	
RTK - U.S. - Pennsylvania - RTK (Right to Know) List.	
U.S. - Texas - Effects Screening Levels - Long Term.	
U.S. - Texas - Effects Screening Levels - Short Term.	
Alcohols, C12-15, ethoxylated (68131-39-5)	
U.S. - Texas - Effects Screening Levels - Long Term.	
U.S. - Texas - Effects Screening Levels - Short Term.	
N-Cis-9-octadecenyl-1,3-propanediamine (7173-62-8)	
U.S. - Texas - Effects Screening Levels - Long Term.	
U.S. - Texas - Effects Screening Levels - Short Term.	
Ethoxylated coconut oil alkyl amine (61791-14-8)	
U.S. - Texas - Effects Screening Levels - Long Term.	
U.S. - Texas - Effects Screening Levels - Short Term.	

Canadian Regulations

Water (7732-18-5)	
Listed on the Canadian DSL (Domestic Substances List) inventory.	
Sodium nitrite (7632-00-0)	
Listed on the Canadian DSL (Domestic Substances List) inventory.	
Alcohols, C12-15, ethoxylated (68131-39-5)	
Listed on the Canadian DSL (Domestic Substances List) inventory.	

Clean Trac LF (AFCO 5561)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

N-Cis-9-octadecenyl-1,3-propanediamine (7173-62-8)

Listed on the Canadian DSL (Domestic Substances List) inventory.

Ethoxylated coconut oil alkyl amine (61791-14-8)

Listed on the Canadian DSL (Domestic Substances List) inventory.

Octyldimethylamine oxide (2605-78-9)

Listed on the Canadian DSL (Domestic Substances List) inventory.

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION


Revision date : 11/26/2024

Other Information : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

GHS Full Text Phrases:

Acute Tox. 3 (Oral)	Acute toxicity (oral) Category 3.
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4.
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1.
Aquatic Acute 2	Hazardous to the aquatic environment - Acute Hazard Category 2.
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1.
Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2.
Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard Category 3.
Eye Dam. 1	Serious eye damage/eye irritation Category 1.
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A.
Flam. Liq. 2	Flammable liquids category 2.
Met. Corr. 1	Corrosive to metals Category 1.
Ox. Sol. 2	Oxidizing solids Category 2.
Skin Corr. 1A	Skin corrosion/irritation Category 1A.
Skin Corr. 1B	Skin corrosion/irritation Category 1B.
Skin Sens. 1	Skin sensitization Category 1.
Skin Sens. 1B	Skin sensitization Category 1B.
STOT SE 3	S Specific target organ toxicity (single exposure) Category 3.
H225	Highly flammable liquid and vapor.
H272	May intensify fire; oxidizer.
H290	May be corrosive to metals.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H401	Toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

NFPA Health Hazard : 2 - Exposure could cause irritation but only minor residual injury even if no treatment is given.
NFPA Fire Hazard : 0 - Must be preheated before ignition can occur.
NFPA Reactivity : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.



Clean Trac LF (AFCO 5561)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

HMIS III Rating

Health : 2 - Slight Hazard - Irritation or minor reversible injury possible.
Flammability : 0 - Minimal Hazard.
Physical : 0 - Minimal Hazard.

Party Responsible for the Preparation of This Document

AFCO
550 Development Avenue
Chambersburg, PA 17201
T: 800-345-1329

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

North America GHS SDS 2015 (U.S., Can., Mex.)