



# Cherry Odor Mask (AFCO 8648)

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision Date: 02/13/2025

Version: 1.2

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY

#### Product Identifier

**Product Form:** Mixture

**Product Name:** Cherry Odor Mask

**Product Code:** AFCO 8648

#### Intended Use of the Product

**Use of the Substance/Mixture:** Odor masking agent. For professional use only.

#### Name, Address, and Telephone of the Responsible Party

##### **Company**

AFCO

550 Development Avenue

Chambersburg, PA 17201

T: 800-345-1329

[www.afcocare.com](http://www.afcocare.com)

#### Emergency Telephone Number

**Emergency Number** : 1-800-424-9300 (CHEMTREC)

### SECTION 2: HAZARDS IDENTIFICATION

#### Classification of the Substance or Mixture

##### **Classification (GHS-US)**

Skin Irrit. 3 H316

Eye Irrit. 2A H319

Aquatic Acute 3 H402

#### Label Elements

##### **GHS-US Labeling**

**Hazard Pictograms (GHS-US)** :



**Signal Word (GHS-US)** : Warning

**Hazard Statements (GHS-US)** : H316 - Causes mild skin irritation  
H319 - Causes serious eye irritation  
H402 - Harmful to aquatic life

**Precautionary Statements (GHS-US)** : P264 - Wash hands, forearms, and exposed areas thoroughly after handling.  
P273 - Avoid release to the environment.  
P280 - Wear eye protection, face protection, protective clothing, protective gloves.  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P332+P313 - If skin irritation occurs: Get medical advice/attention.  
P337+P313 - If eye irritation persists: Get medical advice/attention.  
P501 - Dispose of contents/container according to local, regional, national, territorial, provincial, and international regulations.

#### Other Hazards

**Other Hazards Not Contributing to the Classification:** Exposure may aggravate those with pre-existing eye, skin, or respiratory conditions.

**Unknown Acute Toxicity (GHS-US):** Not available.

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### Substances

#### Mixture

# Cherry Odor Mask (AFCO 8648)

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Name                    | Product identifier | % (w/w) | Classification (GHS-US)                                               |
|-------------------------|--------------------|---------|-----------------------------------------------------------------------|
| Water                   | (CAS No) 7732-18-5 | 80-90   | Not classified                                                        |
| Nonylphenol ethoxylates | (CAS No) 9016-45-9 | 5-10    | Skin Irrit. 2, H315<br>Eye Irrit. 2A, H319<br>Aquatic Chronic 2, H411 |
| Isopropyl alcohol       | (CAS No) 67-63-0   | 1-5     | Flam. Liq. 2, H225<br>Eye Irrit. 2A, H319<br>STOT SE 3, H336          |
| Sodium xylene sulfonate | (CAS No) 1300-72-7 | 0.1-1   | Eye Irrit. 2A, H319                                                   |
| Cherry fragrance        | Proprietary        | 0.1     | Not classified                                                        |

Full text of H-phrases: see section 16.

## SECTION 4: FIRST AID MEASURES

### Description of First Aid Measures

**General:** Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

**Inhalation:** When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.

**Skin Contact:** Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Obtain medical attention if irritation develops or persists.

**Eye Contact:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if pain, blinking or redness persist.

**Ingestion:** Rinse mouth. Do NOT induce vomiting. Seek medical attention.

### Most Important Symptoms and Effects Both Acute and Delayed

**General:** May cause mild skin irritaion. May cause serious eye irritation.

**Inhalation:** None.

**Skin Contact:** May cause mild skin irritation.

**Eye Contact:** May cause serious eye irritation.

**Ingestion:** Ingestion is likely to be harmful or have adverse effects.

**Chronic Symptoms:** Not available.

### Indication of Any Immediate Medical Attention and Special Treatment Needed

If you feel unwell, seek medical advice (show the label where possible).

## SECTION 5: FIREFIGHTING MEASURES

### Extinguishing Media

**Suitable Extinguishing Media:** Use extinguishing media appropriate for surrounding fire.

**Unsuitable Extinguishing Media:** Do not use a heavy water stream. Use of heavy stream of water may spread fire.

### Special Hazards Arising From the Substance or Mixture

**Fire Hazard:** Not flammable.

**Explosion Hazard:** Product is not explosive.

**Reactivity:** Hazardous reactions will not occur under normal conditions.

### Advice for Firefighters

**Precautionary Measures Fire:** Exercise caution when fighting any chemical fire.

**Firefighting Instructions:** Use water spray or fog for cooling exposed containers.

**Protection During Firefighting:** Do not enter fire area without proper protective equipment, including respiratory protection.

**Hazardous Combustion Products:** Sulfur oxides. Carbon oxides (CO, CO<sub>2</sub>).

**Other information:** Do not allow run-off from fire fighting to enter drains or water courses.

# Cherry Odor Mask (AFCO 8648)

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Reference to Other Sections

Refer to section 9 for flammability properties.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### **Personal Precautions, Protective Equipment and Emergency Procedures**

**General Measures:** Avoid prolonged contact with eyes, skin and clothing. Avoid breathing (vapor, mist, spray).

#### **For Non-Emergency Personnel**

**Protective Equipment:** Use appropriate personal protection equipment (PPE).

**Emergency Procedures:** Evacuate unnecessary personnel.

#### **For Emergency Personnel**

**Protective Equipment:** Equip cleanup crew with proper protection.

**Emergency Procedures:** Ventilate area.

### **Environmental Precautions**

Prevent entry to sewers and public waters.

### **Methods and Material for Containment and Cleaning Up**

**For Containment:** Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

**Methods for Cleaning Up:** Absorb and/or contain spill with inert material, then place in suitable container. Clean up spills immediately and dispose of waste safely.

### Reference to Other Sections

See heading 8, Exposure Controls and Personal Protection.

## **SECTION 7: HANDLING AND STORAGE**

### **Precautions for Safe Handling**

**Additional Hazards When Processed:** When heated, material emits irritating fumes.

**Hygiene Measures:** Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work.

### **Conditions for Safe Storage, Including Any Incompatibilities**

**Technical Measures:** Comply with applicable regulations.

**Storage Conditions:** Store in a dry, cool and well-ventilated place. Keep container closed when not in use. Keep/Store away from extremely high temperatures, incompatible materials.

**Incompatible Materials:** Strong oxidizers.

**Specific End Use(s):** Odor masking agent. For professional use only.

## **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

### **Control Parameters**

| <b>Isopropyl alcohol (67-63-0)</b> |                                       |                        |
|------------------------------------|---------------------------------------|------------------------|
| Mexico                             | OEL TWA (mg/m <sup>3</sup> )          | 980 mg/m <sup>3</sup>  |
| Mexico                             | OEL TWA (ppm)                         | 400 ppm                |
| Mexico                             | OEL STEL (mg/m <sup>3</sup> )         | 1225 mg/m <sup>3</sup> |
| Mexico                             | OEL STEL (ppm)                        | 500 ppm                |
| USA ACGIH                          | ACGIH TWA (ppm)                       | 200 ppm                |
| USA ACGIH                          | ACGIH STEL (ppm)                      | 400 ppm                |
| USA OSHA                           | OSHA PEL (TWA) (mg/m <sup>3</sup> )   | 980 mg/m <sup>3</sup>  |
| USA OSHA                           | OSHA PEL (TWA) (ppm)                  | 400 ppm                |
| USA NIOSH                          | NIOSH REL (TWA) (mg/m <sup>3</sup> )  | 980 mg/m <sup>3</sup>  |
| USA NIOSH                          | NIOSH REL (TWA) (ppm)                 | 400 ppm                |
| USA NIOSH                          | NIOSH REL (STEL) (mg/m <sup>3</sup> ) | 1225 mg/m <sup>3</sup> |
| USA NIOSH                          | NIOSH REL (STEL) (ppm)                | 500 ppm                |
| USA IDLH                           | US IDLH (ppm)                         | 2000 ppm (10% LEL)     |
| Ontario                            | OEL STEL (ppm)                        | 400 ppm                |
| Ontario                            | OEL TWA (ppm)                         | 200 ppm                |
| Québec                             | VECD (mg/m <sup>3</sup> )             | 1230 mg/m <sup>3</sup> |
| Québec                             | VECD (ppm)                            | 500 ppm                |

# Cherry Odor Mask (AFCO 8648)

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

|        |                           |                       |
|--------|---------------------------|-----------------------|
| Québec | VEMP (mg/m <sup>3</sup> ) | 985 mg/m <sup>3</sup> |
| Québec | VEMP (ppm)                | 400 ppm               |

### Exposure Controls

**Appropriate Engineering Controls:** Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.

**Personal Protective Equipment:** Protective clothing. Gloves. Protective goggles.



**Materials for Protective Clothing:** None usually needed.

**Hand Protection:** Wear chemically resistant protective gloves.

**Eye Protection:** Chemical goggles or safety glasses.

**Skin and Body Protection:** None usually needed.

**Respiratory Protection:** None usually needed.

**Other Information:** When using, do not eat, drink or smoke.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### Information on Basic Physical and Chemical Properties

|                                                   |                    |
|---------------------------------------------------|--------------------|
| Physical State                                    | : Liquid           |
| Appearance                                        | : Clear, colorless |
| Odor                                              | : Cherry           |
| Odor Threshold                                    | : Not available    |
| pH                                                | : 5.0-6.0          |
| Relative Evaporation Rate (butylacetate=1)        | : Not available    |
| Melting Point                                     | : Not available    |
| Freezing Point                                    | : Not available    |
| Boiling Point                                     | : Not available    |
| Flash Point                                       | : None             |
| Auto-ignition Temperature                         | : None             |
| Decomposition Temperature                         | : Not available    |
| Flammability (solid, gas)                         | : Not available    |
| Lower Flammable Limit                             | : Not available    |
| Upper Flammable Limit                             | : Not available    |
| Vapor Pressure                                    | : Not available    |
| Relative Vapor Density at 20°C                    | : Not available    |
| Specific Gravity                                  | : 1.00             |
| Solubility                                        | : Complete         |
| Log Pow                                           | : Not available    |
| Log Kow                                           | : Not available    |
| Viscosity, Kinematic                              | : Not available    |
| Viscosity, Dynamic                                | : Not available    |
| Explosion Data – Sensitivity to Mechanical Impact | : Not available    |
| Explosion Data – Sensitivity to Static Discharge  | : Not available    |

# Cherry Odor Mask (AFCO 8648)

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 10: STABILITY AND REACTIVITY

**Reactivity:** Hazardous reactions will not occur under normal conditions.

**Chemical Stability:** Stable at standard temperature and pressure.

**Possibility of Hazardous Reactions:** Hazardous polymerization will not occur.

**Conditions to Avoid:** Extremely high temperatures. Incompatible materials.

**Incompatible Materials:** Strong oxidizers.

**Hazardous Decomposition Products:** Carbon oxides (CO, CO<sub>2</sub>). Sulfur oxides.

### SECTION 11: TOXICOLOGICAL INFORMATION

#### Information on Toxicological Effects - Product

**Acute Toxicity:** Not classified.

**LD50 and LC50 Data:** Not available.

**Skin Corrosion/Irritation:** May cause mild skin irritaion.

**Serious Eye Damage/Irritation:** May cause serious eye irritation.

**Respiratory or Skin Sensitization:** Not classified.

**Germ Cell Mutagenicity:** Not classified.

**Teratogenicity:** Not available.

**Carcinogenicity:** Not classified.

**Specific Target Organ Toxicity (Repeated Exposure):** Not classified.

**Reproductive Toxicity:** Not classified.

**Specific Target Organ Toxicity (Single Exposure):** Not classified.

**Aspiration Hazard:** Not classified.

**Symptoms/Injuries After Inhalation:** None.

**Symptoms/Injuries After Skin Contact:** May cause mild skin irritation.

**Symptoms/Injuries After Eye Contact:** May cause serious eye irritation.

**Symptoms/Injuries After Ingestion:** Ingestion is likely to be harmful or have adverse effects.

#### Information on Toxicological Effects - Ingredient(s)

**LD50 and LC50 Data:**

|                                            |                                |
|--------------------------------------------|--------------------------------|
| <b>Water (7732-18-5)</b>                   |                                |
| LD50 Oral Rat                              | >90000 mg/kg                   |
| <b>Sodium xylene sulfonate (1300-72-7)</b> |                                |
| LD50 Oral Rat                              | 1000 mg/kg                     |
| <b>Nonylphenol ethoxylates (9016-45-9)</b> |                                |
| LD50 Oral Rat                              | 2590 mg/kg                     |
| LD50 Dermal Rabbit                         | 1780 µl/kg                     |
| <b>Isopropyl alcohol (67-63-0)</b>         |                                |
| LD50 Oral Rat                              | 4396 mg/kg                     |
| LD50 Dermal Rabbit                         | 12800 mg/kg                    |
| LC50 Inhalation Rat                        | 16000 ppm (Exposure time: 8 h) |
| IARC Group                                 | 3                              |

### SECTION 12: ECOLOGICAL INFORMATION

**Toxicity:** Not classified.

|                                    |                                                                               |
|------------------------------------|-------------------------------------------------------------------------------|
| <b>Isopropyl alcohol (67-63-0)</b> |                                                                               |
| LC50 Fish 1                        | 9640 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through]) |
| EC50 Daphnia 1                     | 13299 mg/l (Exposure time: 48 h - Species: Daphnia magna)                     |
| EC50 Other Aquatic Organisms 1     | 1000 mg/l (Exposure time: 96 h - Species: Desmodesmus subspicatus)            |
| LC50 Fish 2                        | 11130 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])      |
| EC50 Other Aquatic Organisms 2     | 1000 mg/l (Exposure time: 72 h - Species: Desmodesmus subspicatus)            |

# Cherry Odor Mask (AFCO 8648)

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Persistence and Degradability

| Cherry Odor Mask (AFCO 8648)  |                  |
|-------------------------------|------------------|
| Persistence and Degradability | Not established. |

### Bioaccumulative Potential

| Cherry Odor Mask (AFCO 8648) |                  |
|------------------------------|------------------|
| Bioaccumulative Potential    | Not established. |
| Isopropyl alcohol (67-63-0)  |                  |
| Log Pow                      | 0.05 (at 25°C)   |

**Mobility in Soil:** Not available.

### Other Adverse Effects

**Other Information:** Avoid release to the environment.

## SECTION 13: DISPOSAL CONSIDERATIONS

**Waste Disposal Recommendations:** Dispose of waste material in accordance with all local, regional, national, provincial, territorial and international regulations.

## SECTION 14: TRANSPORT INFORMATION

|                              |   |                              |
|------------------------------|---|------------------------------|
| 14.1 In Accordance with DOT  | : | Not regulated for transport. |
| 14.2 In Accordance with IMDG | : | Not regulated for transport. |
| 14.3 In Accordance with IATA | : | Not regulated for transport. |
| 14.4 In Accordance with TDG  | : | Not regulated for transport. |

## SECTION 15: REGULATORY INFORMATION

### US Federal Regulations

| Water (7732-18-5)                                                         |                                                                                        |
|---------------------------------------------------------------------------|----------------------------------------------------------------------------------------|
| Listed on the United States TSCA (Toxic Substances Control Act) inventory |                                                                                        |
| Nonylphenol ethoxylates (9016-45-9)                                       |                                                                                        |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory |                                                                                        |
| Isopropyl alcohol (67-63-0)                                               |                                                                                        |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory |                                                                                        |
| Listed on United States SARA Section 313                                  |                                                                                        |
| EPA TSCA Regulatory Flag                                                  | T - T - indicates a substance that is the subject of a Section 4 test rule under TSCA. |
| SARA Section 313 - Emission Reporting                                     | 1.0% (only if manufactured by the strong acid process, no supplier notification)       |
| Sodium xylene sulfonate (1300-72-7)                                       |                                                                                        |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory |                                                                                        |

### US State Regulations

| Sodium xylene sulfonate (1300-72-7)                                                                   |  |
|-------------------------------------------------------------------------------------------------------|--|
| U.S. - Texas - Effects Screening Levels - Long Term                                                   |  |
| U.S. - Texas - Effects Screening Levels - Short Term                                                  |  |
| Nonylphenol ethoxylates (9016-45-9)                                                                   |  |
| U.S. - California - Safer Consumer Products - Initial List of Candidate Chemicals and Chemical Groups |  |
| U.S. - Texas - Effects Screening Levels - Long Term                                                   |  |
| U.S. - Texas - Effects Screening Levels - Short Term                                                  |  |
| Isopropyl alcohol (67-63-0)                                                                           |  |
| U.S. - California - SCAQMD - Toxic Air Contaminants - Non-Cancer Acute                                |  |
| U.S. - California - SCAQMD - Toxic Air Contaminants - Non-Cancer Chronic                              |  |
| U.S. - California - Toxic Air Contaminant List (AB 1807, AB 2728)                                     |  |
| U.S. - New Jersey - Discharge Prevention - List of Hazardous Substances                               |  |
| U.S. - New Jersey - Environmental Hazardous Substances List                                           |  |
| RTK - U.S. - New Jersey - Right to Know Hazardous Substance List                                      |  |

# Cherry Odor Mask (AFCO 8648)

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

U.S. - New Jersey - Special Health Hazards Substances List  
U.S. - New York - Occupational Exposure Limits - TWAs  
RTK - U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List  
RTK - U.S. - Pennsylvania - RTK (Right to Know) List  
U.S. - Texas - City of Austin - Aerosol Paint and Glue Restrictions  
U.S. - Texas - Effects Screening Levels - Long Term  
U.S. - Texas - Effects Screening Levels - Short Term

### Canadian Regulations

#### Water (7732-18-5)

Listed on the Canadian DSL (Domestic Substances List) inventory.

#### Sodium xylene sulfonate (1300-72-7)

Listed on the Canadian DSL (Domestic Substances List) inventory.

#### Nonylphenol ethoxylates (9016-45-9)

Listed on the Canadian DSL (Domestic Substances List) inventory.

#### Isopropyl alcohol (67-63-0)

Listed on the Canadian DSL (Domestic Substances List) inventory.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by CPR.

## SECTION 16: OTHER INFORMATION

**Revision date** : 02/13/2025

**Other Information** : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.


### GHS Full Text Phrases:

|                   |                                                                  |
|-------------------|------------------------------------------------------------------|
| Aquatic Acute 3   | Hazardous to the aquatic environment - Acute Hazard Category 3   |
| Aquatic Chronic 2 | Hazardous to the aquatic environment - Chronic Hazard Category 2 |
| Eye Irrit. 2A     | Serious eye damage/eye irritation Category 2A                    |
| Flam. Liq. 2      | Flammable liquids Category 2                                     |
| Skin Irrit. 2     | Skin corrosion/irritation Category 2                             |
| Skin Irrit. 3     | Skin corrosion/irritation Category 3                             |
| STOT SE 3         | Specific target organ toxicity (single exposure) Category 3      |
| H225              | Highly flammable liquid and vapor                                |
| H315              | Causes skin irritation                                           |
| H316              | Causes mild skin irritation                                      |
| H319              | Causes serious eye irritation                                    |
| H336              | May cause drowsiness or dizziness                                |
| H402              | Harmful to aquatic life                                          |
| H411              | Toxic to aquatic life with long lasting effects                  |

**NFPA Health Hazard** : 1 - Exposure could cause irritation but only minor residual injury even if no treatment is given.

**NFPA Fire Hazard** : 0 - Materials that will not burn.

**NFPA Reactivity** : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.



### HMIS III Rating

**Health** : 1 Slight Hazard - Irritation or minor reversible injury possible.

**Flammability** : 0 - Minimal Hazard.

**Physical** : 0 - Minimal Hazard.

# Cherry Odor Mask (AFCO 8648)

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

---

### Party Responsible for the Preparation of This Document

AFCO  
550 Development Avenue  
Chambersburg, PA 17201  
T: 800-345-1329

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*

North America GHS SDS 2015 (U.S., Can., Mex.)