

# SAFETY DATA SHEET

## ZEP ZEPRESERVE NC 20N15 12CT CANADA

Version 2.2

Revision Date 12/21/2025

Print Date 12/22/2025

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name : ZEP ZEPRESERVE NC 20N15 12CT CANADA

Material number : 000000000000031511

#### Manufacturer or supplier's details

Company : Zep Inc.

Address : 11627 - 178 Street  
Edmonton, Alberta T5S 1N6  
Canada

Telephone : Compliance Services - 877-428-9937

#### Emergency telephone numbers

**For SDS Information** : Compliance Services - 877-428-9937

**For a Medical Emergency** : 877-541-2016 Toll Free - All Calls Recorded

**For a Transportation  
Emergency** : CHEMTREC: 800-424-9300 - All Calls Recorded.

#### Recommended use of the chemical and restrictions on use

### SECTION 2. HAZARDS IDENTIFICATION

#### Emergency Overview

|            |                                     |
|------------|-------------------------------------|
| Appearance | Aerosol containing a compressed gas |
| Colour     | amber                               |
| Odour      | solvent-like                        |

#### GHS Classification

Flammable aerosols : Category 1  
Gases under pressure : Compressed gas  
Skin irritation : Category 2  
Eye irritation : Category 2A  
Skin sensitisation : Category 1  
Carcinogenicity : Category 2

# SAFETY DATA SHEET

## ZEP ZEPRESERVE NC 20N15 12CT CANADA

Version 2.2

Revision Date 12/21/2025

Print Date 12/22/2025

### GHS label elements

Hazard pictograms



Signal word

: Danger

Hazard statements

: H222 Extremely flammable aerosol.  
H280 Contains gas under pressure; may explode if heated.  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.  
H351 Suspected of causing cancer.

Precautionary statements

: **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P211 Do not spray on an open flame or other ignition source.  
P251 Do not pierce or burn, even after use.  
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.  
P264 Wash skin thoroughly after handling.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.  
**Response:**  
P302 + P352 IF ON SKIN: Wash with plenty of water.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P337 + P313 If eye irritation persists: Get medical advice/ attention.  
P362 + P364 Take off contaminated clothing and wash it before reuse.  
**Storage:**  
P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.  
**Disposal:**  
P501 Dispose of contents/container in accordance with local regulation.

# SAFETY DATA SHEET

## ZEP ZEPRESERVE NC 20N15 12CT CANADA

Version 2.2

Revision Date 12/21/2025

Print Date 12/22/2025

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Hazardous components

| Chemical name                                          | CAS-No.       | Concentration [%] * |
|--------------------------------------------------------|---------------|---------------------|
| Distillates (petroleum), hydrotreated light            | 64742-47-8    | $\geq 30$ - $< 60$  |
| Distillates (petroleum), hydrotreated heavy naphthenic | 64742-52-5    | $\geq 10$ - $< 30$  |
| 1,2,4-trimethylbenzene                                 | 95-63-6       | $\geq 5$ - $< 10$   |
| 2-ethylhexan-1-ol                                      | 104-76-7      | $\geq 1$ - $< 5$    |
| Distillates (petroleum), straight-run middle           | 64741-44-2    | $\geq 1$ - $< 5$    |
| Aromatic Hydrocarbons (C9 - C10)                       | Not Available | $\geq 1$ - $< 5$    |
| ethanol                                                | 64-17-5       | $\geq 1$ - $< 5$    |
| 2-(2-butoxyethoxy)ethanol                              | 112-34-5      | $\geq 1$ - $< 5$    |
| carbon dioxide                                         | 124-38-9      | $\geq 1$ - $< 5$    |
| 3-ethyltoluene                                         | 620-14-4      | $\geq 1$ - $< 5$    |
| mesitylene                                             | 108-67-8      | $\geq 1$ - $< 5$    |
| 4-ethyltoluene                                         | 622-96-8      | $\geq 1$ - $< 5$    |
| cumene                                                 | 98-82-8       | $\geq 0.1$ - $< 1$  |

\* The exact percentages of disclosed substances are withheld as trade secrets.

### SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.  
Show this safety data sheet to the doctor in attendance.  
  
Do not leave the victim unattended.

If inhaled : Consult a physician after significant exposure.

# SAFETY DATA SHEET

## ZEP ZEPRESERVE NC 20N15 12CT CANADA

Version 2.2

Revision Date 12/21/2025

Print Date 12/22/2025

|                                                             |                                                                                                                                                                                                                                                                                                                                                                                  |
|-------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                             | If unconscious, place in recovery position and seek medical advice.                                                                                                                                                                                                                                                                                                              |
| In case of skin contact                                     | : If skin irritation persists, call a physician.<br>If on clothes, remove clothes.<br>Wash off immediately with plenty of water for at least 15 minutes.                                                                                                                                                                                                                         |
| In case of eye contact                                      | : Remove contact lenses.<br>Keep eye wide open while rinsing.<br>Immediately flush eyes for at least 15 minutes. Get medical attention.                                                                                                                                                                                                                                          |
| If swallowed                                                | : Keep respiratory tract clear.<br>Take victim immediately to hospital.<br>DO NOT induce vomiting unless directed to do so by a physician or poison control center.<br>Never give anything by mouth to an unconscious person.<br>If symptoms persist, call a physician.                                                                                                          |
| Most important symptoms and effects, both acute and delayed | : Symptoms may include irritation, redness, pain, and rash. Symptoms of overexposure may include disorientation; dizziness; and confusion. May progress to unconsciousness, paralysis, and convulsions.<br><br>Effects are dependent on exposure (dose, concentration, contact time).<br>Causes serious eye irritation.<br>Review section 2 of SDS to see all potential hazards. |
| Notes to physician                                          | : Treat symptomatically. Symptoms may be delayed.                                                                                                                                                                                                                                                                                                                                |

---

### SECTION 5. FIREFIGHTING MEASURES

|                                      |                                                                               |
|--------------------------------------|-------------------------------------------------------------------------------|
| Suitable extinguishing media         | : Alcohol-resistant foam<br>Carbon dioxide (CO <sub>2</sub> )<br>Dry chemical |
| Unsuitable extinguishing media       | : High volume water jet                                                       |
| Specific hazards during firefighting | : Do not allow run-off from fire fighting to enter drains or water courses.   |
| Hazardous combustion products        | : Carbon dioxide (CO <sub>2</sub> )<br>Carbon monoxide<br>Smoke               |
| Specific extinguishing methods       | : Do not allow run-off from fire fighting to enter drains or water courses.   |
| Further information                  | : Collect contaminated fire extinguishing water separately. This              |

# SAFETY DATA SHEET

## ZEP ZEPRESERVE NC 20N15 12CT CANADA

Version 2.2

Revision Date 12/21/2025

Print Date 12/22/2025

must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.  
For safety reasons in case of fire, cans should be stored separately in closed containments.  
Use a water spray to cool fully closed containers.

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Ensure adequate ventilation.  
Remove all sources of ignition.  
Evacuate personnel to safe areas.  
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains, inform respective authorities.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Sweep up or vacuum up spillage and collect in suitable container for disposal.

---

### SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Do not breathe vapours or spray mist.  
Avoid exposure - obtain special instructions before use.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Take precautionary measures against static discharges.  
Provide sufficient air exchange and/or exhaust in work rooms.  
Dispose of rinse water in accordance with local and national regulations.  
Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.  
Always replace cap after use.

Conditions for safe storage : BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force

# SAFETY DATA SHEET

## ZEP ZEPRESERVE NC 20N15 12CT CANADA

Version 2.2

Revision Date 12/21/2025

Print Date 12/22/2025

or throw into fire even after use. Do not spray on flames or red-hot objects.

No smoking.

Keep in a dry, cool and well-ventilated place.

Observe label precautions.

Electrical installations / working materials must comply with the technological safety standards.

Materials to avoid : Strong oxidizing agents

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

| Components                                                | CAS-No.    | Value type<br>(Form of exposure)      | Control parameters /<br>Permissible concentration | Basis     |
|-----------------------------------------------------------|------------|---------------------------------------|---------------------------------------------------|-----------|
| Distillates (petroleum),<br>hydrotreated light            | 64742-47-8 | TWA                                   | 200 mg/m3<br>(As total hydrocarbon vapour)        | CA BC OEL |
|                                                           |            | TWA                                   | 200 mg/m3<br>(total hydrocarbon vapor)            | CA AB OEL |
| Distillates (petroleum),<br>hydrotreated heavy naphthenic | 64742-52-5 | TWA (Mist)                            | 1 mg/m3                                           | CA BC OEL |
|                                                           |            | TWA<br>(Inhalable fraction)           | 5 mg/m3                                           | ACGIH     |
| ethanol                                                   | 64-17-5    | TWA                                   | 1,000 ppm<br>1,880 mg/m3                          | CA AB OEL |
|                                                           |            | STEL                                  | 1,000 ppm                                         | CA BC OEL |
|                                                           |            | TWAEV                                 | 1,000 ppm<br>1,880 mg/m3                          | CA QC OEL |
|                                                           |            | TWA                                   | 1,000 ppm                                         | ACGIH     |
|                                                           |            | STEL                                  | 1,000 ppm                                         | ACGIH     |
| 2-(2-butoxyethoxy)ethanol                                 | 112-34-5   | TWA<br>(Inhalable fraction and vapor) | 10 ppm                                            | ACGIH     |
| carbon dioxide                                            | 124-38-9   | TWA                                   | 5,000 ppm<br>9,000 mg/m3                          | CA AB OEL |
|                                                           |            | STEL                                  | 30,000 ppm<br>54,000 mg/m3                        | CA AB OEL |
|                                                           |            | TWA                                   | 5,000 ppm                                         | CA BC OEL |
|                                                           |            | STEL                                  | 15,000 ppm                                        | CA BC OEL |
|                                                           |            | STEV                                  | 30,000 ppm<br>54,000 mg/m3                        | CA QC OEL |
|                                                           |            | TWAEV                                 | 5,000 ppm<br>9,000 mg/m3                          | CA QC OEL |
|                                                           |            | TWA                                   | 5,000 ppm                                         | ACGIH     |
|                                                           |            | STEL                                  | 30,000 ppm                                        | ACGIH     |

# SAFETY DATA SHEET

## ZEP ZEPRESERVE NC 20N15 12CT CANADA

Version 2.2

Revision Date 12/21/2025

Print Date 12/22/2025

|            |          |       |                     |           |
|------------|----------|-------|---------------------|-----------|
| mesitylene | 108-67-8 | TWA   | 25 ppm<br>123 mg/m3 | CA AB OEL |
|            |          | TWA   | 25 ppm              | CA BC OEL |
|            |          | TWA   | 25 ppm              | ACGIH     |
| cumene     | 98-82-8  | TWA   | 50 ppm<br>246 mg/m3 | CA AB OEL |
|            |          | TWA   | 25 ppm              | CA BC OEL |
|            |          | STEL  | 75 ppm              | CA BC OEL |
|            |          | TWAEV | 50 ppm<br>246 mg/m3 | CA QC OEL |
|            |          | TWA   | 50 ppm              | ACGIH     |

**Engineering measures** : effective ventilation in all processing areas

### Personal protective equipment

**Respiratory protection** : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

### Hand protection

**Material** : Protective gloves

**Remarks** : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

**Eye protection** : Tightly fitting safety goggles

Wear face-shield and protective suit for abnormal processing problems.

**Skin and body protection** : Impervious clothing  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

**Hygiene measures** : When using do not eat or drink.  
When using do not smoke.

Wash hands before breaks and at the end of workday.

# SAFETY DATA SHEET

## ZEP ZEPRESERVE NC 20N15 12CT CANADA

Version 2.2

Revision Date 12/21/2025

Print Date 12/22/2025

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

|                                        |                                       |
|----------------------------------------|---------------------------------------|
| Physical state                         | : Aerosol containing a compressed gas |
| Colour                                 | : amber                               |
| Odour                                  | : solvent-like                        |
| Odour Threshold                        | : No data available                   |
| pH                                     | : Not applicable                      |
| Melting point/freezing point           | : Not applicable                      |
| Boiling point                          | : No data available                   |
| Flash point                            | :<br>No data available                |
| Evaporation rate                       | : < 1                                 |
| Flammability (solid, gas, liquid)      | : Extremely flammable aerosol.        |
| Upper explosion limit                  | : No data available                   |
| Lower explosion limit                  | : No data available                   |
| Vapour pressure                        | : No data available                   |
| Relative vapour density                | : No data available                   |
| Density                                | : 0.85 g/cm <sup>3</sup>              |
| Solubility(ies)                        |                                       |
| Water solubility                       | : insoluble                           |
| Partition coefficient: n-octanol/water | : No data available                   |
| Auto-ignition temperature              | : not determined                      |
| Decomposition temperature              | : No data available                   |
| Viscosity                              |                                       |
| Viscosity, kinematic                   | : No data available                   |
| Heat of combustion                     | : > 20 kJ/g                           |

---

### SECTION 10. STABILITY AND REACTIVITY



# SAFETY DATA SHEET

## ZEP ZEPRESERVE NC 20N15 12CT CANADA

Version 2.2

Revision Date 12/21/2025

Print Date 12/22/2025

|                                    |                                                                                                       |
|------------------------------------|-------------------------------------------------------------------------------------------------------|
| Reactivity                         | : Stable                                                                                              |
| Chemical stability                 | : Stable under normal conditions.                                                                     |
| Possibility of hazardous reactions | : Vapours may form explosive mixture with air.<br>No decomposition if stored and applied as directed. |
| Conditions to avoid                | : Heat, flames and sparks.<br>Extremes of temperature and direct sunlight.                            |
| Incompatible materials             | : Strong oxidizing agents                                                                             |
| Hazardous decomposition products   | : Carbon oxides                                                                                       |

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Potential Health Effects

Aggravated Medical Condition : None known.

Symptoms of Overexposure : Symptoms may include irritation, redness, pain, and rash. Symptoms of overexposure may include disorientation; dizziness; and confusion. May progress to unconsciousness, paralysis, and convulsions.

Effects are dependent on exposure (dose, concentration, contact time).

Causes serious eye irritation.

Review section 2 of SDS to see all potential hazards.

Treat symptomatically. Symptoms may be delayed.

#### Carcinogenicity:

##### IARC

Group 2B: Possibly carcinogenic to humans

cumene

98-82-8

##### ACGIH

Confirmed animal carcinogen with unknown relevance to humans

ethanol

64-17-5

#### Acute toxicity

##### Product:

Acute oral toxicity : Acute toxicity estimate : > 5,000 mg/kg

# SAFETY DATA SHEET

## ZEP ZEPRESERVE NC 20N15 12CT CANADA

Version 2.2

Revision Date 12/21/2025

Print Date 12/22/2025

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate : > 10 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate : > 5,000 mg/kg

Method: Calculation method

### Components:

#### **Distillates (petroleum), hydrotreated light:**

Acute oral toxicity : LD50 Rat: > 5,000 mg/kg

Acute inhalation toxicity : LC50 Rat: > 4.6 mg/l

Exposure time: 6 h

Acute dermal toxicity : LD50 Rat: > 2,000 mg/kg

#### **Distillates (petroleum), hydrotreated heavy naphthenic:**

Acute oral toxicity : LD50 Rat: > 5,000 mg/kg

Acute inhalation toxicity : LC50 Rat: > 5 mg/l

Exposure time: 4 h

Acute dermal toxicity : LD50 Rabbit: > 5,000 mg/kg

#### **2-ethylhexan-1-ol:**

Acute oral toxicity : LD50 Oral Rat: 3,730 mg/kg

Acute dermal toxicity : LD50 Dermal Rabbit: > 3,000 mg/kg

# SAFETY DATA SHEET

## ZEP ZEPRESERVE NC 20N15 12CT CANADA

Version 2.2

Revision Date 12/21/2025

Print Date 12/22/2025

### ethanol:

Acute oral toxicity : LD50 Oral Rat: 7,060 mg/kg

Acute inhalation toxicity : LC50 Rat: 124.7 mg/l

Exposure time: 4 h

Test atmosphere: vapour

### Skin corrosion/irritation

#### Product:

Remarks: Irritating to skin.

### Serious eye damage/eye irritation

#### Product:

Remarks: Severe eye irritation

### Respiratory or skin sensitisation

#### Product:

Remarks: Causes sensitisation.

#### Components:

Distillates (petroleum), straight-run middle:

Classification: May cause sensitisation by skin contact.

### Germ cell mutagenicity

No data available

### Carcinogenicity

No data available

### Reproductive toxicity

No data available

### STOT - single exposure

No data available

### STOT - repeated exposure

No data available

### Aspiration toxicity

# SAFETY DATA SHEET

## ZEP ZEPRESERVE NC 20N15 12CT CANADA

Version 2.2

Revision Date 12/21/2025

Print Date 12/22/2025

No data available

### Further information

#### Product:

Remarks: No data available

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting., Concentrations substantially above the TLV value may cause narcotic effects., Solvents may degrease the skin.

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

No data available

### Persistence and degradability

No data available

### Bioaccumulative potential

#### Product:

Partition coefficient: n-octanol/water : Remarks: No data available

#### Components:

##### **2-ethylhexan-1-ol :**

Partition coefficient: n-octanol/water : Pow: 2.9

##### **ethanol :**

Partition coefficient: n-octanol/water : Remarks: No data available

##### **2-(2-butoxyethoxy)ethanol :**

Partition coefficient: n-octanol/water : Pow: 1

### Mobility in soil

No data available

### Other adverse effects

No data available

#### Product:

Additional ecological : No data available

# SAFETY DATA SHEET

## ZEP ZEPRESERVE NC 20N15 12CT CANADA

Version 2.2

Revision Date 12/21/2025

Print Date 12/22/2025

information

---

### SECTION 13. DISPOSAL CONSIDERATIONS

#### Disposal methods

- |                        |   |                                                                                                                                                                                                                      |
|------------------------|---|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Waste from residues    | : | The product should not be allowed to enter drains, water courses or the soil.<br>Do not contaminate ponds, waterways or ditches with chemical or used container.<br>Dispose of in accordance with local regulations. |
| Contaminated packaging | : | Empty remaining contents.<br>Dispose of as unused product.<br>Do not re-use empty containers.<br>Do not burn, or use a cutting torch on, the empty drum.                                                             |

---

### SECTION 14. TRANSPORT INFORMATION

|                                                                                                                                        |
|----------------------------------------------------------------------------------------------------------------------------------------|
| Transportation Regulation (TDG) / Règlement Pour Le Transport (TMD): (Canada):<br>UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity |
|----------------------------------------------------------------------------------------------------------------------------------------|

|                                                                                                                                 |
|---------------------------------------------------------------------------------------------------------------------------------|
| Transportation Regulation / Règlement Pour Le Transport: IMDG (Vessel):<br>UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity |
|---------------------------------------------------------------------------------------------------------------------------------|

|                                                                                                                                    |
|------------------------------------------------------------------------------------------------------------------------------------|
| Transportation Regulation / Règlement Pour Le Transport: IATA (Cargo Air):<br>UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity |
|------------------------------------------------------------------------------------------------------------------------------------|

|                                                                                                                                        |
|----------------------------------------------------------------------------------------------------------------------------------------|
| Transportation Regulation / Règlement Pour Le Transport: IATA (Passenger Air):<br>UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity |
|----------------------------------------------------------------------------------------------------------------------------------------|

# SAFETY DATA SHEET

## ZEP ZEPRESERVE NC 20N15 12CT CANADA

Version 2.2

Revision Date 12/21/2025

Print Date 12/22/2025

Transportation Regulation / Règlement Pour Le Transport: 49 CFR (USA):

UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

The product as delivered to the customer conforms to packaging requirements for shipment by road under Transport Dangerous Goods (TDG) Canada regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

---

### SECTION 15. REGULATORY INFORMATION

This product has been classified according to the hazard criteria of the HPR and the SDS contains all of the information required by the HPR.

**The components of this product are reported in the following inventories:**

|             |                                                                                                                                  |
|-------------|----------------------------------------------------------------------------------------------------------------------------------|
| <b>DSL</b>  | This product contains one or more components that are listed on the Canadian NDSL. All other components are on the Canadian DSL. |
| <b>TSCA</b> | On TSCA Inventory                                                                                                                |

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

**Inventory Acronym and Validity Area Legend:**

TSCA (USA), DSL (Canada), NDSL (Canada)

---

### SECTION 16. OTHER INFORMATION

WHMIS - GHS Label Information:

# SAFETY DATA SHEET

## ZEP ZEPRESERVE NC 20N15 12CT CANADA

Version 2.2

Revision Date 12/21/2025

Print Date 12/22/2025

Hazard pictograms



Signal word

: **Danger:**

Hazard statements

: Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Suspected of causing cancer.

Precautionary statements

:  
**Prevention:** Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/ protective clothing/ eye protection/ face protection.  
**Response:** IF ON SKIN: Wash with plenty of water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/ attention. If skin irritation or rash occurs: Get medical advice/ attention. If eye irritation persists: Get medical advice/ attention. Take off contaminated clothing and wash it before reuse.  
**Storage:** Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.  
**Disposal:** Dispose of contents/container in accordance with local regulation.

|                |            |
|----------------|------------|
| Version:       | 2.2        |
| Revision Date: | 12/21/2025 |
| Print Date:    | 12/22/2025 |

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.