



Perox Ag (AFCO 10215)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision Date: 01/15/2024

Version: 1.0

SECTION 1: IDENTIFICATION

Product Identifier

Product Form: Mixture

Product Name: Perox Ag

Product Code: AFCO 10215

Intended Use of the Product

Use of the Substance/Mixture: Antimicrobial solution. For professional use only.

Name, Address, and Telephone of the Responsible Party

Company

AFCO

800 Development Avenue

Chambersburg, PA 17201

T: 800-345-1329

www.afcocare.com

Emergency Telephone Number

Emergency Number : 1-800-424-9300 (CHEMTREC)

SECTION 2: HAZARDS IDENTIFICATION

Classification of the Substance or Mixture


Classification (GHS-US)

Org. Perox.	Type G
Ox. Liq. 2	H272
Met. Corr. 1	H290
Acute Tox. 4 (Oral)	H302
Acute Tox. 5 (Dermal)	H313
Skin Corr. 1	H314
Eye Dam. 1	H318
Aquatic Acute 2	H401

Label Elements

GHS-US Labeling

Hazard Pictograms (GHS-US)



Signal Word (GHS-US) : Danger.

Hazard Statements (GHS-US) : H272 - May intensify fire; oxidizer
H290 - May be corrosive to metals
H302 - Harmful if swallowed
H313 - May be harmful in contact with skin
H314 - Causes severe skin burns and eye damage
H318 - Causes serious eye damage
H401 - Toxic to aquatic life

Precautionary Statements (GHS-US) P210 - Keep away from heat, sparks, open flames, hot surfaces. - No smoking.
P220 - Keep/Store away from clothing, combustible materials, incompatible materials.
P221 - Take any precaution to avoid mixing with combustible materials, incompatible materials.
P234 - Keep only in original container.
P264+P265 - Wash hands, forearms, and other exposed areas thoroughly after handling. Do not touch eyes.
P270 - Do not eat, drink or smoke when using this product.
P280 - Wear protective gloves, protective clothing, eye protection, face protection.

Perox Ag (AFCO 10215)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P301+P312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a Poison Center or doctor/physician.
P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a Poison Center or doctor/physician.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a Poison Center or doctor/physician.
P321 - Specific treatment (see section 4).
P363 - Wash contaminated clothing before reuse.
P370+P378 - In case of fire: Use water for extinction.
P390 - Absorb spillage to prevent material damage
P405 - Store locked up.
P406 - Store in corrosive resistant container with a resistant inner liner.
P501 - Dispose of contents/container to local, regional, national, territorial, provincial, and international regulations

Other Hazards

Hazards Not Otherwise Classified (HNOC): No other hazards classified.

Unknown Acute Toxicity (GHS-US): Not available.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Substances

Mixture

Name	Product identifier	% (w/w)	Classification (GHS-US)
Hydrogen peroxide	(CAS No) 7722-84-1	26.5 - 27.3	Ox. Liq. 1, H271 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation: vapour), H332 Skin Corr. 1A, H314 STOT SE 3, H335 Aquatic Acute 3, H402 Aquatic Chronic 3, H412
Acetic acid	(CAS No) 64-19-7	3 - 8	Flam. Liq. 3, H226 Skin Corr. 1A, H314 Eye Dam. 1, H318 Aquatic Acute 3, H402
Peroxyacetic acid	(CAS No) 79-21-0	5.5 – 5.9	Flam. Liq. 3, H226 Org. Perox. D, H242 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Skin Corr. 1A, H314 Aquatic Acute 1, H400

Full text of H-phrases: see section 16.

SECTION 4: FIRST AID MEASURES

Description of First Aid Measures

General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

Inhalation: Remove source of exposure or move person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. If breathing is difficult, trained personnel should administer emergency oxygen if advised to do so by the POISON

Perox Ag (AFCO 10215)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

CENTER/doctor. Symptoms of pulmonary edema can be delayed up to 48 hours after exposure. If direct contact during rescue breathing poses a threat to the first aid provider, "Avoid mouth-to-mouth contact by using a barrier device".

Skin Contact: Take off immediately contaminated clothing, shoes and leather goods (e.g. watchbands, belts). Rinse skin with lukewarm, gently flowing water/shower with a flushing duration of 30 minutes. Immediately call POISON CENTER/doctor. Wash contaminated clothing before re-use.

Eye Contact: Remove source of exposure or move person to fresh air. Rinse eyes cautiously with lukewarm, gently flowing water for several minutes, while holding the eyelids open. Remove contact lenses, if present and easy to do. Continue rinsing for 30 minutes. Take care not to rinse contaminated water into the unaffected eye or into the face. Immediately call a POISON CENTER/doctor.

Ingestion: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/doctor. If vomiting occurs naturally, lie on your side, in the recovery position.

Most Important Symptoms and Effects Both Acute and Delayed

Causes severe skin burns and eye damage, burning of the mouth, throat, and esophagus.

Indication of Any Immediate Medical Attention and Special Treatment Needed

Treat symptomatically.

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media: Water spray, powder, foam, carbon dioxide.

Unsuitable Extinguishing Media: Do not use a heavy water stream. Use of heavy stream of water may spread fire.

Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not flammable but during fire product can decompose and generate oxygen which can initiate or promote combustion. Strong oxidizer.

Explosion Hazard: Non combustible. May give off irritating or toxic fumes (or gases) in a fire.

Reactivity: Thermal decomposition generates: Corrosive vapors, acetic acid, and oxygen which supports combustion. When heated to decomposition, emits toxic fumes.

Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire.

Protection During Firefighting: In the event of a fire, wear full protective clothing and NIOSH-approved self-contained breathing apparatus.

Hazardous Combustion Products: May cause fire and explosions when in contact with incompatible materials.

Other information: Do not allow run-off from fire fighting to enter drains or water courses. Chemical type extinguishers are not effective with peracetic acid or hydrogen peroxide.

Reference to Other Sections

Refer to section 9 for flammability properties.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Do NOT breathe (vapors, mist, spray). Do not allow product to spread into the environment. Avoid all contact with skin, eyes, or clothing. Approach release from upwind.

For Non-Emergency Personnel

Protective Equipment: Wear appropriate personal protective equipment (PPE) as specified in Section 8.

Emergency Procedures: Isolate hazard area. Keep unnecessary and unprotected personnel from entering.

For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Ventilate area of leak or spill.

Environmental Precautions

Prevent entry to sewers and public waters. Avoid release to the environment.

Methods and Material for Containment and Cleaning Up

Small Spills (less than 1 gallon): Neutralize with soda ash or cover with dry earth, sand or other non combustible material, place into loosely covered plastic containers for later disposal. If neutralized, material can be diluted into drain.

Large Spill: Restrict access to area until completion of clean up. Prevent liquid from entering sewers or waterways. Stop or reduce leak if safe to do so. Dike with inert material (sand, earth, etc.). Collect into plastic containers for disposal. Ensure adequate decontamination of tools and equipment following clean up.

Special Spill Response Procedures: Collect spills in plastic containers only. Prevent from entering sewers, waterways, or low areas.

Perox Ag (AFCO 10215)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Reference to Other Sections

See heading 8, Exposure Controls and Personal Protection.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling

Wear at least chemical resistant gloves and eye protection, face shield, and chemical resistant garments when handling, moving or using this product. Do not contaminate water, food, or feed by storage or disposal.

Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Comply with applicable regulations.

Storage Conditions: Store in a dry, cool and well-ventilated place away from direct sunlight. Keep container closed when not in use.

Incompatible Materials: Avoid strong reducing agents, soft metals, heat and bases (unless product has been diluted to less than 1000ppm, then bases may be used to gradually adjust to a pH of less than 9).

Specific End Use(s): Antimicrobial solution. For professional use only.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Acetic acid (64-19-7)		
Mexico	OEL TWA (mg/m ³)	25 mg/m ³
Mexico	OEL TWA (ppm)	10 ppm
Mexico	OEL STEL (mg/m ³)	37 mg/m ³
Mexico	OEL STEL (ppm)	15 ppm
USA ACGIH	ACGIH TWA (ppm)	10 ppm
USA ACGIH	ACGIH STEL (ppm)	15 ppm
USA OSHA	OSHA PEL (TWA) (mg/m ³)	25 mg/m ³
USA OSHA	OSHA PEL (TWA) (ppm)	10 ppm
USA NIOSH	NIOSH REL (TWA) (mg/m ³)	25 mg/m ³
USA NIOSH	NIOSH REL (TWA) (ppm)	10 ppm
USA NIOSH	NIOSH REL (STEL) (mg/m ³)	37 mg/m ³
USA NIOSH	NIOSH REL (STEL) (ppm)	15 ppm
USA IDLH	US IDLH (ppm)	50 ppm
Ontario	OEL STEL (ppm)	15 ppm
Ontario	OEL TWA (ppm)	10 ppm
Québec	VECD (mg/m ³)	37 mg/m ³
Québec	VECD (ppm)	15 ppm
Québec	VEMP (mg/m ³)	25 mg/m ³
Québec	VEMP (ppm)	10 ppm
Hydrogen peroxide (7722-84-1)		
Mexico	OEL TWA (mg/m ³)	1.5 mg/m ³
Mexico	OEL TWA (ppm)	1 ppm
Mexico	OEL STEL (mg/m ³)	3 mg/m ³
Mexico	OEL STEL (ppm)	2 ppm
USA ACGIH	ACGIH TWA (ppm)	1 ppm
USA OSHA	OSHA PEL (TWA) (mg/m ³)	1.4 mg/m ³
USA OSHA	OSHA PEL (TWA) (ppm)	1 ppm
USA NIOSH	NIOSH REL (TWA) (mg/m ³)	1.4 mg/m ³
USA NIOSH	NIOSH REL (TWA) (ppm)	1 ppm
USA IDLH	US IDLH (ppm)	75 ppm
Ontario	OEL TWA (ppm)	1 ppm
Québec	VEMP (mg/m ³)	1.4 mg/m ³
Québec	VEMP (ppm)	1 ppm
Peroxyacetic acid (79-21-0)		
USA ACGIH	ACGIH STEL (ppm)	0.4 ppm

Perox Ag (AFCO 10215)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Exposure Controls

Appropriate Engineering Controls: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure all national/local regulations are observed. Forced air, local exhaust, or open air is adequate.

Personal Protective Equipment: Protective goggles. Protective clothing. Gloves. Face shield.



Materials for Protective Clothing: Chemically resistant materials and fabrics.

Hand Protection: Wear chemical resistant gloves.

Eye Protection: Wear chemical goggles; also wear a face shield if splashing hazard exists.

Skin and Body Protection: Wear chemical resistant garments when handling, wash garments before re-use.

Respiratory Protection: In case of confined spaces or high levels encountered in the air, wear self contained breathing apparatus.

Other Protective Equipment: Eye wash facility and emergency shower should be in close proximity.

Other Information: When using, do not eat, drink or smoke when using this product. Wash thoroughly after handling. Remove and wash contaminated clothing before re-use. Handle in accordance with good industry hygiene and safety practice.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical State	: Liquid.
Appearance	: Clear, colorless.
Odor	: Vinegar-like.
Odor Threshold	: Not available.
pH	: 1.5-1.9 (1:10)
Relative Evaporation Rate (butylacetate=1)	: Not available.
Melting Point	: No information available.
Freezing Point	: No information available.
Boiling Point	: No information available.
Flash Point	: 93°C/200°F
Auto-ignition Temperature	: 270°C/518°F
Decomposition Temperature	: No information available.
Flammability (solid, gas)	: Not flammable.
Lower Flammable Limit	: Not available.
Upper Flammable Limit	: Not available.
Vapor Pressure	: 22 mm Hg
Relative Vapor Density at 20°C	: Not available.
Specific Gravity	: 1.12 g/mL
Solubility	: Complete.
Partition coefficient: n-octanol/water	: Not available.
Viscosity	: 1cSt at 20°C/68°F
Volatiles (% by weight)	: >99
Volatile Organic Compounds (VOC's)	: No information available.

SECTION 10: STABILITY AND REACTIVITY

Reactivity: Reactive with bases, metals, reducing agents and combustible materials.

Chemical Stability: Stable for up to 1 year when stored under normal conditions.

Possibility of Hazardous Reactions: May react with incompatible materials.

Conditions to Avoid: Incompatible materials and high temperatures.

Incompatible Materials: Reactive with bases, metals, reducing agents and combustible materials.

Hazardous Decomposition Products: Oxygen which supports combustion.

SECTION 11: TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure:

Routes of entry - inhalation: Yes.

Routes of entry - skin & eye: Yes.

Routes of entry - ingestion: Yes.

Perox Ag (AFCO 10215)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Routes of entry - skin absorption: No.

Potential Health Effects:

Signs and Symptoms of Short Term (acute) Exposure:

Inhalation: Breathing in mists or aerosols may produce respiratory irritation.

Skin: Contact with skin will result in severe irritation. Corrosive to skin - may cause skin burns.

Eye: A severe eye irritant. Corrosive to eyes; contact can cause corneal burns. Contamination of eyes can result in permanent injury.

Ingestion: Swallowing can result in nausea, vomiting, diarrhea, abdominal pain and chemical burns to the gastrointestinal tract.

Potential Chronic Health Effects:

Mutagenicity: No known mutagenic effects.

Carcinogenicity: No components are listed as carcinogens by ACGIH, IARC, OSHA, or NTP.

Reproductive Effects: No known reproductive effects.

Sensitization to Material: Not expected to cause sensitization.

Specific Target Organ Effects: No information available.

Medical Conditions Aggravated by Overexposure: No information available.

Toxicological Data: The calculated ATE values for this mixture are:

ATE oral = 668 mg/kg

ATE dermal = 4808 mg/kg

ATE inhalation = >20 mg/L or >20,000 ppm

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity: May be harmful to aquatic life.

Persistence and Degradability: Not expected to persist. Expected to readily biodegrade.

Bioaccumulative Potential: Not expected to bio accumulate.

Mobility in Soil: No information available.

Other Adverse Effects

Other Information: Avoid release to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

Handling for Disposal: Do not contaminate water, food, or feed by storage and/or disposal. When handling refer to protective measures listed in sections 7 and 8. Empty residue from containers, rinse container well.

Method of Disposal: Dispose of in accordance with all applicable federal, state, provincial and local regulations. Contact your local, state, provincial or federal environmental agency for specific rules.

RCRA: If product becomes a waste, it does meet the criteria of a hazardous waste as defined by the US EPA, because of: Corrosivity D002.

SECTION 14: TRANSPORT INFORMATION

14.1 In Accordance with DOT

Proper Shipping Name	: Oxidizing Liquid, Corrosive, N.O.S. (contains hydrogen peroxide and peroxyacetic acid mixture, stabilized)	
Hazard Class	: 5.1	
Identification Number	: UN3098	
Label Codes	: 5.1, 8	
Packing Group	: III	
ERG Number	: 140	

14.2 In Accordance with IMDG

Proper Shipping Name	: Oxidizing Liquid, Corrosive, N.O.S. (contains hydrogen peroxide and peroxyacetic acid mixture, stabilized)	
Hazard Class	: 5.1	
Identification Number	: UN3098	
Packing Group	: III	
Label Codes	: 5.1, 8	
EmS-No. (Fire)	: F-H	
EmS-No. (Spillage)	: S-Q	

Perox Ag (AFCO 10215)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

14.3 In Accordance with IATA

Proper Shipping Name : Oxidizing Liquid, Corrosive, N.O.S. (contains hydrogen peroxide and peroxyacetic acid mixture, stabilized)

Packing Group : III

Identification Number : UN3098

Hazard Class : 5

Label Codes : 5.1, 8

ERG Code (IATA) : 5C



14.4 In Accordance with TDG

Proper Shipping Name : Oxidizing Liquid, Corrosive, N.O.S. (contains hydrogen peroxide and peroxyacetic acid mixture, stabilized)

Packing Group : III

Hazard Class : 5.1

Identification Number : UN3098

Label Codes : 5.1, 8



SECTION 15: REGULATORY INFORMATION

US Federal Regulations

Perox Ag (AFCO 10215)	
TSCA Information	All components are listed on the TSCA inventory.
CERCLA Reportable Quantity (Hazardous Substance RQ)	Acetic acid has a RQ of approximately 70000 lbs. of as is chemical.
EPCRA Reportable Quantity (Extremely Hazardous Substance RQ)	Peracetic acid has a RQ of approximately 8900 lbs. of as is chemical.
SARA Title III Section 302 Threshold Planning Quantity (TPQ)	Peracetic acid has a TPQ of approximately 8900 lbs. of as is chemical.
SARA Title III	Reactivity Hazard, Acute Health Hazard.

US State Regulations

Peroxyacetic acid (79-21-0)
U.S. - California - Toxic Air Contaminant List (AB 1807, AB 2728) U.S. - New Jersey - Discharge Prevention - List of Hazardous Substances U.S. - New Jersey - Environmental Hazardous Substances List U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - New Jersey - Special Health Hazards Substances List U.S. - New Jersey - TCPA - Extraordinarily Hazardous Substances (EHS) U.S. - New York - Reporting of Releases Part 597 - List of Hazardous Substances U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List U.S. - Pennsylvania - RTK (Right to Know) List
Acetic acid (64-19-7)
U.S. - New Jersey - Discharge Prevention - List of Hazardous Substances U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - New Jersey - Special Health Hazards Substances List U.S. - New York - Occupational Exposure Limits - TWAs U.S. - New York - Reporting of Releases Part 597 - List of Hazardous Substances U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List U.S. - Pennsylvania - RTK (Right to Know) List U.S. - Texas - Effects Screening Levels - Long Term U.S. - Texas - Effects Screening Levels - Short Term
Hydrogen peroxide (7722-84-1)
U.S. - New Jersey - Discharge Prevention - List of Hazardous Substances U.S. - New Jersey - Environmental Hazardous Substances List

Perox Ag (AFCO 10215)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

U.S. - New Jersey - Right to Know Hazardous Substance List
U.S. - New Jersey - Special Health Hazards Substances List
U.S. - New York - Occupational Exposure Limits - TWAs
U.S. - New York - Reporting of Releases Part 597 - List of Hazardous Substances
U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List
U.S. - Pennsylvania - RTK (Right to Know) List
U.S. - Texas - Effects Screening Levels - Long Term
U.S. - Texas - Effects Screening Levels - Short Term

Canadian Regulations

Peroxyacetic acid (79-21-0)

Listed on the Canadian DSL (Domestic Substances List) inventory.

Acetic acid (64-19-7)

Listed on the Canadian DSL (Domestic Substances List) inventory.

Hydrogen peroxide (7722-84-1)

Listed on the Canadian DSL (Domestic Substances List) inventory.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by CPR.

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Revision date : 01/15/2024

Other Information : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

GHS Full Text Phrases:

Acute Tox. 4 (Dermal)	Acute toxicity (dermal) Category 4.
Acute Tox. 5 (Dermal)	Acute toxicity (dermal) Category 5.
Acute Tox. 4 (Inhalation: vapour)	Acute toxicity (inhalation: vapour) Category 4.
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4.
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1.
Aquatic Acute 2	Hazardous to the aquatic environment - Acute Hazard Category 2.
Aquatic Acute 3	Hazardous to the aquatic environment - Acute Hazard Category 3.
Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard Category 3.
Eye Dam. 1	Serious eye damage/eye irritation Category 1.
Flam. Liq. 3	Flammable liquids Category 3.
Met. Corr. 1	Corrosive to metals Category 1.
Org. Perox.	Organic Peroxide Type G.
Org. Perox.	Organic Peroxide Type D.
Ox. Liq. 1	Oxidizing liquids Category 1.
Ox. Liq. 2	Oxidizing liquids Category 2.
Skin Corr. 1	Skin corrosion/irritation Category 1
STOT SE 3	Specific target organ toxicity single exposure Category 3.
H226	Flammable liquid and vapor.
H242	Heating may cause a fire.
H271	May cause fire or explosion: strong oxidizer.
H272	May intensify fire; oxidizer.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H312	Harmful in contact with skin
H313	May be harmful in contact with skin.
H314	Causes severe skin burns and eye damage.


Perox Ag (AFCO 10215)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

H318	Causes serious eye damage.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H401	Toxic to aquatic life.
H402	Harmful to aquatic life.
H412	Harmful to aquatic life with long lasting effects.

- Uniform Fire Code (NFPA 400)** : Organic peroxide: Class IV, Liquid.
- NFPA Health Hazard** : 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.
- NFPA Fire Hazard** : 1 - Must be preheated before ignition can occur.
- NFPA Reactivity** : 1 - Normally stable, but can become unstable at elevated temperatures and pressures or may react with water with some release of energy, but not violently.
- NFPA Special Hazard** : COR, OX - COR = Corrosive, OX = Oxidizer.



HMIS III Rating

- Health** : 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given.
- Flammability** : 1 - Slight Hazard.
- Physical** : 1 - Slight Hazard.
- Personal Protection** : C - (safety glasses, gloves, protective apron).

Party Responsible for the Preparation of This Document

AFCO
800 Development Avenue
Chambersburg, PA 17201
T: 800-345-1329

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

North America GHS SDS 2015 (U.S., Can., Mex.)