

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier**

- Trade name INTEROX® AG Bath 34-SPR

1.2 Relevant identified uses of the substance or mixture and uses advised against**Uses of the Substance / Mixture**

- It is a violation of federal law to use this product in a manner inconsistent with its labeling.
- Disinfectants
- Contact your supplier for additional information

1.3 Details of the supplier of the safety data sheet**Company**

SOLVAY CHEMICALS, INC.
3737 Buffalo Speedway,
Suite 800,
Houston, TX 77098
USA
Tel: +1-800-7658292; +1-713-5256800
Fax: +1-713-5257804

1.4 Emergency telephone

FOR EMERGENCIES INVOLVING A SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT, CONTACT CHEMTREC (24-Hour Number): 800-424-9300 within the United States and Canada, or 703-527-3887 for international collect calls.

SECTION 2: Hazards identification

Although WHMIS has not adopted the environmental portion of the GHS regulations, this document may include information on environmental effects

2.1 Classification of the substance or mixture**Hazardous Products Regulations (WHMIS 2015)**

Acute toxicity, Category 4
Serious eye damage, Category 1

H302: Harmful if swallowed.
H318: Causes serious eye damage.

2.2 Label elements**Hazardous Products Regulations (WHMIS 2015)****Pictogram****Signal Word**

- Danger

Hazard Statements

- H302 Harmful if swallowed.
- H318 Causes serious eye damage.

Precautionary StatementsPrevention

- P264 Wash skin thoroughly after handling.
- P270 Do not eat, drink or smoke when using this product.
- P280 Wear eye protection/ face protection.

Response

- P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
- P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

Disposal

- P501 Dispose of contents/ container to an approved waste disposal plant.

2.3 Other hazards which do not result in classification

- H401: Toxic to aquatic life.

SECTION 3: Composition/information on ingredients**3.1 Substance**

- Not applicable, this product is a mixture.

3.2 Mixture**WHMIS Hazardous Ingredients and Impurities**

Chemical name	Identification number CAS-No.	Concentration [% wt/wt or V/V]
Hydrogen peroxide (H ₂ O ₂)	7722-84-1	>= 33.5 - <= 34.5

SECTION 4: First aid measures**4.1 Description of first-aid measures****General advice**

- Show this material safety data sheet to the doctor in attendance.

In case of inhalation

- Move to fresh air.
- Oxygen or artificial respiration if needed.
- Victim to lie down in the recovery position, cover and keep him warm.
- Call a physician immediately.

In case of skin contact

- Remove and wash contaminated clothing before re-use.
- Wash off with soap and water.
- If symptoms persist, call a physician.

In case of eye contact

- Call a physician or poison control center immediately.
- Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
- In the case of difficulty of opening the lids, administer an analgesic eye wash (oxybuprocaine).
- Take victim immediately to hospital.

In case of ingestion

- Call a physician or poison control center immediately.
- Take victim immediately to hospital.
- If swallowed, rinse mouth with water (only if the person is conscious).
- Do NOT induce vomiting.
- Artificial respiration and/or oxygen may be necessary.
- If victim is conscious:
 - If swallowed, rinse mouth with water (only if the person is conscious).
 - Do NOT induce vomiting.
- If victim is unconscious:
 - Artificial respiration and/or oxygen may be necessary.

4.2 Most important symptoms and effects, both acute and delayed**In case of inhalation****Symptoms**

- Breathing difficulties
- Cough
- pulmonary edema
- Nausea
- Vomiting

Effects

- Corrosive to respiratory system.

Repeated or prolonged exposure

- Nose bleeding
- Risk of chronic bronchitis

In case of skin contact**Symptoms**

- Redness
- Swelling of tissue

Effects

- Prolonged skin contact may cause skin irritation.

In case of eye contact**Symptoms**

- Redness
- Lachrymation
- Swelling of tissue

Effects

- Corrosive
- Causes severe burns.
- Small amounts splashed into eyes can cause irreversible tissue damage and blindness.

In case of ingestion**Symptoms**

- Nausea
- Abdominal pain
- Bloody vomiting
- Diarrhea
- Suffocation
- Cough
- Severe shortness of breath

Effects

- If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the esophagus and the stomach.
- Risk of respiratory disorder

4.3 Indication of any immediate medical attention and special treatment needed**Notes to physician**

- Take victim immediately to hospital.
- Immediate medical attention is required.
- Consult with an ophthalmologist immediately in all cases.
- If swallowed
- Avoid gastric lavage (risk of perforation).
- Keep under medical supervision for at least 48 hours.

SECTION 5: Firefighting measures**5.1 Extinguishing media****Suitable extinguishing media**

- Water
- Water spray

Unsuitable extinguishing media

- None.

5.2 Special hazards arising from the substance or mixture**Specific hazards during fire fighting**

- Decomposition will cause oxygen release which may intensify fire
- Contact with combustible material may cause fire.
- Contact with flammables may cause fire or explosions.
- Risk of explosion if heated under confinement.

Hazardous combustion products:

- Oxygen

5.3 Advice for firefighters**Special protective equipment for fire-fighters**

- In the event of fire, wear self-contained breathing apparatus.
- Use personal protective equipment.
- Wear chemical resistant oversuit

Further information

- Keep product and empty container away from heat and sources of ignition.
- Keep containers and surroundings cool with water spray.
- Approach from upwind.
- Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures****Advice for non-emergency personnel**

- Evacuate personnel to safe areas.
- Keep people away from and upwind of spill/leak.

Advice for emergency responders

- Use personal protective equipment.
- Drying of this product on clothing or combustible materials may cause fire.
- Keep wetted with water.
- Prevent further leakage or spillage.
- Keep away from incompatible products

6.2 Environmental precautions

- Should not be released into the environment.
- If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and materials for containment and cleaning up

- Dilute with plenty of water.
- Dam up.
- Do not mix waste streams during collection.
- Soak up with inert absorbent material.
- Keep in properly labeled containers.
- Keep in suitable, closed containers for disposal.
- Never return spills in original containers for re-use.
- Treat recovered material as described in the section "Disposal considerations".

6.4 Reference to other sections

- Refer to protective measures listed in sections 7 and 8.

SECTION 7: Handling and storage**7.1 Precautions for safe handling**

- Use only in well-ventilated areas.
- Before all operations, passivate the piping circuits and vessels according to the procedure recommended by the producer.
- Use only clean and dry utensils.
- Never return unused material to storage receptacle.
- Keep away from heat.
- Avoid inhalation, ingestion and contact with skin and eyes.
- Keep away from incompatible products

Hygiene measures

- Ensure that eyewash stations and safety showers are close to the workstation location.
- Take off contaminated clothing and shoes immediately.
- Wash contaminated clothing before re-use.
- When using do not eat, drink or smoke.
- Wash hands before breaks and at the end of workday.
- Handle in accordance with good industrial hygiene and safety practice.

7.2 Conditions for safe storage, including any incompatibilities**Technical measures/Storage conditions**

- Keep only in the original container.
- Store in a receptacle equipped with a vent.
- Store in a well-ventilated place. Keep cool.
- Keep in properly labeled containers.
- Keep container closed.
- Keep in a contained area
- Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.
- Regularly check the condition and temperature of the containers.
- Keep away from:
- Incompatible products

Packaging material**Suitable material**

- aluminum 99.5%
- stainless steel 304L / 316L
- Approved grades of HDPE.

7.3 Specific end use(s)

- Contact your supplier for additional information

SECTION 8: Exposure controls/personal protection

Introductory Remarks: These recommendations provide general guidance for handling this product. Because specific work environments and material handling practices vary, safety procedures should be developed for each intended application. Assistance with selection, use and maintenance of worker protection equipment is generally available from equipment manufacturers.

8.1 Control parameters**Components with workplace occupational exposure limits**

Consult local authorities for acceptable exposure limits.

Components	Value type	Value	Basis
Hydrogen peroxide (H ₂ O ₂)	TWA	1 ppm	American Conference of Governmental Industrial Hygienists
		Upper Respiratory Tract irritation, Eye irritation, Skin irritation, Confirmed animal carcinogen with unknown relevance to humans	

8.2 Exposure controls

Control measures

Engineering measures

- Provide adequate ventilation.
- Apply technical measures to comply with the occupational exposure limits.

Individual protection measures

Respiratory protection

- Self-contained breathing apparatus in confined spaces/insufficient oxygen/in case of large uncontrolled emissions/in all circumstances when the mask and cartridge do not give adequate protection.
- Use only respiratory protection that conforms to international/ national standards.
- Use NIOSH approved respiratory protection.
- Wear an approved full-face air supplied respirator for excessive or unknown concentrations. Selected chemical cartridges for respirators, i.e. OV, OV/AG, GME have been tested successfully under lab conditions to remove hydrogen peroxide and peracetic acid vapors in concentrations exceeding the applicable exposure limits. Further information is available in a Solvay Chemicals, Inc. Technical Communication, located at <http://www.solvaychemicals.us/resource.htm> in the Peracetic Acid section.
- In case of insufficient ventilation, wear suitable respiratory equipment.

Hand protection

- Impervious gloves
- Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact).

Suitable material

- Nitrile rubber
- Break through time: > 480 min
- Glove thickness: 1.3 mm

- Nitrile/Neopren gloves
- Break through time: 190 min
- Glove thickness: 0.2 mm

Eye protection

- Chemical resistant goggles must be worn.
- If splashes are likely to occur, wear:
- Tightly fitting safety goggles
- Face-shield

Skin and body protection

- Impervious clothing
- If splashes are likely to occur, wear:
- Chemical resistant apron
- Boots
- Suitable material
- PVC
- Natural Rubber

Hygiene measures

- Ensure that eyewash stations and safety showers are close to the workstation location.
- Take off contaminated clothing and shoes immediately.
- Wash contaminated clothing before re-use.
- When using do not eat, drink or smoke.
- Wash hands before breaks and at the end of workday.
- Handle in accordance with good industrial hygiene and safety practice.

SECTION 9: Physical and chemical properties

Physical and Chemical properties here represent typical properties of this product. Contact the business area using the Product information phone number in Section 1 for its exact specifications.

9.1 Information on basic physical and chemical properties**Appearance**Physical state: liquid**Odor**Color: colorless
pungent**Odor Threshold**

No data available

Molecular weight

34 g/mol

pH2.0 (70 °F (21 °C))
H₂O₂ 50 %
pKa: 11.6 (77 °F (25 °C))**Melting point/freezing point**Freezing point: -27 °F (-33 °C)
H₂O₂ 35 %**Initial boiling point and boiling range**Boiling point/boiling range: 226 °F (108 °C)
H₂O₂ 35 %**Flash point**

Not applicable

Evaporation rate (Butylacetate = 1)

No data available

Flammability (solid, gas)

Not applicable

Flammability (liquids)

The product is not flammable.

Flammability / Explosive limitExplosiveness:
Not explosive
With certain materials (see section 10).**Autoignition temperature**

The product is not flammable.

Vapor pressure0.75 mmHg (1 hPa) (86 °F (30 °C))
H₂O₂ 50 %**Vapor density**1
H₂O₂ 50 %**Density**Bulk density: Not applicable**Relative density**

1.1

SolubilityWater solubility:
completely miscible, in all proportions**Partition coefficient: n-octanol/water**log Pow: -1.57
Method: Calculation method

INTEROX® AG Bath 34-SPR

Revision Date 06/25/2020

<u>Decomposition temperature</u>	>= 140 °F (>= 60 °C) Self-Accelerating decomposition temperature (SADT)
<u>Decomposition temperature</u>	< 140 °F (< 60 °C) Slow decomposition
<u>Viscosity</u>	<u>Viscosity, dynamic</u> : 1.07 mPa.s
<u>Explosive properties</u>	No data available
<u>Oxidizing properties</u>	Not considered as oxidizing.

9.2 Other information

<u>Henry's Constant</u>	0.00075 Pa.m ³ / mol (68 °F (20 °C)) not significant, Air, Volatility
<u>Surface tension</u>	74 mN/m (68 °F (20 °C))

SECTION 10: Stability and reactivity**10.1 Reactivity**

- Decomposes on heating.
- Potential for exothermic hazard

10.2 Chemical stability

- Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

- Fire or intense heat may cause violent rupture of packages.

10.4 Conditions to avoid

- Contamination
- To avoid thermal decomposition, do not overheat.

10.5 Incompatible materials

- Acids
- Bases
- Metals
- Heavy metal salts
- Powdered metal salts
- Reducing agents
- Organic materials
- Flammable materials

10.6 Hazardous decomposition products

- Oxygen

SECTION 11: Toxicological information**11.1 Information on toxicological effects****Acute toxicity**

INTEROX® AG Bath 34-SPR

Revision Date 06/25/2020

Acute oral toxicityHydrogen peroxide (H₂O₂)

Acute toxicity estimate : 431 mg/kg - Rat , male and female

Method: OECD Test Guideline 401

This product is classified as acute toxicity category 4

Unpublished reports

Acute inhalation toxicityHydrogen peroxide (H₂O₂)

LC50 - 4 h (vapor) : > 0.17 mg/l - Rat

Method: OECD Test Guideline 403

Not classified as hazardous for acute inhalation toxicity according to GHS.

Unpublished reports

Acute dermal toxicityHydrogen peroxide (H₂O₂)

Acute toxicity estimate : 6,440 mg/kg - Rabbit

Method: OECD Test Guideline 402

Not classified as hazardous for acute dermal toxicity according to GHS.

Unpublished reports

Acute toxicity (other routes of administration)

No data available

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitizationHydrogen peroxide (H₂O₂)

Does not cause skin sensitization.

Mutagenicity**Genotoxicity in vitro**Hydrogen peroxide (H₂O₂)

Ames test

with and without metabolic activation

positive

Published data

Chromosome aberration test in vitro

with and without metabolic activation

positive

Unpublished reports

Genotoxicity in vivoHydrogen peroxide (H₂O₂)

In vivo micronucleus test - Mouse

Oral

Method: OECD Test Guideline 474

negative

Unpublished reports

CarcinogenicityHydrogen peroxide (H₂O₂)

No data available

Toxicity for reproduction and development**Toxicity to reproduction / fertility**

Hydrogen peroxide (H ₂ O ₂)	No toxicity to reproduction
Developmental Toxicity/Teratogenicity	
Hydrogen peroxide (H ₂ O ₂)	No toxicity to reproduction
STOT	
STOT-single exposure	
Hydrogen peroxide (H ₂ O ₂)	Routes of exposure: Inhalation Target Organs: Respiratory Tract May cause respiratory irritation.
STOT-repeated exposure	
Hydrogen peroxide (H ₂ O ₂)	The substance or mixture is not classified as specific target organ toxicant, repeated exposure according to GHS criteria.
Hydrogen peroxide (H ₂ O ₂)	Inhalation (vapor) 90-day - Rat NOAEC: 7 ppm Target Organs: Respiratory Tract Method: OECD Test Guideline 413 Unpublished reports
	90-day - Rat NOAEL: 100 ppm Target Organs: Gastrointestinal tract Method: OECD Test Guideline 408 drinking water Unpublished reports
Experience with human exposure	No data available
Aspiration toxicity	No data available

SECTION 12: Ecological information

12.1 Toxicity

Aquatic Compartment

Acute toxicity to fish

Hydrogen peroxide (H ₂ O ₂)	LC50 - 96 h : 16.4 mg/l - Pimephales promelas (fathead minnow) semi-static test Analytical monitoring: yes
	Method: according to a standardized method Harmful to fish. Unpublished internal reports

Acute toxicity to daphnia and other aquatic invertebrates

Hydrogen peroxide (H ₂ O ₂)	EC50 - 48 h : 2.4 mg/l - Daphnia pulex (Water flea) semi-static test Analytical monitoring: yes Method: according to a standardized method Toxic to aquatic invertebrates. Unpublished internal reports
--	--

Toxicity to aquatic plants

Hydrogen peroxide (H₂O₂) ErC₅₀ - 72 h : 2.62 mg/l - *Skeletonema costatum* (marine diatom)
static test
Analytical monitoring: yes
Method: according to a standardized method
Toxic to algae.
Unpublished internal reports

Toxicity to microorganisms

Hydrogen peroxide (H₂O₂) EC₅₀ - 0.5 h : 466 mg/l - activated sludge
static test
Analytical monitoring: yes
Method: OECD Test Guideline 209
Unpublished internal reports

Chronic toxicity to fish No data available

Chronic toxicity to daphnia and other aquatic invertebrates

Hydrogen peroxide (H₂O₂) NOEC: 0.63 mg/l - 21 Days - *Daphnia magna* (Water flea)
flow-through test
Analytical monitoring: yes
Method: according to a standardized method
Harmful to aquatic invertebrates with long lasting effects.
Published data

12.2 Persistence and degradability**Abiotic degradation**

No data available

Physical- and photo-chemical elimination

No data available

Biodegradation**Biodegradability**

Hydrogen peroxide (H₂O₂) Ready biodegradability study:
Method: Degradation in sewage treatment plants
The substance fulfills the criteria for ultimate aerobic biodegradability and ready biodegradability
Inoculum: activated sludge
Unpublished internal reports

Degradability assessment

Hydrogen peroxide (H₂O₂) The product is considered to be rapidly degradable in the environment

12.3 Bioaccumulative potential**Partition coefficient: n-octanol/water**

Hydrogen peroxide (H₂O₂) Not potentially bioaccumulable

Bioconcentration factor (BCF)

Hydrogen peroxide (H₂O₂) Not potentially bioaccumulable

12.4 Mobility in soil**Adsorption potential (K_{oc})**

Hydrogen peroxide (H₂O₂) Adsorption/Soil
K_{oc}: 1.58

Log K_{oc}: 0.2
Method: Structure-activity relationship (SAR)
Unpublished reports

Known distribution to environmental compartmentsHydrogen peroxide (H₂O₂)

Ultimate destination of the product: Water

12.5 Results of PBT and vPvB assessment

This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT).

This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

12.6 Other adverse effects**Ecotoxicity assessment****Short-term (acute) aquatic hazard**

Toxic to aquatic life.

Long-term (chronic) aquatic hazard

Not classified due to data which are conclusive although insufficient for classification.

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Product Disposal**

- Limited quantity
- Dilute with plenty of water.
- Flush into sewer with plenty of water.
- Maximum quantity
- Contact manufacturer.
- Contact waste disposal services.
- In accordance with local and national regulations.

Advice on cleaning and disposal of packaging

- Empty containers.
- Clean container with water.
- Dispose of rinse water in accordance with local and national regulations.
- Where possible recycling is preferred to disposal or incineration.
- In accordance with local and national regulations.

SECTION 14: Transport information

Transportation status: IMPORTANT! Statements below provide additional data on listed transport classification.

The listed Transportation Classification does not address regulatory variations due to changes in package size, mode of shipment or other regulatory descriptors.

TDG**14.1 UN number**

UN 2014

14.2 Proper shipping name

HYDROGEN PEROXIDE, AQUEOUS SOLUTION

14.3 Transport hazard class

5.1

Subsidiary hazard class

8

P00000228723

Version : 1.00 / CA (Z8)

www.solvay.com



INTEROX® AG Bath 34-SPR

Revision Date 06/25/2020

Label(s) 5.1 (8)

14.4 Packing groupPacking group II
ERG No 140**14.5 Environmental hazards**

Marine pollutant NO

DOT**14.1 UN number** UN 2014**14.2 Proper shipping name** HYDROGEN PEROXIDE, AQUEOUS SOLUTIONS**14.3 Transport hazard class** 5.1
Subsidiary hazard class 8
Label(s) 5.1 (8)**14.4 Packing group**Packing group II
ERG No 140**14.5 Environmental hazards**

Marine pollutant NO

NOM**14.1 UN number** UN 2014**14.2 Proper shipping name** HYDROGEN PEROXIDE, AQUEOUS SOLUTION**14.3 Transport hazard class** 5.1
Subsidiary hazard class 8
Label(s) 5.1 (8)**14.4 Packing group**Packing group II
ERG No 140**14.5 Environmental hazards**

Marine pollutant NO

IMDG**14.1 UN number** UN 2014**14.2 Proper shipping name** HYDROGEN PEROXIDE, AQUEOUS SOLUTION**14.3 Transport hazard class** 5.1
Subsidiary hazard class 8
Label(s) 5.1 (8)**14.4 Packing group**

P00000228723

Version : 1.00 / CA (Z8)

www.solvay.com



Packing group II

14.5 Environmental hazards
Marine pollutant NO

14.6 Special precautions for user
EmS F-H , S-Q

For personal protection see section 8.

14.7 Transport in bulk vessels according to IMO instruments
No data available

IATA

14.1 UN number UN 2014

14.2 Proper shipping name HYDROGEN PEROXIDE, AQUEOUS SOLUTION

14.3 Transport hazard class 5.1
Subsidiary hazard class: 8
Label(s): 5.1 (8)

14.4 Packing group
Packing group II

Packing instruction (cargo aircraft) 554
Max net qty / pkg 5.00 L
Packing instruction (passenger aircraft) 550
Max net qty / pkg 1.00 L

14.5 Environmental hazards NO

14.6 Special precautions for user
For personal protection see section 8.
Remarks : IATA: permitted under 40%

Note: The above regulatory prescriptions are those valid on the date of publication of this sheet. Given the possible evolution of transportation regulations for hazardous materials, it would be advisable to check their validity with your sales office.

SECTION 15: Regulatory information

15.1 Notification status

Inventory Information	Status
United States TSCA Inventory	- All substances listed as active on the TSCA inventory
Canadian Domestic Substances List (DSL)	- Listed on Inventory
Australia Inventory of Chemical Substances (AICS)	- Listed on Inventory
Japan. CSCL - Inventory of Existing and New Chemical Substances	- Listed on Inventory

INTEROX® AG Bath 34-SPR

Revision Date 06/25/2020

Korea. Korean Existing Chemicals Inventory (KECI)	- Listed on Inventory
China. Inventory of Existing Chemical Substances in China (IECSC)	- Listed on Inventory
Philippines Inventory of Chemicals and Chemical Substances (PICCS)	- Listed on Inventory
Taiwan Chemical Substance Inventory (TCSI)	- Listed on Inventory
New Zealand. Inventory of Chemical Substances	- All components are listed on the NZIOC inventory. The HSNO status of the product has not been assessed.
EU. European Registration, Evaluation, Authorisation and Restriction of Chemical (REACH)	- When purchased from a Solvay legal entity based in the EEA ("European Economic Area"), this product is compliant with the registration provisions of the REACH Regulation (EC) No. 1907/2006 as all its components are either excluded, exempt, and/or registered. When purchased from a legal entity outside of the EEA, please contact your local representative for additional information.

15.2 National Regulations**Canada. CEPA 1999 Significant New Activity (SNAc) List:**

- No substances are subject to a Significant New Activity Notification.

SECTION 16: Other information**Revision Date:**

06/25/2020

NFPA (National Fire Protection Association) - Classification

Health	3 serious
Flammability	1 slight
Instability or Reactivity	0 minimal

HMIS (Hazardous Materials Identification System (Paint & Coating)) - Classification

Health	3 serious
Flammability	1 slight
Reactivity	0 minimal
PPE	Determined by User; dependent on local conditions

Further information

- Distribute new edition to clients

Key or legend to abbreviations and acronyms used in the safety data sheet

- TWA 8-hour, time-weighted average
- ACGIH American Conference of Governmental Industrial Hygienists
- OSHA Occupational Safety and Health Administration
- NTP National Toxicology Program
- IARC International Agency for Research on Cancer

P00000228723

Version : 1.00 / CA (Z8)

www.solvay.com



- NIOSH	National Institute for Occupational Safety and Health
- ADR:	European Agreement on International Carriage of Dangerous Goods by Road.
- ADN:	European Agreement on the International Carriage of Dangerous Goods by Inland
Waterways.	
- RID:	European Agreement concerning the International Carriage of Dangerous Goods by Rail.
- IATA:	International Air Transport Association.
- ICAO-TI:	Technical Specification for Safe Transport of Dangerous Goods by Air.
- IMDG:	International Maritime Dangerous Goods.
- TWA:	Time weighted average
- ATE:	Estimated value of acute toxicity
- EC:	European Community number
- CAS:	Chemical Abstracts Service.
- LD50:	Substance that causes 50% (half) death in the test animals group (Median Fatal Dose).
- LC50:	Substance concentration causing 50% (half) death in the test animals group.
- EC50:	Effective Concentration of the substance causing the maximum of 50%.
- PBT:	Persistent, Bioaccumulative and Toxic substance.
- vPvB:	Very Persistent and Very Bioaccumulative.
- SEA:	Classification, labeling, packaging regulation
- DNEL:	Derived No Effect Level
- PNEC:	Predicted No Effect Concentration
- BHOT:	Specific Target Organ Toxicity

Not all acronyms listed above are referenced in this SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information, and belief at the date of its publication. Such information is only given as a guidance to help the user handle, use, process, store, transport, dispose, and release the product in satisfactory safety conditions and is not to be considered as a warranty or quality specification. It should be used in conjunction with technical sheets but do not replace them. Thus, the information only relates to the designated specific product and may not be applicable if such product is used in combination with other materials or in any other manufacturing process, unless otherwise specifically indicated. It does not release the user from ensuring he is in conformity with all regulations linked to its activity.