

SAFETY DATA SHEET

AMERICAN WATER CHEMICALS®
1802 CORPORATE CENTER LANE
PLANT CITY, FL 33563

IDENTITY

AWC® C-227

Section I Company and Product Identification

AMERICAN WATER CHEMICALS® 1802 Corporate Center Lane Plant City, FL 33563 Telephone Number: (813)-246-5448	ChemTel phone Number: In the U.S.: 1-800-255-3924 International: 1-813-248-0585 Australia: 1-300-954-583 Brazil: 0-800-591-6042 China: 400-120-0751 India: 000-800-100-4086 Mexico: 800-099-0731
Date Prepared: 11/21/03	Date Revised: April, 2021

Trade Name	AWC® C-227
Product Family	RO, NF membrane cleaner

Section II – Hazards Identification

Signal Word: DANGER Oxidizing solids, Category 3, May intensify fire; oxidizer. Acute Toxicity, Category 4, Harmful if swallowed. Serious eye damage, Category 1, Causes serious eye damage.	
GHS Hazard Phrases	H272: May intensify fire; oxidizer. H302: Harmful if swallowed. H318: Causes serious eye damage.
GHS Precaution Phrases	P210: Keep away from heat. P220: Keep/Store away from clothing/combustible materials P221: Take any precaution to avoid mixing with combustibles. P264: Wash skin thoroughly after handling. P270: Do not eat, drink or smoke when using this product. P280: Wear protective gloves/ eye protection/ face protection.
GHS Response Phrases	P301 + P312 + P330: IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth. P305 + P351 + P338 + P310: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

SAFETY DATA SHEET

AMERICAN WATER CHEMICALS®
1802 CORPORATE CENTER LANE
PLANT CITY, FL 33563

	rinsing. Immediately call a POISON CENTER/ doctor. P370 + P378: In case of fire: Use water spray to extinguish.
GHS Storage and Disposal Phrases	Please refer to section 7 for storage and section 13 for Disposal information
Other hazards which do not result in classification	H401: Toxic to aquatic life.

Section III - Hazard Ingredients/Composition Information

Hazardous Components (Chemical Name)	CAS #	%	EC #	
SODIUM CARBONATE PEROXYHYDRATE	15630-89-4	< 30%	239-707-6	
SODIUM CARBONATE	497-19-8	< 30%	207-838-8	
Proprietary blend	N/A	< 40%	N/A	

Section IV – First Aid Procedures

Inhalation: If dust of this product is inhaled, remove victim to fresh air. Oxygen or artificial respiration if needed. If symptoms persist, call a physician.
Eye Contact: If this product enters the eyes. Open victim's eyes while under gently running water. Use sufficient force to open eyelids. Have victim "roll" eyes. Minimum flushing is for 15 minutes. Victim must seek medical attention.
Skin Contact: If this product contaminates the skin, immediately begin decontamination with running water and soap. Removed exposed or contaminated clothing, taking care not to contaminate eyes. Victim should seek medical attention if any adverse exposure symptoms develop.
Ingestion (Swallowing): If this product is swallowed, call a physician or poison control center for most current information. DO NOT INDUCE VOMITING. Have victim rinse mouth with water if conscious. Never induce vomiting or give a diluent (e.g water) to someone who is unconscious, having convulsions, or unable to swallow. If contaminated individual is convulsing, maintain an open airway and obtain immediate medical attention.

MOST IMPORTANT SYMPTOMS	
Symptoms/Injuries after inhalation	May cause nose, throat, and lung irritation
Symptoms/Injuries after eye contact	Redness, Lachrymation, Swelling of tissue. Corrosive, May cause irreversible eye damage.
Symptoms/Injuries after skin contact	Prolonged skin contact may cause skin irritation
Symptoms/Injuries after ingestion	Severe irritation, Nausea, Abdominal pain, Vomiting, Diarrhea.

SAFETY DATA SHEET

AMERICAN WATER CHEMICALS®
1802 CORPORATE CENTER LANE
PLANT CITY, FL 33563

Section V - Fire Fighting Measures

Flash Point (Method Used) None	Flammable Limits: NE
Extinguishing Media: Water, Water spray. In case of fire in close proximity, all means of extinguishing are acceptable.	
Special hazards arising from the substance or mixture: Oxidizing. Oxygen released in thermal decomposition may support combustion. Contact with combustible material may cause fire. Contact with flammables may cause fire or explosions. Risk of explosion if heated under confinement.	
Advice for firefighters: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Cool containers/tanks with water spray.	

Section VI – Accidental Release Measures

Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Keep away from incompatible products Advice for emergency responders: Sweep up to prevent slipping hazard	
Environmental precautions Product should not be released into the environment. Limited quantity: Flush into sewer with plenty of water. Large quantities: If the product contaminates rivers and lakes or drains inform respective authorities.	
Methods and materials for containment and cleaning up Sweep up and shovel into suitable containers for disposal. Do not mix waste streams during collection. Avoid dust formation. Treat recovered material as described in the section "Disposal considerations". All receiving equipment should be clean, vented, dry, labeled and made of material that is compatible with the product. Never return spills in original containers for re-use.	

Section VII - Handling and Storage

Precautions to Be taken in Handling (General):	Avoid dust formation. Ensure adequate ventilation. Keep away from heat and sources of ignition. Use only clean and dry utensils. Never return unused material to storage receptacle. Keep away from water. Keep away from incompatible products. Eye wash bottles or eye wash stations in compliance with applicable standards. Handle in accordance with good industrial hygiene and safety practice for diagnostics.
Precautions for safe storage and any incompatibilities	Keep only in the original container. Keep at temperature not exceeding 40°C (104°F). Store in a receptacle equipped with a vent. Keep in a well-ventilated place. Keep in a dry place. Keep in properly labeled containers. Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking. Keep away from incompatible products. Keep away from direct sunlight.

Section VIII – Exposure Controls and Personal Protection

Components (Specific Chemical Identity; Common Name(s))	OSHA PEL	TWA8 ACGIH	STEL ACGIH	Other Limits Recommended
SODIUM CARBONATE PEROXYHYDRATE	15 mg/m3 TWA	10 mg/m3 TWA	None	NA

SAFETY DATA SHEET

AMERICAN WATER CHEMICALS®
1802 CORPORATE CENTER LANE
PLANT CITY, FL 33563

Control measures

Engineering measures: Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed. Apply technical measures to comply with the occupational exposure limits.

Individual protection measures

Hand protection: Wear suitable gloves. Non-recommended materials: Leather, cotton.

Eye protection: Dust proof goggles obligatory.

Skin and body protection: Wear suitable protective clothing.

Hygiene measures: Eye wash bottles or eye wash stations in compliance with applicable standards. Handle in accordance with good industrial hygiene and safety practice for diagnostics.

Section IX - Physical/Chemical Characteristics

Boiling Point: N/A	Bulk Density (H ₂ O = 1): 1 – 1.2 g/cm ³
Viscosity : (Brookfield) NE	Specific Gravity (H ₂ O = 1): N/A
Solubility in Water: 343 g/L @ 24 C (75 F)	pH: (2% Solution): 11.0 ± 0.5
Appearance and Odor: white to off-white powder.	

NR: NOT REQUIRED, NE: NOT ESTABLISHED, NA: NOT APPLICABLE

Section X – Stability & Reactivity Data

Reactivity: Decomposes when moist. Decomposes on heating. Potential for exothermic hazard.
Chemical stability: Stable under recommended storage conditions.
Possibility of hazardous reactions: Contact with combustible material may cause fire. Contact with flammables may cause fire or explosions. Risk of explosion if heated under confinement. Fire or intense heat may cause violent rupture of packages.
Hazardous Decomposition Products: Sodium carbonate, carbon dioxide, bicarbonate, carbonate, oxygen.
Hazardous Polymerization: Does not occur
Condition to avoid: Exposure to moisture. To avoid thermal decomposition, do not overheat.
Incompatible materials: Water. Acids. Bases. Heavy metal salts. Reducing agents. Organic materials. Flammable materials. Combustible material.

Section XI– Toxicological Information

ATE (Acute Toxicity Estimate):

Inhalation: LC₅₀: 1 hour, rat >15,267 mg/m³

Oral: LD₅₀: rat (combined sexes), 3,447 mg/ Kg

Dermal: LD₅₀: rabbit (combined sexes), >6,667 mg/kg

Section XII – Ecological Information

Ecological Toxicity Estimate

Fish, Pimephales promelas: LC₅₀ – 96h: 236 mg/L

SAFETY DATA SHEET

AMERICAN WATER CHEMICALS®
1802 CORPORATE CENTER LANE
PLANT CITY, FL 33563

Crustaceans, Daphnia pulex: EC50 – 48h: 16.3 mg/L
Aquatic plants, Skeletonema costatum: ErC50 - 72 h: 8.73 mg/l
Potential for bioaccumulation: Not potentially bioaccumulable
Persistence and degradability:
BOD-5 (mg/g): 3 (estimated based on similar materials)
BOD-28 (mg/g): 7 (estimated based on similar materials)
COD (mg/g): 325 (estimated based on similar materials)
TOC (mg/g): 134

Section XIII - Disposal Consideration

Product Disposal: Dilute with plenty of water. Dispose of wastes in an approved waste disposal facility. In accordance with local and national regulations.

Section XIV - Transport information

D.O.T. Proper Shipping Name: OXIDIZING SOLID, N.O.S. (CONTAINS SODIUM CARBONATE PEROXYHYDRATE)	D.O.T. Hazard Class: 5.1 D.O.T. LABEL: 5.1
ID No: UN 1479	Packing Group: III

Section XV - Regulatory information

US. EPA EPCRA SARA Title III

SARA HAZARD DESIGNATION SECTIONS 311/312 (40 CFR 370)

Oxidizer (liquid, solid or gas)	Yes
Acute toxicity (any route of exposure)	Yes
Serious eye damage or eye irritation	Yes

The categories not mentioned are not relevant for the product.

Section 313 Toxic Chemicals (40 CFR 372.65)

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Section 302 Emergency Planning Extremely Hazardous Substance Threshold Planning Quantity (40 CFR 355)

This material does not contain any components with a section 302 EHS TPQ.

Section 302 Emergency Planning Extremely Hazardous Substance Reportable Quantity (40 CFR 355)

This material does not contain any components with a SARA 302 RQ.

Section 304 Emergency Release Notification Reportable Quantity (40 CFR 355)

This material does not contain any components with a section 304 EHS RQ.

US. EPA CERCLA Hazardous Substances and Reportable Quantities (40 CFR 302.4)

SAFETY DATA SHEET

AMERICAN WATER CHEMICALS®
1802 CORPORATE CENTER LANE
PLANT CITY, FL 33563

This material does not contain any components with a CERCLA RQ.

Section XVI - Other information

NFPA RATINGS:			
Health	Flammability	Reactivity	Physical and chemical properties
3	0	1	OX

The data contained in this material safety data sheet has been prepared based upon an evaluation of the ingredients contained in the product, their concentrations in the product and potential interactions. The information is offered in good faith and is believed to be accurate. It is furnished to the customer who is urged to study it carefully to become aware of hazards, if any, in the storage, handling, use and disposal of the product; and to insure his employees are properly informed and advised of all safety precautions required.