

SAFETY DATA SHEET

Page 1

AMERICAN WATER CHEMICALS
1802 CORPORATE CENTER LANE
PLANT CITY, FL 33563

IDENTITY:
AWC D-615P

Section I Company and Product Identification

AMERICAN WATER CHEMICALS 1802 Corporate Center Lane Plant City, FL 33563 Telephone Number: (813)-246-5448	ChemTel phone Number: In the U.S.: 1-800-255-3924 International: 1-813-248-0585 Australia: 1-300-954-583 Brazil: 0-800-591-6042 China: 400-120-0751 India: 000-800-100-4086 Mexico: 800-099-0731
Date Prepared: November 2003	Date Revised: October 2020

Trade Name	AWC D-615P
Product Family	PERACETIC ACID, DISINFECTANT

Section II – Hazards Identification

Corrosive Liquid Signal Word : DANGER Skin Corrosion - Category 1 Serious Eye Damage - Category 1 Oxidizing Liquids - Category 2 Corrosive to Metals - Category 1 Organic Peroxides - Type F Acute Toxicity - Oral Category 4 Acute Toxicity - Dermal Category 5 Hazardous to the Aquatic Environment, Acute Toxicity Category 2	
GHS Hazard Phrases	Causes severe skin burns and eye damage May intensify fire; oxidizer May be corrosive to metals Harmful if swallowed May be harmful in contact with skin Toxic to aquatic life Heating may cause fire
GHS Prevention Phrases	Wear protective gloves/protective clothing/eye protection/face protection. Wash hands thoroughly after handling Keep away from heat/sparks/open flames/hot surfaces - No smoking. Keep/Store away from clothing/combustible materials. Do not eat, drink or smoke when using this product. Keep only in original container. Take any precaution to avoid mixing with combustibles.

SAFETY DATA SHEET

AMERICAN WATER CHEMICALS
1802 CORPORATE CENTER LANE
PLANT CITY, FL 33563

GHS Response Phrases	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF exposed or you feel unwell: Call a POISON CENTER or doctor/physician Wash contaminated clothing before reuse. In case of fire: Use water for extinction. Absorb spillage to prevent material damage.
GHS Storage and Disposal Phrases	Store locked up. Store in a corrosive resistant container with a resistant inner liner. It is recommended to store this product at temperatures where the bulk liquid will not exceed 86°F / 30°C. Keep cool. Store away from other materials. Protect from sunlight. Dispose of contents/container in accordance with local regulations.

GHS label elements for product AT DILUTION USE
Signal Word: NONE
Hazard Pictograms: NONE
Hazard Statements: NONE
Precautionary Statements: Wash hands Thoroughly after handling. Don't eat, drink or smoke while using product.
Response: IF SWALLOWED: Rinse mouth, Immediately call a POISON CENTER or doctor/physician
Disposal: Dispose of contents/container in accordance with local regulations.
Hazards not Otherwise Classified: No other hazards classified.

Section III - Hazard Ingredients/Composition Information
Product AS SOLD

Hazardous Components	CAS #	Concentration
HYDROGEN PEROXIDE	7722-84-1	21.5-22.5%
PERACETIC ACID	79-21-0	14.8-15.7%
ACETIC ACID	64-19-7	15.8-16.6%

Product AT USE DILUTION

Hazardous Components	CAS #	Concentration
HYDROGEN PEROXIDE	7722-84-1	0.01-0.07%
PERACETIC ACID	79-21-0	0.009-0.050%

Section IV – First Aid Procedures

SAFETY DATA SHEET

AMERICAN WATER CHEMICALS
1802 CORPORATE CENTER LANE
PLANT CITY, FL 33563

Product AS SOLD

Inhalation: Remove source of exposure or move person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. If breathing is difficult, trained personnel should administer emergency oxygen if advised to do so by the POISON CENTER/doctor. Symptoms of pulmonary edema can be delayed up to 48 hours after exposure. If direct contact during rescue breathing poses a threat to the first aid provider, "Avoid mouth-to-mouth contact by using a barrier device."
Eye Contact: Remove source of exposure or move person to fresh air. Rinse eyes cautiously with lukewarm, gently flowing water for several minutes, while holding the eyelids open. Remove contact lenses, if present and easy to do. Continue rinsing for 30 minutes. Take care not to rinse contaminated water into the unaffected eye or into the face. Immediately call a POISON CENTER/doctor.
Skin Contact: Take off immediately contaminated clothing, shoes and leather goods (e.g. watchbands, belts). Rinse skin with lukewarm, gently flowing water/shower with a flushing duration of 30 minutes. Immediately call POISON CENTER/doctor. Wash contaminated clothing before re-use.
Ingestion (Swallowing): Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/doctor. If vomiting occurs naturally, lie on your side, in the recovery position.
Most Important Symptoms and Effects, both Acute and Delayed: Causes severe skin burns and eye damage, burning of the mouth, throat, and esophagus.
Indication of any Immediate Medical Attention and Special Treatment Needed: Treat symptomatically

Product AT USE DILUTION

Inhalation: Seek medical attention if symptoms occur.
Skin Contact: Rinse with plenty of water.
Eye Contact: Rinse with plenty of water.
Ingestion: Rinse mouth. Immediately call a poison center/doctor if symptoms occur.
Most Important Symptoms and Effects, both Acute and Delayed: Irritation of the gastrointestinal tract.
Indication of any Immediate Medical Attention and Special Treatment Needed: Treat symptomatically

Section V - Fire Fighting Measures

Product AS SOLD

Extinguishing Media: Use water spray, powder, foam, carbon dioxide.
Special hazards arising from the substance or mixture: Non combustible. May give off irritating or toxic fumes (or gases) in a fire.
Flammability classification (OSHA 29 CFR 1910.106) (Hazcom 2012): Non flammable
Hazardous Combustion Products: May cause fire and explosions when in contact with incompatible materials.
Special protective equipment and precautions for firefighters: In the event of a fire, wear full protective clothing and NIOSH-approved self-contained breathing apparatus.

Product AT USE DILUTION

Extinguishing Media: Material is not flammable.
Special hazards arising from the substance or mixture: No special hazards known.
Flammability classification (OSHA 29 CFR 1910.106) (Hazcom 2012): Non flammable
Hazardous Combustion Products: None known.
Special protective equipment and precautions for firefighters: In the event of a fire, wear full protective clothing and NIOSH-approved self-contained breathing apparatus.

Section VI – Accidental Release Measures

AMERICAN WATER CHEMICALS
1802 CORPORATE CENTER LANE
PLANT CITY, FL 33563

Product AS SOLD

Personal precautions, protective equipment and emergency procedures: Ventilate area of leak or spill. Wear appropriate personal protective equipment as specified in Section 8. Isolate hazard area. Keep unnecessary and unprotected personnel from entering.

Methods and materials for containment and cleaning up: SMALL SPILLS (less than 1 gallon): Neutralize with soda ash or cover with dry earth, sand or other non-combustible material, place into loosely covered plastic containers for later disposal. If neutralized, material can be diluted into drain. LARGE SPILL: Restrict access to area until completion of clean up. Prevent liquid from entering sewers or waterways. Stop or reduce leak if safe to do so. Dike with inert material (sand, earth, etc.). Collect into plastic containers for disposal. Ensure adequate decontamination of tools and equipment following clean up.

Special spill response procedures: Collect spills in plastic containers only. Prevent from entering sewers, waterways, or low areas.

Product AT USE DILUTION

Personal precautions, protective equipment and emergency procedures: Wear appropriate personal protective equipment as specified in Section 8. Isolate hazard area. Keep unnecessary and unprotected personnel from entering.

Methods and materials for containment and cleaning up: SMALL SPILLS (less than 1 gallon): Dike small spills with inert material (sand, earth, etc.). Collect in plastic containers only. Wash area and let dry. LARGE SPILL: Should be diked with sand ahead of spill. Collect in plastic containers only. Ensure adequate decontamination of tools and equipment following clean up.

Special spill response procedures: Collect spills in plastic containers only. Prevent from entering sewers, waterways, or low areas.

Section VII - Handling and Storage**Product AS SOLD**

Precautions for Safe Handling: Wear at least chemical resistant gloves and eye protection, face shield, and chemical resistant garments when handling, moving or using this product. Do not contaminate water, food, or feed by storage or disposal.

Conditions for Safe Storage: Store in a cool, dry, well ventilated place away from direct sunlight. Keep container closed when not in use. Keep away from direct sunlight.

Incompatible Materials: Avoid strong reducing agents, soft metals, heat and bases (unless product has been diluted to less than 1000ppm, then bases may be used to gradually adjust to a pH of less than 9).

Product AT USE DILUTION

Precautions for Safe Handling: Do not swallow or ingest. Wash hands thoroughly after handling.

Conditions for Safe Storage: Store in a cool, dry, well ventilated place away from direct sunlight. Keep container closed when not in use. Keep away from direct sunlight.

Incompatible Materials: Avoid strong reducing agents, soft metals, heat and bases.

Section VIII – Exposure Controls and Personal Protection**Product AS SOLD**

Components	CAS NO.	TWA	OSHA PEL STEL/CEILING	ACGIH TLV
Acetic Acid	64-19-7	10 ppm	15 ppm/40ppm (CalOSHA)	TWA 10ppm STEL 15 ppm

SAFETY DATA SHEET

Page

5

AMERICAN WATER CHEMICALS
1802 CORPORATE CENTER LANE
PLANT CITY, FL 33563

Hydrogen Peroxide	7722-84-1	1 ppm	1 ppm/N/A (CalOSHA)	TWA 1 ppm STEL N/A
Paracetic Acid	79-21-1	N/A	N/A	TWA N/A STEL 0.4 ppm

Ventilation and engineering measures: Forced air, local exhaust, or open air is adequate.

Respiratory Protection: In case of confined spaces or high levels encountered in the air, wear self-contained breathing apparatus.

Skin Protection: Wear chemical resistant gloves and chemical resistant garments when handling, wash garments before re-use.

Eye/Face Protection: Wear chemical goggles; also wear a face shield if splashing hazard exists.

Other Protective Equipment: Eye wash facility and emergency shower should be in close proximity.

General Hygiene Conditions: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Remove and wash contaminated clothing before re-use. Handle in accordance with good industry hygiene and safety practice.

Product AT USE DILUTION

Ventilation and engineering measures: No special equipment needed.

Respiratory Protection: No respiratory personal protective equipment (PPE) required.

Skin Protection: No personal protective equipment (PPE) required.

Eye/Face Protection: No personal protective equipment (PPE) required.

Other Protective Equipment: No special protective equipment required.

General Hygiene Conditions: Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.

Section IX - Physical/Chemical Characteristics**Product AS SOLD**

pH: <1 (1:10)	Melting/Freezing point: <10° F / <-12 ° C
Initial boiling point and boiling range: No information available	Flash Point: >207° F / >98 ° C
Flammability (solid, gas): Non flammable	Vapor Pressure (mm Hg): 27
Specific gravity: 1.14	Solubility in Water: Complete
Auto ignition Temperature: >518° F/ >270° C	Decomposition temperature: No information available
Viscosity: 10-20 cSt at 20°C / 68°F	Volatiles (% by weight): >99
Volatile Organic Compounds (VOC's): No information available	
Appearance and Odor: Clear colorless liquid with Vinegar odor	

Product AT USE DILUTION

Appearance: Clear colorless liquid
Odor: Slight vinegar odor
pH: 2.5-3.5

SAFETY DATA SHEET

AMERICAN WATER CHEMICALS
1802 CORPORATE CENTER LANE
PLANT CITY, FL 33563

Section X – Stability & Reactivity Data

Product AS SOLD

Reactivity: Reactive with bases, metals, reducing agents and combustible materials
Chemical Stability: Stable for up to 1 year when stored under normal conditions.
Possibility of Hazardous Reactions: May react with incompatible materials
Conditions to Avoid: Incompatible materials and high temperatures
Incompatible Materials: Reactive with bases, metals, reducing agents and combustible materials
Hazardous Decomposition Products: Oxygen which supports combustion.

Product AT USE DILUTION

Reactivity: Reactive with bases, metals, reducing agents and combustible materials
Chemical Stability: Stable for up to 8-24 hours in distilled water. Chemical stability may be drastically reduced if hard water is used.
Possibility of Hazardous Reactions: May react with incompatible materials
Conditions to Avoid: Incompatible materials and high temperatures
Incompatible Materials: Reactive with bases, metals, reducing agents and combustible materials
Hazardous Decomposition Products: None known.

Section XI– Toxicological Information

Product AS SOLD

Information on likely routes of exposure

Inhalation: YES	Skin & Eye: YES	Ingestion: YES	Skin absorption: NO
------------------------	----------------------------	-----------------------	----------------------------

Potential Health Effects

Signs and symptoms of short term (acute) exposure:

Inhalation: Inhalation of the mist may produce severe irritation of respiratory tract, characterized by coughing, choking, shortness of breath, headaches, dizziness, nausea, weakness and/or drowsiness.
Ingestion: Corrosive! Swallowing causes severe burns of mouth, throat, and stomach. Severe scarring of tissue, corrosion, permanent tissue destruction and death may result. Symptoms may include severe pain, nausea, vomiting, diarrhea, shock, hemorrhaging and/or fall in blood pressure. Damage may appear days after exposure.
Skin: Corrosive! Contact with skin causes irritation or severe burns and scarring with greater exposures.
Eye: Corrosive! Causes irritation of eyes, and with greater exposures it can cause burns that may result in permanent impairment of vision, even blindness.

Potential Chronic Health Effects

Mutagenicity: Not known to have mutagenic effects in humans or animals.
Carcinogenicity: No components are listed as carcinogens by ACGIH, IARC, OSHA, or NTP.
Reproductive effects: No known reproductive effects in humans or animals.
Sensitization to material: Not a known sensitizer in humans or animals.
Specific target organ effects: No information available.
Medical conditions aggravated by overexposure: No information available

Toxicological data: The calculated ATE values for this mixture are:

ATE oral = 494 mg/kg	ATE dermal = 2281 mg/kg	ATE inhalation = >20 mg/L or >20,000 ppm
----------------------	-------------------------	--

SAFETY DATA SHEET

AMERICAN WATER CHEMICALS
1802 CORPORATE CENTER LANE
PLANT CITY, FL 33563

Product AT USE DILUTION

Information on likely routes of exposure

Inhalation: NO	Skin & Eye: NO	Ingestion: YES	Skin absorption: NO
----------------	----------------	----------------	---------------------

Potential Health Effects

Signs and symptoms of short term (acute) exposure:

Inhalation: Not a respiratory irritant.
Ingestion: May cause irritation to the digestive system.
Skin: Not a skin irritant, but may cause skin irritation on some individuals if not washed from skin. Rinse hands thoroughly if exposed.
Eye: Not an eye irritant.

Potential Chronic Health Effects

Mutagenicity: Not known to have mutagenic effects in humans or animals.
Carcinogenicity: No components are listed as carcinogens by ACGIH, IARC, OSHA, or NTP.
Reproductive effects: No known reproductive effects.
Sensitization to material: Not expected to cause sensitization.
Specific target organ effects: No information available.
Medical conditions aggravated by overexposure: No information available

Toxicological data: The calculated ATE values for this mixture are:

ATE oral = 4789 mg/kg	ATE dermal = > 10,000 mg/kg	ATE inhalation = >20 mg/L or >20,000 ppm
-----------------------	-----------------------------	--

Section XII – Ecological Information

Product AS SOLD

Ecotoxicity: May be harmful to aquatic life.
Persistence and degradability: Not expected to persist. Expected to readily biodegrade.
Bioaccumulation potential: Not expected to bio accumulate.
Mobility in soil: No information available

Product AT USE DILUTION

Ecotoxicity: No information available.
Persistence and degradability: No information available.
Bioaccumulation potential: No information available.
Mobility in soil: No information available.

Section XIII - Disposal Consideration

Product AS SOLD

Handling for disposal: Do not contaminate water, food, or feed by storage and/or disposal. When handling refer to protective measures listed in sections 7 and 8. Empty residue from containers, rinse container well.
Method of disposal: Dispose of in accordance with all applicable federal, state, provincial and local regulations. Contact your local, state, provincial or federal environmental agency for specific rules.
RCRA: If product becomes a waste, it does meet the criteria of a hazardous waste as defined by the US EPA, because of: Corrosivity D002

SAFETY DATA SHEET

AMERICAN WATER CHEMICALS
1802 CORPORATE CENTER LANE
PLANT CITY, FL 33563

Product AT USE DILUTION

Handling for disposal: Do not contaminate water, food, or feed by storage and/or disposal. When handling refer to protective measures listed in sections 7 and 8. Empty residue from containers, rinse container well.
Method of disposal: Dispose of in accordance with all applicable federal, state, provincial and local regulations. Contact your local, state, provincial or

Section XIV - Transport information

D.O.T. Proper Shipping Name: ORGANIC PEROXIDE, TYPE F, LIQUID(Peroxyacetic acid)	D.O.T. Hazard Class: 5.2 (8) D.O.T. LABEL: CORROSIVE
ID No: UN 3109	Packing Group: II

Section XV - Regulatory information

Product AS SOLD:

FIFRA Classification/Typical Hazard Labeling, as outlined in EPA Label Review Manual

Hazard Data

Signal Word DANGER

Acute Toxicity, oral Category III: Harmful if swallowed

Acute Toxicity, dermal Category III: Harmful if absorbed through skin

Acute Toxicity, inhalation Category IV

Skin irritation/corrosion Category I: Corrosive. Causes skin burns

Serious eye damage Category I: Corrosive, Causes irreversible eye damage

Sensitization Not Classified (NC)

Environmental (aquatic) toxicity This pesticide is toxic to fish and other aquatic organisms.

US Federal Information:

TSCA information: All components are listed on the TSCA inventory.

US CERCLA Reportable quantity (Hazardous substance RQ): Acetic acid has a RQ of approximately 31000 lbs. of as is chemical.

US EPCRA Reportable quantity (Extremely hazardous substance RQ): Peracetic acid has a RQ of approximately 3500 lbs. of as is chemical.

Clean Air Act Section 112(r) Threshold Quantity (TQ): Peracetic acid has a TQ of approximately 66000 lbs. of as is chemical.

SARA Title III: Reactivity Hazard, Acute Health Hazard

International Information: WHMIS: Class C: Oxidizing material. Class E: Corrosive material

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations

SAFETY DATA SHEET

Page 9

AMERICAN WATER CHEMICALS
1802 CORPORATE CENTER LANE
PLANT CITY, FL 33563

Section XVI - Other information

NFPA RATINGS:

Product AS SOLD

Health	Flammability	Stability
3	1	1

Product AT USE DILUTION

Health	Flammability	Stability
2	0	0

HMIS Ratings

Product AS SOLD

Health	Flammability	Physical Hazard	Personal Protection
3	1	1	C

Product AT USE DILUTION

Health	Flammability	Physical Hazard	Personal Protection
3	0	0	0

The data contained in this material safety data sheet has been prepared based upon an evaluation of the ingredients contained in the product, their concentrations in the product and potential interactions. The information is offered in good faith and is believed to be accurate. It is furnished to the customer who is urged to study it carefully to become aware of hazards, if any, in the storage, handling, use and disposal of the product; and to insure his employees are properly informed and advised of all safety precautions required.