



RS 1425 (AFCO 8702)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations
Revision Date: 04/01/2024

Version: 1.1

SECTION 1: IDENTIFICATION

Product Identifier

Product Form: Mixture

Product Name: RS 1425

Product Code: AFCO 8702

Intended Use of the Product:

Use of the Substance/Mixture: Water treatment chemical. For professional use only.

Name, Address, and Telephone of the Responsible Party

Company

AFCO
800 Development Avenue
Chambersburg, PA 17201
T: 800-345-1329
www.afcocare.com

Emergency Telephone Number

Emergency Number : 1-800-424-9300 (CHEMTREC)

SECTION 2: HAZARDS IDENTIFICATION

Classification of the Substance or Mixture

Classification (GHS-US)

Eye Dam. 1 H318

Label Elements

GHS-US Labeling

Hazard Pictograms (GHS-US)

:



GHS05

Signal Word (GHS-US)

: Danger.

Hazard Statements (GHS-US)

: H318 - Causes serious eye damage

Precautionary Statements (GHS-US)

: P280 - Wear protective glove, protective clothing, eye protection, face protection.
P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.- Immediately call a POISON CENTER or doctor/physician.

Other Hazards

Other Hazards Not Contributing to the Classification: Exposure may aggravate those with pre-existing eye, skin, or respiratory conditions. Contaminated surfaces will be extremely slippery.

Unknown Acute Toxicity (GHS-US) Not available.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Substances & Mixture

Name	Product identifier	% (w/w)	Classification (GHS-US)
Distillates (petroleum), hydrotreated light	(CAS No) 64742-47-8	22 - 25	Not Available
Alcohols, C12-14, ethoxylated	(CAS No) 68439-50-9	0 - 3.6	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Aquatic Acute 2, H401
Alcohols, C12-16, ethoxylated	CAS No) 68551-12-2	0 - 3.6	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Aquatic Acute 2, H401
Alcohols, C10-C16, ethoxylated	CAS No) 68002-97-1	0 - 3.6	Skin Irrit. 2, H315 Eye Irrit. 2A, H319

RS 1425 (AFCO 8702)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

			Aquatic Acute 2, H401
(Z)-Octadec-9-enylamine, ethoxylated	(CAS No) 26635-93-8	1.2 - 1.6	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Ammonium acetate	(CAS No) 631-61-8	2 - 10	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400

Full text of H-phrases: see section 16.

SECTION 4: FIRST AID MEASURES

Description of First Aid Measures

General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

Inhalation: When symptoms occur: go into open air and ventilate suspected area. Remove to fresh air and keep at rest in a position comfortable for breathing. Obtain medical attention if breathing difficulty persists.

Skin Contact: Remove contaminated clothing. Drench affected area with water for several minutes. Obtain medical attention if irritation persists. Wash contaminated clothing before reuse.

Eye Contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.

Ingestion: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

Most Important Symptoms and Effects Both Acute and Delayed

General: May cause slight eye and skin irritation.

Inhalation: None.

Skin Contact: May cause skin irritation.

Eye Contact: May cause slight eye irritation.

Ingestion: None.

Chronic Symptoms: Not available.

Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention.

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media: Water spray, dry chemical, carbon dioxide.

Unsuitable Extinguishing Media: Use extinguishing media suitable for surrounding environment.

Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not available.

Explosion Hazard: None.

Reactivity: When heated to decomposition, may emit toxic fumes.

Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire. Wear self-contained breathing apparatus and protective suit. Use NIOSH/MSHA approved respiratory protection.

Firefighting Instructions: Use water spray or fog for cooling exposed containers.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: Carbon oxides (CO, CO₂), Nitrogen Oxides (NO_x). Sulphur oxides (SO_x). Ammonia.

Other information: Do not allow run-off from fire fighting to enter drains or water courses.

Reference to Other Sections

Refer to section 9 for flammability properties.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Use appropriate personal protection equipment (PPE).

RS 1425 (AFCO 8702)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protection equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: None.

Environmental Precautions

Prevent entry to sewers and public waters.

Methods and Material for Containment and Cleaning Up

For Containment: Prevent spilled material from entering drains.

Methods for Cleaning Up: Soak up with inert absorbent material. Shovel into suitable container for disposal. Clean up spills immediately and dispose of waste safely. After cleaning, flush away traces with water. Contact competent authorities after a spill. Contaminated surfaces will be extremely slippery.

Reference to Other Sections

See heading 8, Exposure Controls and Personal Protection.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling

Additional Hazards When Processed: Not available.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work. Do not eat, drink or smoke when using this product. Wash hands and forearms thoroughly after handling.

Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Comply with applicable regulations.

Storage Conditions: Do not freeze. Store at room temperature in the original container. Do not use iron, copper, or aluminum containers or equipment.

Incompatible Materials: None.

Special Rules on Packaging: Keep only in original container.

Specific End Use(s): Water treatment chemical. For professional use only.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Distillates (petroleum), hydrotreated light (64742-47-8)		
USA ACGIH	ACGIH Ceiling TLV (mg/m ³)	200 mg/m ³

Exposure Controls

Appropriate Engineering Controls: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure all national/local regulations are observed. Ensure adequate ventilation.

Personal Protective Equipment: Protective goggles. Gloves. Protective clothing.



Materials for Protective Clothing: Chemically resistant protective clothing.

Hand Protection: Wear chemically resistant protective gloves.

Eye Protection: Safety goggles.

Skin and Body Protection: Wear suitable protective clothing.

Respiratory Protection: None usually needed. In case of inadequate ventilation, use NIOSH/MSHA approved respiratory protection.

Other Information: When using, do not eat, drink or smoke.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical State	: Liquid
Appearance	: White, viscous
Odor	: Hydrocarbon-like

RS 1425 (AFCO 8702)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Odor Threshold	: Not available
pH	: 6-8
Relative Evaporation Rate (butylacetate=1)	: Not available
Melting Point	: 24.8°F (-4 °C)
Freezing Point	: Not available
Boiling Point	: Not available
Flash Point	: 215.6°F (102°C)
Auto-ignition Temperature	: Not available
Decomposition Temperature	: Not available
Flammability (solid, gas)	: Not available
Lower Flammable Limit	: Not available
Upper Flammable Limit	: Not available
Vapor Pressure	: Not available
Relative Vapor Density at 21°C	: Not available
Density	: 1.03 - 1.06 g/cm ³
Solubility	: Limited
Partition coefficient: n-octanol/water	: Not available
Viscosity	: >20.5 mm ² /s
Explosion Data – Sensitivity to Mechanical Impact	: Not expected to present an explosion hazard due to mechanical impact.
Explosion Data – Sensitivity to Static Discharge	: Not expected to present an explosion hazard due to static discharge.

SECTION 10: STABILITY AND REACTIVITY

Reactivity: When heated to decomposition, may emit toxic fumes.

Chemical Stability: Stable under normal conditions.

Possibility of Hazardous Reactions: Hazardous polymerization will not occur.

Conditions to Avoid: Do not freeze.

Incompatible Materials: None.

Hazardous Decomposition Products: Ammonia. Carbon oxides (CO, CO₂), Nitrogen Oxides (NO_x). Sulphur oxides (SO_x).

SECTION 11: TOXICOLOGICAL INFORMATION

Information on Toxicological Effects - Product

Acute Toxicity: Not classified.

LD50 and LC50 Data: Not available.

Skin Corrosion/Irritation: Causes skin irritation. (pH: 6-8)

Serious Eye Damage/Irritation: Causes serious eye damage. (pH: 6-8)

Respiratory or Skin Sensitization: Not classified.

Germ Cell Mutagenicity: Not classified.

Teratogenicity: Not available.

Carcinogenicity: Not classified.

Specific Target Organ Toxicity (Repeated Exposure): Not classified.

Reproductive Toxicity: Not classified.

Specific Target Organ Toxicity (Single Exposure): Not classified.

Aspiration Hazard: Not classified.

Symptoms/Injuries After Inhalation: None.

Symptoms/Injuries After Skin Contact: Causes skin irritation.

Symptoms/Injuries After Eye Contact: Causes serious eye damage.

Symptoms/Injuries After Ingestion: None.

Information on Toxicological Effects - Ingredient(s)

LD50 and LC50 Data:

Distillates (petroleum), hydrotreated light (64742-47-8)	
LD50 Oral Rat	>5000 mg/l

RS 1425 (AFCO 8702)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Ammonium acetate (631-61-8)	
LD50 Oral Rat	350 mg/kg

SECTION 12: ECOLOGICAL INFORMATION

Toxicity Ecology – General: Not available.

Ammonium acetate (631-61-8)	
LC50 Fish 1	>100mg/l (Exposure time: 96 h - Species:)
EC50 Daphnia 1	>100mg/l (Exposure time: 48 h - Species: Daphnia magna)

Persistence and Degradability

RS 1425 (AFCO 8702)	
Persistence and Degradability	Not readily biodegradable.

Bioaccumulative Potential

RS 1425 (AFCO 8702)	
Bioaccumulative Potential	Bioaccumulation is unlikely.

Mobility in Soil Not available.

Other Adverse Effects

Other Information: Not available.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal Recommendations: Dispose of waste material in accordance with all local, regional, national, provincial, territorial and international regulations.

Ecology – Waste Materials: Not established.

SECTION 14: TRANSPORT INFORMATION

14.1 In Accordance with DOT

Proper Shipping Name	: Other Regulated Substances, Liquid, N.O.S. (Ammonium acetate)
Hazard Class	: 9
Identification Number	: UN3082
Label Codes	: 9
Packing Group	: III



14.2 In Accordance with IMDG

Not classified as dangerous in the meaning of transport regulations.

14.3 In Accordance with IATA

Not classified as dangerous in the meaning of transport regulations.

Special precaution for user: This product is regulated as a hazardous material according to US DOT only in bulk quantities greater than 49,999 lbs (22, 680 kg) per package.

SECTION 15: REGULATORY INFORMATION

US Federal Regulations

RS 1425 (AFCO 8702)	
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard.
All components are listed on or exempt from the United States TSCA (Toxic Substances Control Act) inventory.	

US State Regulations

Ammonium acetate (631-61-8)	
U.S. - Massachusetts - Right To Know List.	
U.S. - New Jersey – RTK (Right to Know) Hazardous Substance List.	
U.S. - Pennsylvania - RTK (Right to Know) List.	

Canadian Regulations

All components of this produce are included or are not required to be listed in the Canada Domestic Substance List (DSL).

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Revision date	: 04/01/2024
Other Information	: This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

RS 1425 (AFCO 8702)


Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

GHS Full Text Phrases:

Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4.
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1.
Aquatic Acute 2	Hazardous to the aquatic environment - Acute Hazard Category 2.
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1.
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A.
Skin Irrit. 2	Skin corrosion/irritation Category 2.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H401	Toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

- NFPA Health Hazard** : 1 - Exposure could cause irritation but only minor residual injury even if no treatment is given.
- NFPA Fire Hazard** : 1 - Must be preheated before ignition can occur.
- NFPA Reactivity** : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.



HMIS III Rating

- Health** : 1 Slight Hazard - Irritation or minor reversible injury possible.
- Flammability** : 1 - Slight Hazard.
- Physical** : 0 - Minimal Hazard.

Party Responsible for the Preparation of This Document

AFCO
800 Development Avenue
Chambersburg, PA 17201
T: 800-345-1329

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

North America GHS SDS 2015 (U.S., Can., Mex.)