



Space Spray Safe No. 3 (AFCO 7501)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations
Revision Date: 12/3/2015

Version: 1.0

SECTION 1: IDENTIFICATION

Product Identifier

Product Form: Mixture

Product Name: Space Spray No. 3 (AFCO 7501)

Product Code: AFCO 7501

Intended Use of the Product:

Use of the Substance/Mixture: Non-residual insect spray. For professional use only.

Name, Address, and Telephone of the Responsible Party

Company

Alex C. Fergusson, LLC.
800 Development Avenue
Chambersburg, PA 17201
T 800-345-1329
www.afcocare.com

Emergency Telephone Number

Emergency number : 1-800-424-9300 (CHEMTREC)

SECTION 2: HAZARDS IDENTIFICATION

Classification of the Substance or Mixture

Classification (GHS-US)

Flam Liq. 4 :H227

Asp. 1 :H304

Skin Irrit. 2 :H315

Skin Sens. 1 :H317

Eye Irrit. 2A :H319

Label Elements

Hazard Pictograms (GHS-US)



Signal Word (GHS-US)

: Danger

Hazard Statements (GHS-US)

: H227 - Combustible liquid
H304 - May be fatal if swallowed and enters airways
H315 - Causes skin irritation
H317 - May cause an allergic skin reaction
H319 - Causes serious eye irritation

Precautionary Statements (GHS-US)

: P210 - Keep away from heat, sparks, open flames, hot surfaces. - No smoking.
P264 - Wash hands, forearms, and other exposed areas thoroughly after handling.
P270 - Do not eat drink or smoke when using this product.
P280 - Wear protective gloves, protective clothing, eye protection, face protection, respiratory protection.
P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P302+P352 - IF ON SKIN: Wash with plenty of soap and water.
P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P321 - Specific treatment (see section 4).
P331 - Do NOT induce vomiting if swallowed.
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
P337+P313 - If eye irritation persists: Get medical advice/attention.
P363 - Wash contaminated clothing before reuse.
P370+P378 - In case of fire: Use appropriate media for extinction.

Space Spray No. 3 (AFCO 7501)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P403+P235 - Store in a well-ventilated place. Keep cool.

P405 - Store locked up.

P501 - Dispose of contents/container to local, regional, national, territorial, provincial, and international regulations.

Other Hazards

Other Hazards Not Contributing to the Classification: Spills produce extremely slippery surfaces. Exposure may aggravate those with pre-existing eye, skin, or respiratory conditions.

Unknown Acute Toxicity (GHS-US) Not available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Substances

Mixture

Name	Product identifier	% (w/w)	Classification (GHS-US)
Distillates (petroleum), hydrotreated light	(CAS No) 64742-47-8	90-99	Asp. Tox. 1, H304
Piperonyl Butoxide	(CAS No) 51-03-6	0.1-1.0	Aquatic Chronic 1, H410
Pyrethrins	(CAS No) 8003-34-7	≤ 0.01	Flam. Liq. 4, H227 Acute Tox. 3 (oral), H301 Acute Tox. 3 (dermal), H311 Acute Tox. 4 (inhalation), H332 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of H-phrases: see section 16

SECTION 4: FIRST AID MEASURES

Description of First Aid Measures

General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

Inhalation: When symptoms occur: go into open air and ventilate suspected area. Remove to fresh air and keep at rest in a position comfortable for breathing. Obtain medical attention if breathing difficulty persists.

Skin Contact: Remove contaminated clothing. Drench affected area with water for several minutes. Obtain medical attention if irritation persists. Wash contaminated clothing before reuse.

Eye Contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.

Ingestion: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

Most Important Symptoms and Effects Both Acute and Delayed

General: May be harmful or fatal if swallowed and enters airways. Aspiration hazard if swallowed.

Inhalation: May cause respiratory, eye, nose and/or throat irritation. Coughing. Headache.

Skin Contact: Causes skin irritation.

Eye Contact: Causes serious eye irritation.

Ingestion: Harmful or fatal if swallowed. Aspiration hazard - this material can enter lungs during swallowing or vomiting and cause lung inflammation and damage

Chronic Symptoms: Not available

Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention.

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media: Water spray, fog or foam.

Unsuitable Extinguishing Media: NA

Special Hazards Arising From the Substance or Mixture

Fire Hazard: When heated above its flash point temperature, this material will release flammable vapors which if exposed to an ignition source, can burn in the open. Mists and sprays may be flammable at temperatures below the flash point.

Space Spray No. 3 (AFCO 7501)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Explosion Hazard: May be explosive if heated above flash point, and exposed to ignition source in a confined space. Gas may accumulate in low or confined areas or travel a considerable distance to a source of ignition and flash back, causing fire or explosion.

Reactivity: When heated to decomposition, emits toxic fumes.

Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire.

Firefighting Instructions: Use water spray or fog for cooling exposed containers.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: Carbon oxides (CO, CO₂).

Other information: Do not allow run-off from fire fighting to enter drains or sewers. Runoff to sewer may create a fire hazard. Spills produce extremely slippery surfaces.

Reference to Other Sections

Refer to section 9 for flammability properties.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Use appropriate personal protection equipment (PPE).

For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protection equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: None

Environmental Precautions

Prevent entry to sewers and public waters.

Methods and Material for Containment and Cleaning Up

Stop all leaks. Isolate hazard area and evacuate unnecessary and unprotected personnel. Eliminate all ignition sources. Disperse vapors with water spray. Prevent runoff from entering drains, sewers, streams or other bodies of water. Absorb spill with inert material. Absorb unrecoverable product. Transfer absorbent, soil and other materials to appropriate containers for disposal.

Reference to Other Sections

See heading 8, Exposure Controls and Personal Protection.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling

Additional Hazards When Processed: When heated to decomposition, emits flammable vapors.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work. Do not eat, drink or smoke when using this product. Wash hands and forearms thoroughly after handling. Keep out of reach of children.

Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Ground/bond container and receiving equipment. Use explosion-proof ventilating and equipment. Comply with applicable regulations.

Storage Conditions: Do not store near heat, sparks or open flame. Store in a cool dry place.

Incompatible Materials: Strong oxidizing agents. Acids.

Special Rules on Packaging: Keep only in original container.

Specific End Use(s) Non-residual insect spray. For professional use only.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Distillates (petroleum), hydrotreated light		
USA ACGIH	ACGIH STEL (mg/m ³)	200 mg/m ³ (8 hour)
Pyrethrins (8003-34-7)		
USA ACGIH	ACGIH TWA (mg/m ³)	5 mg/m ³
USA NIOSH	NIOSH REL (TWA) (mg/m ³)	5 mg/m ³
USA OSHA	OSHA PEL (TWA) (mg/m ³)	5 mg/m ³

Space Spray No. 3 (AFCO 7501)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Exposure Controls

Appropriate Engineering Controls: Ensure adequate ventilation. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure all national/local regulations are observed.

Personal Protective Equipment: Protective goggles. Gloves. Insufficient ventilation: wear respiratory protection. Prolonged or repeated use: wear protective clothing.



Materials for Protective Clothing: None usually needed.

Hand Protection: Wear chemically resistant protective gloves.

Eye Protection: Safety goggles.

Skin and Body Protection: For prolonged or repeated use wear coveralls and/or chemical apron.

Respiratory Protection: When respiratory protection is required use an organic vapor cartridge. Respiratory program must meet OSHA 29 CFR 1910.34 and ANSI Z88.2 requirements.

Other Information: When using, do not eat, drink or smoke.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical State	: Liquid
Appearance	: Clear, colorless to yellow
Odor	: Slight solvent
Odor Threshold	: Not available
pH	: Not applicable
Relative Evaporation Rate (butylacetate=1)	: Not available
Melting Point	: Not available
Freezing Point	: Not available
Boiling Point	: Not available
Flash Point	: 170°F (76.7 °C)
Auto-ignition Temperature	: Not available
Decomposition Temperature	: Not available
Flammability (solid, gas)	: Not available
Lower Flammable Limit	: Not available
Upper Flammable Limit	: Not available
Vapor Pressure	: Not available
Relative Vapor Density at 21 °C	: Not available
Specific Gravity	: 0.8
Solubility	: Insoluble in water
Partition coefficient: n-octanol/water	: Not available
Viscosity	: Not available

SECTION 10: STABILITY AND REACTIVITY

Reactivity: Under normal conditions of storage and use, hazardous reactions will not occur. Combustible liquid. Vapors may ignite at temperatures exceeding the flash point.

Chemical Stability: Stable under normal conditions.

Possibility of Hazardous Reactions: Hazardous polymerization will not occur.

Conditions to Avoid: High temperatures. Open flames, sparks, welding. Incompatible materials.

Incompatible Materials: Strong oxidizing agents. Acids.

Hazardous Decomposition Products: Carbon oxides (CO, CO₂).

Space Spray No. 3 (AFCO 7501)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 11: TOXICOLOGICAL INFORMATION

Information on Toxicological Effects - Product

Acute Toxicity: Not classified

LD50 and LC50 Data: Not available

Skin Corrosion/Irritation: Causes skin irritation **pH:** NA

Serious Eye Damage/Irritation: Causes serious eye irritation. **pH:** NA

Respiratory or Skin Sensitization: Not classified

Germ Cell Mutagenicity: Not classified

Teratogenicity: Not available

Carcinogenicity: Not classified

Specific Target Organ Toxicity (Repeated Exposure): Not classified

Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): Not classified

Aspiration Hazard: Not classified

Symptoms/Injuries After Inhalation: High vapor/aerosol concentrations (>1000 ppm) are irritating to the respiratory tract and eyes. May cause nose, throat and respiratory irritation, coughing and/or headache.

Symptoms/Injuries After Skin Contact: May cause skin irritation such as redness, burning, drying of skin or burns. Prolonged or repeated contact may dry the skin and cause sensitization.

Symptoms/Injuries After Eye Contact: May cause serious eye irritation. Symptoms include stinging, tearing and redness.

Symptoms/Injuries After Ingestion: Harmful or fatal if swallowed. Aspiration hazard - this material can enter lungs during swallowing or vomiting and cause lung inflammation and damage.

LD50 and LC50 Data:

Pyrethrin (8003-34-7)	
LC50 Inhalation Rat	>2.03 mg/L (4 hours)

SECTION 12: ECOLOGICAL INFORMATION

Toxicity

Ecology – Not available.

Piperonyl butoxide (51-03-6)	
LC50 Fish 1	6.12 ppm (Species: Oncorhynchus mykiss)
LC50 Fish 2	5.37 ppm (Species: Lepomis macrochirus)

Persistence and Degradability : Readily biodegradable.

Bioaccumulative Potential

Space Spray No. 3 (AFCO 7501)	
Bioaccumulative Potential	No data available

Mobility in Soil Not available

Other Adverse Effects

Other Information-Not available

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal Recommendations: Dispose of waste material in accordance with all local, regional, national, provincial, territorial and international regulations.

Ecology – Waste Materials: Not established.

SECTION 14: TRANSPORT INFORMATION

14.1 In Accordance with DOT : Not regulated for transport.

14.2 In Accordance with IMDG : Not regulated for transport.

14.3 In Accordance with IATA : Not regulated for transport.

14.4 In Accordance with TDG : Not regulated for transport.

SECTION 15: REGULATORY INFORMATION

US Federal Regulations

Space Spray No. 3 (AFCO 7501)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Space Spray No. 3 (AFCO 7501)	
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard Fire hazard
Space Spray No. 3 (AFCO 7501)	
All components of this product are listed or exempt from listing on the United States TSCA (Toxic Substances Control Act) inventory	
Piperonyl butoxide (51-03-6)	
Listed in SARA Section 313 of Title III	

US State Regulations

None.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by CPR.

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Revision date : 12/3/2015

Other Information : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.


GHS Full Text Phrases:

Acute Tox. 3 (Dermal)	Acute toxicity (Dermal) Category 3
Acute Tox. 4 (Inhalation)	Acute toxicity (Inhalation) Category 4
Acute Tox. 3 (Oral)	Acute toxicity (Oral) Category 3
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
Asp. Tox. 1	Aspiration hazard Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Flam Liq. 4	Flammable liquids Category 4
Skin Irrit. 2	Skin corrosion/irritation Category 2
Skin Sens. 1	Skin sensitization Category 1
H227	Combustible liquid
H301	Toxic if swallowed
H304	May be fatal if swallowed and enters airways
H311	Toxic in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H332	Harmful if inhaled
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects

NFPA Health Hazard : 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.

NFPA Fire Hazard : 2 - Materials which must be moderately heated or exposed to high ambient temperatures before ignition will occur. Includes liquids having a flash point at or above 100 °F but below 200 °F.

NFPA Reactivity : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.



Space Spray No. 3 (AFCO 7501)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

HMIS III Rating

Health : 2 Moderate Hazard - Temporary or minor injury may occur
Flammability : 2 Moderate Hazard - Must be moderately heated or exposed to relatively high temperature before ignition can occur.
Physical : 0 Minimal Hazard

Party Responsible for the Preparation of This Document

Alex C. Fergusson, LLC.
800 Development Avenue
Chambersburg, PA 17201
800-345-1329

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

North America GHS US 2012 & WHMIS 2