

Lab 11 - Blockchain

Lab 11 Template

1) Part 1:

- a. Screenshot of the genesis block
(5 points)

```
cpre331@cpre331:~/labs/lab11$ cat genesis.json
{
  "config": {
    "chainId": 331,
    "homesteadBlock": 0,
    "eip150Block": 0,
    "eip155Block": 0,
    "eip158Block": 0,
    "byzantiumBlock": 0,
    "constantinopleBlock": 0,
    "petersburgBlock": 0,
    "istanbulBlock": 0,
    "berlinBlock": 0,
    "ethash": {}
  },
  "alloc": {},
  "coinbase": "0x000000000000000000000000000000000000000000000000",
  "difficulty": "0x2000",
  "extraData": "",
  "gasLimit": "0x2fefdf",
  "nonce": "0x000000000000000000000000000000331",
  "mixhash": "0x000000000000000000000000000000000000000000000000",
  "parentHash": "0x000000000000000000000000000000000000000000000000",
  "timestamp": "0x00"
}
```

2) Part 2:

- a. Screenshot of bootnode identifier
(5 points)

```
cpre331@cpre331:~/labs/lab11$ cat bootnode
enode://64ba603fb8dec7b6fcf499b2c01d8268a3c0a317303160946a6ff0d152b5dd1fd0a66be4fd27c26200c27bef28455b9744254802ef451a580bad68e928818e5@34.18.12.150:30301

cpre331@cpre331:~/labs/lab11$ geth --datadir data --networkid 331 --bootnodes "cat bootnode" console 2>console.log
Welcome to the Geth JavaScript console!

Instance: Geth/v1.10.10-stable-bb74230f/linux-amd64/go1.17.2
at block: 0 (Wed Dec 31 1969 18:00:00 GMT-0600 (CST))
datadir: /home/cpre331/labs/lab11/data
modules: admin:1.0 debug:1.0 eth:1.0 ethash:1.0 miner:1.0 net:1.0 personal:1.0 rpc:1.0 txpool:1.0 web3:1.0

To exit, press ctrl-d or type exit
>
```

- b. Individual node's identifier with Ubuntu desktop's IP address
(15 points)

```
- INFO [11-11|15:43:25.925] Started P2P networking
self=enode://4e8ea6b07ebabf73e109e29c7efc2a68b3895ab3f9d3ec63d3f283750c5ce3482028389c3e5fd989e686f7b3fe3eb54692012cec23f6ceb2e34d42e09a5994e4@177.110.34.1:30303
```

c. Screenshot of peer node list
(10 points)

```
> admin.peers
[{"
  caps: ["eth/66", "snap/1"],
  enode: "enode://72d606d9b82e6a7aa1064bc4e1760b9c8cbdd647b9fdecdb3d5d2549fb3dc868b45e4cd0e463a1bc7d53f8fe
2f8b8415f53444bcd78e96af5bbd1511f7e5d5b@34.18.12.150:30304",
  id: "7d97f8dbacb5d3d7216cc6ae7ee0d2df0b5ec2bc485b2e9102c1976613cb540c",
  name: "Geth/v1.10.10-stable-bb74230f/linux-amd64/go1.17.2",
  network: {
    inbound: false,
    localAddress: "77.110.34.1:53666",
    remoteAddress: "34.18.12.150:30304",
    static: true,
    trusted: false
  },
  protocols: {
    eth: {
      difficulty: 66191008193,
      head: "0xb0108ac274011d949e7ae60725d769d98e76fd953a215ee9534c5283ea1b5aee",
      version: 66
    },
    snap: {
      version: 1
    }
  }
}]
```

3) Part 3:

a. Screenshot of balance
(5 points)

```
> eth.getBalance(eth.accounts[0])
3562500000000000000
```

b. Screenshot of balance two minutes later
(5 points)

```
> eth.getBalance(eth.accounts[0])
16062478999999990000
```

4) Part 4:

a. Screenshot of transaction
(10 points)

—

(5 points)

—

