

APPENDIX C: POWER COMPATIBILITY TABLE FOR MANAGEUPS BLUE BUS ACCESSORIES

Number of Environment Sensors that can be powered by ManageUPS II Blue Bus without *auxiliary power* supplied to the sensor.

CHLORIDE Brand UPS Models

UPS Family		MUN-II LP Card Low Power	MUN-II Card	MUN-II External Chassis	
Deskpower / Deskpower+		NA		8	
PowerLAN / PowerLAN+					
Linear					
Synthesis/Synthesis Twin					
EDP70 / EDP70+ / EDP90					
ACTIVE	(230V)	**	**		
	(120V)	3	1		
Linear MKII	6kVA	0	NA		
	10-20kVA	2	0		
Linear Plus (6/10kVA)		8	6		
70/80/90Net (2-slot)		8*	7*		
90net 500kVA		NA			
CP3000 Series (5 slot)		8*	7*		
<p>* Value assumes ManageUPS II is the only accessory in the multi-slot. If a LIFE modem or other accessory is also installed in the multi-slot accessory bay, subtract 3. Contact the factory for further details on compatibility with other accessories.</p>					
** ACTIVE 230V		ACTIVE UPS communications slot power supply was redesigned in early 2005 to provide more power. Check the serial number list below to determine whether your unit has enhanced power availability.			
Early Design	.7 – 1kVA	0	NA		
	2-3kVA	NA			
Enhanced Power Design	All models	3	2		

ACTIVE Model	Early design	Serial Number of Change-over	Enhanced Power Design
A700		6A13006772	
A700-19		6A12122157	
A1000		6A13112632	
A1000-19		none built yet	
A2000		6A13207738	
A2000-19		6A12145665	
A3000		6A13308129	
A3000-19		6A12154894	

APPENDIX C: POWER COMPATIBILITY TABLE FOR MANAGEUPS BLUE BUS ACCESSORIES

Masterguard Brand UPS Models

UPS Family		MUN-II LP Card Low Power	MUN-II Card	MUN-II External Chassis
Series A	(230V)	**	**	8
Series E	6kVA	0	NA	
	10-20kVA	2	0	
Series Ei (6/10kVA)		8	6	
Ci / Siii (2-slot)		8*	7*	
Siii 500kVA		NA		
C / S / Sii				
* Value assumes ManageUPS II is the only accessory in the multi-slot. If a LIFE modem or other accessory is also installed in the multi-slot accessory bay, subtract 3. Contact the factory for further details on compatibility with other accessories.				
** Series A 230V		Series A UPS communications slot power supply was redesigned in early 2005 to provide more power. Check the serial number list below to determine whether your unit has enhanced power availability.		
Early Design	.7 – 1kVA	0	NA	
	2-3kVA	NA		
Enhanced Power Design	All models	3	2	

Series A Model	Early design	Serial Number of Change-over	Enhanced Power Design
A700		6A13006772	
A700-19		6A12122157	
A1000		6A13112632	
A1000-19		none built yet	
A2000		6A13207738	
A2000-19		6A12145665	
A3000		6A13308129	
A3000-19		6A12154894	

APPENDIX C: POWER COMPATIBILITY TABLE FOR MANAGEUPS BLUE BUS ACCESSORIES

ONEAC Brand UPS Models

UPS Family		MUN-II LP Card Low Power	MUN-II Card	MUN-II External Chassis
ONe +		NA		8
Sinergy A	(120V)	3	1	
Sinergy E	6kVA	0	NA	
	10-20kVA	2	0	
ON v96 .6 – 2.2 kVA		3	2	
ON v96 3-5kVA		3	2	
ON UM .7-2kVA		5	3	
TS3000 Series (5 slot)		8*	7*	
<p>* Value assumes ManageUPS II is the only accessory in the multi-slot. If a LIFE modem or other accessory is also installed in the multi-slot accessory bay, subtract 3. Contact the factory for further details on compatibility with other accessories.</p>				