Attendance Management System using Face Recognition

A Project Report

Submitted in partial fulfillment of the

requirements of

AICTE Internship on AI: Transformative
Learning with
TechSaksham – A joint CSR initiative of Microsoft & SAP

By

Shubham Harak, shubhamharak74@gmail.com

Under the Guidance of

Aditya Prashant Ardak

ACKNOWLEDGEMENT

I am immensely grateful for the guidance, encouragement, and unwavering support that I have received throughout the course of this project. This accomplishment would not have been possible without the contributions of several individuals and organizations, to whom I owe my deepest gratitude.

First and foremost, I wish to express my heartfelt thanks to my esteemed guide, **Aditya Prashant Ardak** for their exceptional mentorship and dedicated guidance. Their insightful advice and constructive feedback have been invaluable throughout every stage of this project. The patience and expertise demonstrated by my guide in addressing challenges, providing innovative solutions, and steering me in the right direction have been the cornerstone of this successful endeavor. Their belief in my abilities and continuous motivation inspired me to push the boundaries of my potential and achieve excellence in this work.

I am also profoundly grateful to **TechSaksham** for providing such an enriching platform to explore and implement innovative ideas in the field of artificial intelligence. The transformative learning experience and access to invaluable resources provided through this initiative have significantly enhanced my technical knowledge and professional development. The internship offered me a unique opportunity to translate theoretical concepts into practical applications, and I deeply appreciate the vision of TechSaksham in empowering young minds like me.

ABSTRACT

This report presents the development of an AI-driven Face Recognition-Based Attendance Management System designed to automate the attendance tracking process. The system utilizes Haar Cascade Classifier for real-time face detection and employs Tkinter for a user-friendly graphical interface. The solution addresses inefficiencies in traditional attendance methods, such as manual roll calls, by automating the process with accurate face recognition. Key functionalities of the system include student registration, real-time attendance marking with color-coded feedback (red for unrecognized faces and green for recognized faces), and secure password protection for sensitive actions. Attendance data is logged with timestamps in CSV files for auditing purposes. The system is designed to be scalable for small- to medium-sized setups like classrooms or small offices. Future improvements will focus on enhancing recognition accuracy under varying environmental conditions, migrating to cloud storage for scalability, and implementing robust privacy measures. This system streamlines attendance management, reduces administrative burden, and ensures accuracy, making it a reliable solution for modern attendance tracking needs.

TABLE OF CONTENT

LIST OF FIGURES

CHAPTER 1

Introduction

1.1 Problem Statement:

T Traditional methods of recording attendance, such as manual roll calls or signing attendance sheets, are time-consuming and error-prone. Inaccuracies arise due to human errors, proxy attendance, or lost records, leading to inefficiencies in tracking and managing attendance. These challenges are even more pronounced in large-scale setups, such as educational institutions, corporate offices, and events, where monitoring hundreds or thousands of attendees can become overwhelming.

An automated attendance system based on face recognition offers a seamless, accurate, and tamper-proof solution. By leveraging the unique biometric features of individuals, this system ensures attendance is recorded efficiently, eliminating the common issues found in traditional methods. The system is designed to function in real-time, ensuring prompt updates to the attendance record and providing accurate logs.

Why is this significant?
- **Efficiency**: Saves time compared to manual methods.
- **Accuracy**: Reduces human error in attendance marking.
- **Security**: Prevents proxy attendance by ensuring only registered individuals are marked present.
- **Scalability**: Suitable for large-scale implementations, making it ideal for classrooms, offices, and events
.

1.2 Motivation:

This project was chosen due to the growing need for automated solutions in attendance management across various sectors. As artificial intelligence (AI) and biometrics continue to evolve, leveraging these technologies can provide a reliable and innovative solution to a persistent and critical problem in both educational and corporate environments.

Potential Applications and Impact:
1. **Educational Institutions**: Automates attendance in classrooms or exams, ensuring fairness and reducing the workload on staff.
2. **Corporate Offices**: Monitors employee attendance accurately without requiring additional hardware, such as fingerprint scanners.
3. **Events and Conferences**: Provides efficient attendee verification and

reduces registration delays.

4. **Healthcare and Public Sector**: Tracks attendance in critical fields requiring precise monitoring for compliance and accountability

1.3 Objective:

The goal of this project is to design and implement a Face Detection Attendance System to automate attendance processes.

Specific Objectives:
1. Utilize facial recognition technology for real-time attendance marking.
2. Develop a user-friendly interface for interaction and management of attendance records.
3. Provide functionalities such as logging attendance, displaying registered faces, and maintaining time stamp logs for auditing.
4. Ensure the system is scalable, secure, and reliable.
5. Minimize errors and eliminate the possibility of proxy attendance.

1.4 Scope of the Project:

Scope:

The system targets small- to medium-scale setups such as classrooms, small offices, or events. It provides real-time attendance tracking, face registration, and log management.

1. Users can take attendance, view logs, and add new students using a simple interface.
2. Logs include timestamps for auditing purposes.
3. A webcam or external camera serves as the only hardware requirement, making it cost-effective.

Limitations:

1. **Environment Dependency:** Requires well-lit conditions for accurate face recognition.

2. **Database Scalability:** Limited by local storage; cloud integration may be needed for larger setups.

3. **Privacy Concerns:** Proper security measures are necessary to prevent misuse of biometric data.

4. **Hardware Dependence:** Requires a functioning camera and a compatible system for smooth operation.

CHAPTER 2

Literature Survey

2.1 Review relevant literature

The integration of face recognition technology in attendance management systems has been widely researched, with several studies exploring machine learning and computer vision techniques to automate and enhance the attendance process.

1. **Real-Time Face Recognition for Attendance Tracking**:

A notable study by Gupta et al. employs deep learning techniques, particularly **Convolutional Neural Networks (CNNs)**, for real-time face recognition and attendance management. The system, designed for educational institutions, demonstrated improvements in both efficiency and accuracy compared to traditional methods. However, the study also raised concerns regarding **scalability** when handling large datasets, which could affect recognition speed and accuracy under different environmental conditions.

2. **FaceNet for Attendance**:

Singh et al. applied **FaceNet** for embedding face vectors and matching faces in attendance systems. While the deep learning approach achieved high accuracy in face recognition, it also introduced significant **computational overhead** when implemented in real-time, especially on resource-constrained devices. This highlights the tradeoff between accuracy and performance in real-time applications.

3. **Combination of Face Recognition and IoT**:

Some studies integrate **face recognition with Internet of Things (IoT)** devices to create smarter attendance systems. Sharma et al. explored combining face recognition with smart systems to track attendance and store data seamlessly in cloud databases, enhancing scalability and accessibility. However, they acknowledged challenges around **data security** and **privacy concerns**, which are common when handling biometric data.

4. **Haar Cascade and Local Binary Patterns (LBP)**:

Several systems, including the one by Kumar et al., use **Haar Cascade classifiers** for face detection and **Local Binary Patterns (LBP)** for feature extraction. These

traditional models are lightweight and fast for real-time applications, but they struggle under poor lighting conditions or when faces are partially obscured. Despite their limitations, these methods are suitable for small-scale systems that require low computational power.

5. **Challenges with Traditional Models**:

A significant limitation of traditional systems, as noted in the literature, is the challenge of handling **complex backgrounds** and **occlusions**. Research by Hati et al. highlighted how **Support Vector Machine (SVM)** models can generate false positives in controlled environments, pointing to the need for more **adaptive, neural network-based models** for robust performance in diverse, real-world scenarios.

2.2 Existing Models, Techniques, and Methodologies

- **Haar Cascade Classifiers**: A traditional face detection method that is lightweight and fast but has limited robustness under varying lighting and angles.
- **Deep Learning Models (e.g., FaceNet, OpenFace)**: These models provide high accuracy through deep embedding's but are computationally intensive and require significant processing power for real-time performance.
- **YOLO-Based Detection**: YOLO (You Only Look Once) is a faster model used for real-time applications, but it needs optimized preprocessing pipelines to be effective in small-scale systems like attendance tracking.

2.3 Limitations in Existing Systems

1. **Scalability Issues:** Current systems face performance degradation as the database grows, impacting recognition speed.
2. **Environmental Sensitivity:** Accuracy reduces significantly under poor lighting, extreme facial angles, or partial occlusions.
3. **Privacy Concerns:** Some implementations inadequately address data security and consent, leading to ethical challenges.

How This Project Addresses the Gaps

- **Real-Time Performance:** Utilizes efficient libraries like face_recognition and lightweight UI design through Tkinter for optimized performance on standard

hardware.

- **Enhanced Accuracy:** Employs post-detection refinements, such as color-coded status for user-friendly operation.

- **Privacy-First Design:** Data is securely stored in Firebase with minimal personal data collection.

- **User Experience:** Simplifies operation with intuitive interface options like attendance, logs, and registration.

CHAPTER 3

Proposed Methodology

The system design integrates several interconnected modules to ensure smooth functionality, real-time performance, and secure data handling for the face-recognition-based attendance management system. These modules are designed to work seamlessly together, providing a user-friendly experience and robust attendance tracking.

1. **Face Detection Module**:

   - Utilizes the **Haar Cascade Classifier** from OpenCV to detect human faces in real-time.
   - Ensures efficient detection under standard lighting and moderate angle variations, balancing accuracy and computational efficiency.

2. **Recognition and Verification Module**:

   - Matches detected faces against a pre-registered database of faces stored locally.
   - Displays recognition status in a **color-coded format**:
     - **Red**: Face detected but not recognized.
     - **Green**: Face successfully recognized.

3. **Attendance Marking Module**:

   - Automatically updates the attendance database upon successful face recognition.
   - Associates each recognized face with a **timestamp** and stores this information in a CSV file for auditing and record-keeping.

4. **Log Management Module**:

   - Maintains a complete history of recognized faces with corresponding timestamps.
   - Provides features for validating attendance and generating attendance reports.

5. **User Interface (UI) Module**:

   - Developed using **Tkinter**, offering a simple and accessible interface.
   - Includes intuitive options for managing system functionalities:

- **Taking Attendance**: Start the attendance session and mark attendance in real-time.
- **Viewing Registered Faces**: Displays a list of all individuals registered in the system.
- **Checking Logs**: Allows users to view attendance logs with timestamps.
- **Registering New Students**: Facilitates adding new students or individuals into the database.

This modular design ensures scalability, ease of use, and reliable performance, making the system adaptable for small to medium-scale applications, such as classrooms or small offices. The clear separation of modules allows for future enhancements without significant rework, enabling potential integration with advanced technologies like cloud storage or more sophisticated recognition algorithms.

3.1 Requirement Specification

3.1.1 Hardware Requirements:

The system requires the following hardware components to ensure smooth and efficient real-time performance:

- **Camera/Webcam**: A functional webcam or external camera is necessary for capturing real-time images of users.
- **Processing Unit**: A dual-core processor or higher is recommended to handle the computational requirements for face detection and recognition effectively.
- **RAM**: A minimum of 4GB of RAM is required to process real-time face recognition and ensure smooth operation of the graphical user interface.
- **Storage**: Adequate disk space is needed for storing attendance logs, face encodings, and images, with local storage serving as the primary data repository.

3.1.2 Software Requirements:

The system relies on the following software components for implementation and operation:

- **Operating System**: The system is compatible with Windows, Linux, and MacOS platforms.

- **Programming Language**: Python 3.x is used as the primary programming language for its robust libraries and ease of development.

- **Libraries/Frameworks**:
  - **OpenCV**: Used for image processing and real-time face detection.
  - **Tkinter**: Provides a user-friendly graphical interface for interacting with the system.

- o **Pandas**: Manages attendance logs and supports efficient data handling and storage in CSV format.

CHAPTER 4

Implementation and Result

4.1 Snap Shots of Result:

Figure 1 Snapshot of the Home Page Interface for the Face Recognition-Based Attendance System

Figure 2: Snapshot of the Interface for Registering a New Student's Face in the Attendance System

Figure 3: Interface to reset password

Figure 4: Camera Feed Display Before Attendance Registration

Figure 5: Camera Feed after Face is Registered and Logged for Attendance

Blue and Green Color Feedback:

The camera feed in the system uses color codes to visually indicate the status of attendance. When the face is detected but not yet recognized, the feed appears in blue, signaling that the system is processing the face but has not yet confirmed the identity. Once the face is successfully recognized and matched with a registered student, the feed turns green, confirming that attendance has been successfully registered for that individual. This color-coding system provides a clear and immediate visual cue to the user, ensuring efficient operation and accurate tracking.

4.2 GitHub Link for Code:

https://github.com/TechByShubham15/Attendance-Management-System-using-Face-Recognition.git

CHAPTER 5

Discussion and Conclusion

5.1   Future Work:

The proposed enhancements aim to scale the face recognition system, improve its efficiency and robustness, modernize the user interface, and address privacy and security concerns.

1. Large-Scale Face Recognition for More Than 100 Faces Simultaneously

1. **Efficient Preprocessing**:

   - Implement **multi-threading or parallel processing** to handle video frames concurrently, increasing throughput.
   - Utilize **batch face encoding** instead of processing faces sequentially, significantly enhancing computational efficiency.

2. **Optimized Algorithms**:

   - Adopt lightweight, scalable models like **MobileFaceNet** or **YOLOv8** to ensure faster detection without compromising accuracy.
   - Leverage approximate nearest neighbor (ANN) algorithms, such as **FAISS**, for rapid face encoding matching, making the system ideal for large datasets.

3. **Hardware Scaling**:

   - Deploy the system on **GPU-enabled servers** to handle simultaneous detections and encodings efficiently.
   - Integrate **multiple cameras** with distributed processing to expand the system's coverage in larger environments.

4. **Cloud-Based Deployment**:

   - Store face encodings in a **cloud database** (e.g., Firebase, AWS DynamoDB) for scalability and easier management.
   - Use **cloud computing services** to offload local computational overhead and perform real-time data analysis and recognition.

2. Enhancing Efficiency and Robustness

1. **Advanced Techniques**:

    - Implement **active learning** to retrain the recognition model on difficult-to-classify faces, improving system adaptability.
    - Integrate **pose estimation** to handle varying facial angles and enhance recognition accuracy in real-world conditions.

2. **Dynamic Adaptation**:

    - Introduce **adaptive frame skipping** during continuous recognition, reducing redundant computations while maintaining system accuracy.

3. **Error Handling**:

    - Develop robust mechanisms to **detect and flag errors**, such as duplicate recognition or misclassifications caused by poor lighting conditions.

3. User Interface (UI) Enhancements

1. **Modernized Design**:

    - Replace Tkinter with more flexible frameworks like **PyQt5** or **Flutter** to create a visually appealing and interactive UI.
    - Add **drag-and-drop functionality** for uploading face images and managing data seamlessly.

2. **Accessibility Features**:

    - Provide **multilingual support** to cater to diverse user bases.
    - Incorporate **voice-guided navigation** for hands-free operation and enhanced accessibility.

3. **Interactive Logs and Reporting**:

    - Enable **real-time visualization** of attendance trends with interactive graphs and customizable filters.
    - Allow **bulk export of logs** in multiple formats, such as CSV and Excel, for easier data management.

5.2 Conclusion:

The Face Recognition-Based Attendance Management System demonstrates the potential of leveraging computer vision and artificial intelligence to streamline the attendance process effectively. By automating traditional, error-prone methods, the system achieves significant improvements in efficiency, accuracy, and security. Key features such as real-time face detection, password-protected functionality, intuitive user interface, and robust attendance logging establish the system as a reliable solution for small- to medium-scale applications like classrooms, offices, and events.

The use of Haar Cascade Classifier for face detection and a Tkinter-based GUI ensures a lightweight yet functional implementation. The system's ability to provide color-coded feedback during recognition enhances user experience, while the local storage of logs with timestamps facilitates auditing and compliance.

This project lays a strong foundation for future advancements, including scalability to handle larger datasets, integration with cloud storage for enhanced accessibility, and the adoption of more sophisticated recognition techniques to improve performance under challenging conditions. Moreover, enhancements in user interface design and data privacy measures will ensure the system remains relevant and secure in diverse environments.

By addressing critical limitations of existing attendance systems, such as scalability, environmental sensitivity, and data privacy concerns, this project showcases how technology can provide practical solutions to everyday challenges. The successful implementation of this system highlights its potential to be an invaluable tool in attendance management, paving the way for broader applications in security, access control, and beyond.

REFERENCES

[1] C. Anilkumar, B. Venkatesh, and S. Annapurna, "Smart Attendance System with Face Recognition using OpenCV," in *2023 Second International Conference on Augmented Intelligence and Sustainable Systems (ICAISS)*, IEEE, Aug. 2023, pp. 1149–1155. doi: 10.1109/ICAISS58487.2023.10250715.

[2] J. P. Jeong, M. Kim, Y. Lee, and P. Lingga, "IAAS: IoT-Based Automatic Attendance System with Photo Face Recognition in Smart Campus," in *2020 International Conference on Information and Communication Technology Convergence (ICTC)*, IEEE, Oct. 2020, pp. 363–
366. doi: 10.1109/ICTC49870.2020.9289276.

[3] S. Kakarla, P. Gangula, M. S. Rahul, C. S. C. Singh, and T. H. Sarma, "Smart Attendance Management System Based on Face Recognition Using CNN," in *2020 IEEE-HYDCON*, IEEE, Sep. 2020, pp. 1–5. doi: 10.1109/HYDCON48903.2020.9242847.

[4] A. Raghuwanshi and P. D. Swami, "An automated classroom attendance system using video based face recognition," in *2017 2nd IEEE International Conference on Recent Trends in Electronics, Information & Communication Technology (RTEICT)*, IEEE, May 2017, pp. 719–724. doi: 10.1109/RTEICT.2017.8256691.

[5] S. Sawhney, K. Kacker, S. Jain, S. N. Singh, and R. Garg, "Real-Time Smart Attendance System using Face Recognition Techniques," in *2019 9th International Conference on Cloud Computing, Data Science & Engineering (Confluence)*, IEEE, Jan. 2019, pp. 522–525. Doi: 10.1109/CONFLUENCE.2019.8776934.

[6] K. Painuly, Y. Bisht, H. Vaidya, A. Kapruwan, and R. Gupta, "Efficient Real-Time Face Recognition-Based Attendance System with Deep Learning Algorithms," in *2024 International Conference on Intelligent and Innovative Technologies in Computing, Electrical and Electronics (IITCEE)*, IEEE, Jan. 2024, pp. 1–5. Doi: 10.1109/IITCEE59897.2024.10467743.

[7] Z. Yu, Y. Qin, X. Li, C. Zhao, Z. Lei, and G. Zhao, "Deep Learning for Face Anti-Spoofing: A Survey," *IEEE Trans Pattern Anal Mach Intell*, pp. 1–22, 2022, doi: 10.1109/TPAMI.2022.3215850.

[8] K. M. M. Uddin, A. Chakraborty, Md. A. Hadi, M. A. Uddin, and S. K. Dey, "Artificial Intelligence Based Real-Time Attendance System Using Face Recognition," in *2021 5th International Conference on Electrical Engineering and Information Communication Technology (ICEEICT)*, IEEE, Nov. 2021, pp. 1–6. doi: 10.1109/ICEEICT53905.2021.9667836.

[9] H. Sultan, M. H. Zafar, S. Anwer, A. Waris, H. Ijaz, and M. Sarwar, "Real Time Face Recognition Based Attendance System For University Classroom," in *2022 2nd International Conference on Artificial Intelligence (ICAI)*, IEEE, Mar. 2022, pp. 165–168. Doi:

10.1109/ICAI55435.2022.9773650.

[10] A. M. Tripathi, A. K. Rai, and D. Pandey, "Face Recognition-Based Automated Attendance System," in *2024 IEEE International Conference on Computing, Power and Communication Technologies (IC2PCT)*, IEEE, Feb. 2024, pp. 563–565. Doi: 10.1109/IC2PCT60090.2024.10486785.