

Azure Key Vault – Soft Delete and Purge Protection

1. Overview

Azure Key Vault provides two important security features:

1. **Soft Delete**
2. **Purge Protection**

These features protect Keys, Secrets, and other Key Vault objects from accidental or malicious deletion.

Easy way to remember

Soft Delete → Recover deleted object
Purge Protection → Prevent permanent deletion

Both should be enabled as a **security best practice**.

2. What is Soft Delete?

Soft Delete means that when we delete a Key Vault object, it is not permanently deleted immediately.

The deleted object is retained for a configured retention period and can be recovered.

Example

Suppose we have:

```
Key Vault
|
└─ Secret: SqlConnectionString
```

We accidentally delete the Secret.

Without Soft Delete

```
Delete Secret
↓
Permanently Deleted
```

↓
Cannot Recover

With Soft Delete

Delete Secret
↓
Soft Deleted
↓
Can Recover

This protects us from:

- Accidental deletion
- Human mistakes
- Malicious deletion
- Application/script mistakes

3. Why is Soft Delete Important?

Imagine an application is using a Key Vault Secret:

Application
↓
Azure Key Vault
↓
SQL Connection String

Someone accidentally deletes the Secret.

If Soft Delete is enabled:

Secret Deleted
↓
Soft Deleted
↓
Recover Secret
↓
Application can continue using it

Without Soft Delete, recovery may not be possible.

Interview Point

Soft Delete allows us to recover a deleted Key Vault object instead of permanently losing it immediately.

4. What is Purge Protection?

Purge Protection prevents a soft-deleted Key Vault object from being permanently deleted during the retention period.

Think of it as a **second layer of protection**.

Without Purge Protection

```
graph TD; A[Delete Secret] --> B[Soft Deleted]; B --> C[Purge]; C --> D[Permanently Deleted];
```

A user with sufficient permissions may be able to permanently delete the soft-deleted object.

With Purge Protection

```
graph TD; A[Delete Secret] --> B[Soft Deleted]; B --> C[Purge Protection]; C --> D[Cannot Permanently Delete]; D --> E[Retention Period];
```

The object remains protected until the retention period has passed.

5. Soft Delete vs Purge Protection

This is the most important concept.

Soft Delete asks:

"If someone deletes the object, can we recover it?"

Answer:

Yes.

Purge Protection asks:

"Can someone permanently delete the soft-deleted object before the retention period ends?"

Answer:

No, when Purge Protection is enabled.

6. Real-Time Example

Suppose we have:

```
Key Vault
├──
└── Secret: SqlConnectionString
```

A developer accidentally deletes the Secret.

Step 1 – Soft Delete

The Secret becomes:

```
Soft Deleted
```

It is no longer visible under the normal Secrets list.

However, it can be found under:

```
Manage Deleted Secrets
```

From there, we can recover it.

Step 2 – Purge

A soft-deleted Secret can potentially be permanently deleted by performing a **Purge**.

Purge means:

Permanently delete the soft-deleted object.

Once purged, the object cannot be recovered.

7. What Happens When Purge Protection is Disabled?

Suppose:

```
Soft Delete = Enabled
Purge Protection = Disabled
```

If we delete a Secret:

```
Delete
↓
Soft Deleted
↓
Recover OR Purge
```

We can recover the Secret or permanently delete it through purge, subject to the applicable permissions and retention behavior.

Example

```
Secret
↓
Delete
↓
Soft Deleted
↓
Manage Deleted Secrets
```

└─ Recover
└─ Purge → Permanent Delete

8. What Happens When Purge Protection is Enabled?

Suppose:

Soft Delete = Enabled
Purge Protection = Enabled

Now:

Secret
↓
Delete
↓
Soft Deleted
↓
Purge Protection
↓
Cannot be Permanently Purged
during the retention period

This provides stronger protection against malicious or accidental permanent deletion.

9. Retention Period

A **retention period** defines how long a deleted Key Vault object is retained before it can be permanently removed according to the service's deletion lifecycle.

For example:

Retention Period = 90 days

Conceptually:

```
Day 1
Secret Deleted
  ↓
Soft Deleted
  ↓
Protected during retention period
  ↓
Day 90
Retention period completes
```

The important interview point is:

Purge Protection prevents permanent deletion during the mandatory retention period.

10. Azure Key Vault Configuration

When creating an Azure Key Vault, we can configure deletion protection.

Typical settings include:

Soft Delete

```
Soft Delete = Enabled
```

This protects deleted objects and allows recovery during the retention period.

Purge Protection

```
Purge Protection = Enabled
```

This prevents permanent deletion during the mandatory retention period.

Best Practice

For production Key Vaults:

```
Soft Delete      → ENABLE
Purge Protection → ENABLE
```

11. Demo – Soft Delete

Suppose our Key Vault contains:

```
Secrets
|
└─ SqlConnectionString
```

We delete the Secret.

After deletion:

```
Secrets
|
└─ No SqlConnectionString
```

The Secret is no longer visible in the normal Secrets list.

However, we can go to:

```
Manage Deleted Secrets
```

There we can find:

```
SqlConnectionString
```

We now have options such as:

```
Recover
Purge
```

12. Recover

Recover means restoring the soft-deleted object.

Flow:


```
graph TD; Secret --> Delete; Delete --> SoftDeleted[Soft Deleted]; SoftDeleted --> Recover; Recover --> SecretRestored[Secret Restored];
```

After recovery, the Secret becomes available again.

13. Purge

Purge means permanently deleting a soft-deleted object.

Flow:

```
graph TD; Secret --> Delete; Delete --> SoftDeleted[Soft Deleted]; SoftDeleted --> Purge; Purge --> PermanentlyDeleted[Permanently Deleted];
```


After purge:

```
graph TD; CannotRecover[Cannot Recover];
```

Therefore, purge is a destructive operation.

14. Soft Delete + Purge Protection = Two Layers of Protection

Think about it like this:



So:

Soft Delete = Recovery protection

Purge Protection = Permanent deletion protection

15. Easy Real-Life Example

Think about deleting a file from your computer.

Normal Delete

Delete File
↓
File is gone

Soft Delete

Similar to the **Recycle Bin**:

Delete File
↓
Recycle Bin
↓
Restore File

Purge

Similar to:

Recycle Bin
↓
Empty Permanently

Purge Protection

It is like having a rule:

You cannot permanently empty this item until the mandatory retention period is completed.

16. Important Interview Questions

Q1. What is Soft Delete in Azure Key Vault?

Soft Delete protects deleted Key Vault objects by retaining them for a retention period, allowing them to be recovered instead of being immediately permanently deleted.

Q2. What is Purge Protection?

Purge Protection prevents a soft-deleted Key Vault object from being permanently deleted during the mandatory retention period.

Q3. What is the difference between Soft Delete and Purge Protection?

Feature	Soft Delete	Purge Protection
Purpose	Protect deleted objects	Prevent permanent deletion
Main benefit	Recovery	Prevent purge
Object state	Soft deleted	Remains protected
Can recover?	Yes, during retention period	Yes, while recoverable
Prevents purge?	Not by itself	Yes, during retention period
Security level	First layer	Second layer

Q4. What happens when we delete a Secret with Soft Delete enabled?

The Secret becomes **soft deleted** instead of being immediately permanently deleted.

Q5. Can we recover a soft-deleted Secret?

Yes, during the applicable retention period, assuming the necessary permissions are available.

Q6. What does Purge mean?

Purge means permanently deleting a soft-deleted Key Vault object.

After a successful purge, the object cannot be recovered.

Q7. Why should we enable Purge Protection?

To protect against:

- Accidental permanent deletion
- Malicious deletion
- Compromised administrator credentials
- Destructive scripts or automation
- Security incidents

Q8. Should we enable Soft Delete and Purge Protection?

Yes. For production Key Vaults, enabling both is a strong security best practice.

17. Most Important Difference

Remember this:

SOFT DELETE

↓

"I deleted it, but I can recover it."

PURGE PROTECTION

↓

"I cannot permanently delete it during the mandatory retention period."

18. Final Interview Answer

If the interviewer asks:

"Explain Soft Delete and Purge Protection in Azure Key Vault."

You can answer:

Soft Delete protects Key Vault objects such as Keys and Secrets from immediate permanent deletion. When an object is deleted, it enters a soft-deleted state and can be recovered during the retention period. Purge Protection provides an additional layer of security by preventing the soft-deleted object from being permanently purged during the mandatory retention period. In production environments, we should enable both features to protect against accidental and malicious deletion.

19. Quick Revision

Soft Delete

↓

Deleted object is retained



Can be recovered

Purge



Permanently delete soft-deleted object



Cannot recover

Purge Protection



Prevents purge



Protects object during retention period

Remember:

Soft Delete → Recover

Purge → Permanently Delete

Purge Protection → Prevent Permanent Delete

Best Practice → Enable Both