Versiones de Raspberry Pi

Raspberry Pi 4 Model B

Raspberry Pi 3 Model A+

Raspberry Pi 3 Model B

Raspberry Pi 3 Model B+

Raspberry Pi 2 Model B

Raspberry Pi 1 Model B+

Raspberry Pi 1 Model A+

Raspberry Pi Zero W

Raspberry Pi Zero

Raspberry Pi 4 Model B

https://www.raspberrypi.org/products/raspberry-pi-4-model-b/specifications/

Procesador	Broadcom BCM2711, Quad Core Cortex-A72 64-bit 1,5 GHz
SDRAM	LPDDR4 – 1GB, 2GB o 4GB
GPU	VideoCore VI
USB	2 USB 2.0 2 USB 3.0
Alimentación	USB Tipo C
Vídeo	2 micro HDMI (4k) 2-lane MIPI DSI 2-lane MIPI CSI
Audio	4-pole stereo audio and composite video port HDMI
Ethernet	Gigabit sin limitaciones PoE
WI-FI	2,4 / 5 GHz
Bluetooth	5.0 BLE

GPIO	40
SD card	Micro SD

Raspberry Pi 3 Model A+

https://www.raspberrypi.org/products/raspberry-pi-3-model-a-plus/

Procesador	Broadcom BCM2837B0, Cortex-A53 (ARMv8) 64-bit SoC 1.4GHz
SDRAM	512MB LPDDR2
GPU	VideoCore IV
USB	1 USB 2.0
Alimentación	microUSB
Vídeo	HDMI MIPI DSI MIPI CSI
Audio	4-pole stereo output and composite video port HDMI
Ethernet	-
WI-FI	2,4 / 5 GHz IEEE 802.11.b/g/n/ac
Bluetooth	4.2 BLE
GPIO	40
SD card	microSD

Raspberry Pi 3 Model B

https://www.raspberrypi.org/products/raspberry-pi-3-model-b/

Procesador	Broadcom BCM2837 Quad Core 1.2GHz 64bit
SDRAM	1GB
GPU	VideoCore IV
USB	4 USB 2.0

Alimentación	microUSB
Vídeo	HDMI MIPI DSI MIPI CSI
Audio	4 Pole stereo output and composite video port HDMI
Ethernet	100 Base Ethernet
WI-FI	BCM43438
Bluetooth	4.2 BLE
GPIO	40
SD card	microSD

Raspberry Pi 3 Model B+

https://www.raspberrypi.org/products/raspberry-pi-3-model-b-plus/

Procesador	Broadcom BCM2837B0, Quad Core Cortex-A53 64-bit 1,4 GHz
SDRAM	LPDDR2 – 1GB
GPU	VideoCore IV
USB	4 USB 2.0
Alimentación	microUSB
Vídeo	HDMI MIPI DSI MIPI CSI
Audio	4-pole stereo audio and composite video port HDMI
Multimedia	H.264, MPEG-4 decode (1080p30) H.264 encode (1080p30) OpenGL ES 1.1, 2.0 graphics
Ethernet	Gigabit 300 Mbps PoE
WI-FI	2,4 / 5 GHz
Bluetooth	4.2 BLE

GPIO	40
SD card	Micro SD

Raspberry Pi 2 Model B

https://www.raspberrypi.org/products/raspberry-pi-2-model-b/

Procesador	Broadcom BCM2837 900MHz quad-core ARM Cortex-A7 CPU
SDRAM	1GB
GPU	VideoCore IV
USB	4 USB 2.0
Alimentación	microUSB
Vídeo	HDMI MIPI DSI MIPI CSI
Audio	Combined 3.5mm audio jack and composite video HDMI
Ethernet	100 Base Ethernet
WI-FI	-
Bluetooth	-
GPIO	40
SD card	microSD

Raspberry Pi 1 Model B+

https://www.raspberrypi.org/products/raspberry-pi-1-model-b-plus/

Procesador	Broadcom BCM2835 ARMv6 700MHz single-core
SDRAM	512MB
GPU	VideoCore IV
USB	4 USB 2.0

Alimentación	microUSB
Vídeo	HDMI MIPI DSI MIPI CSI
Audio	Combined 3.5mm audio jack and composite video HDMI
Ethernet	100 Base Ethernet
WI-FI	-
Bluetooth	-
GPIO	40
SD card	microSD

Raspberry Pi 1 Model A+

https://www.raspberrypi.org/products/raspberry-pi-1-model-a-plus/

Procesador	Broadcom BCM2835 ARMv6 700MHz single-core
SDRAM	256MB
GPU	VideoCore IV
USB	1 USB 2.0
Alimentación	microUSB
Vídeo	HDMI MIPI DSI MIPI CSI
Audio	Combined 3.5mm audio jack and composite video HDMI
Ethernet	-
WI-FI	-
Bluetooth	-
GPIO	40
SD card	microSD

Raspberry Pi Zero W

https://www.raspberrypi.org/products/raspberry-pi-zero-w/

Procesador	Broadcom BCM2835 ARMv6 700MHz single-core
SDRAM	512MB
GPU	VideoCore IV
USB	Micro USB OTG
Alimentación	microUSB
Vídeo	Mini HDMI MIPI CSI RCA
Audio	HDMI
Ethernet	-
WI-FI	802.11 b/g/n wireless LAN
Bluetooth	4.1 BLE
GPIO	40
SD card	microSD

Raspberry Pi Zero

https://www.raspberrypi.org/products/raspberry-pi-zero/

Procesador	Broadcom BCM2835 ARMv6 700MHz single-core
SDRAM	512MB
GPU	VideoCore IV
USB	Micro USB OTG
Alimentación	microUSB
Vídeo	Mini HDMI MIPI CSI RCA

Audio	HDMI
Ethernet	-
WI-FI	-
Bluetooth	-
GPIO	40
SD card	microSD