

SERHANT-Inspired Real Estate Design Blueprint

Oct 7, 2026 · @Jawad

0. Scope, method and the one thing to know first

The reference homepage feels cinematic because of video, heavy type, pill geometry and hover-driven components. Its scroll choreography is light: no pinned sections, parallax, clip-path reveals, split-text headings, horizontal-scroll sections or smooth-scroll library were found on it.

This blueprint therefore uses two tiers. **Faithful** is what the reference does, measured. **Elevated** is an optional addition in the same character, and is labelled every time it appears. Build Faithful first; add Elevated items only where the new brand wants more motion.

Inspected on 7 Oct 2026: homepage at a 1527×881 desktop viewport and at 1280, 1100, 820 and 390 px widths; main menu; search overlay; mobile menu; one property detail page; the new-development landing page.

Not verified: touch gestures on real devices, widths above 1980 px (read from CSS only), load-performance metrics, and the exact duration of the menu slide (CSS reports no transition; it appears near-instant).

What the reference is built with

Layer	Observed on the reference
Platform	A hosted real-estate site platform (component classes prefixed <code>lp-</code> ; platform credit in the footer). Not a bespoke build.
DOM / behaviour	jQuery 3.7.1
Carousels	slick 1.8.1 for every homepage carousel; Splide also loaded
Entrance animation	WOW.js 1.1.2 with animate.css-style keyframes (<code>fadeIn</code> , <code>fadeInUp</code> , <code>fadeInLeft/Right/Down</code> , <code>slideInUp</code> , <code>zoomIn</code> , <code>bounceIn</code>)
GSAP	3.11.5 core only. No ScrollTrigger, no SplitText

Layer	Observed on the reference
Smooth scroll	CSS <code>scroll-behavior: smooth</code> only. No Lenis or Locomotive
Parallax	A parallax plugin is loaded, but no homepage element uses it
Canvas	One rotating dot-matrix globe drawn on <code><canvas></code>
Font	Montserrat (Google Fonts), weights 400, 500, 700, 800

Effects you asked about, and whether the reference has them

Effect	On the reference homepage	In this blueprint
Fade + translate on entry	Yes, on the stats block only (<code>fadeInUp</code> , staggered)	Faithful, extended to all section headers
Staggered / line-by-line / word-by-word heading reveals	No	Elevated
Mask or clip-path reveals	No (photos are pre-cut into a letterform shape, not animated)	Elevated
Image scale while scrolling	No	Elevated
Parallax	No	Elevated, hero and video bands only
Pinned / sticky sections	No on homepage. Yes on property page: sticky enquiry card	Faithful on property page
Horizontal-scroll sections	No. Carousels are drag/arrow driven	Not recommended
Background-colour transitions on scroll	No (hard cuts between white, off-white, black, navy)	Elevated, one place only
Overlapping sections	Yes: rounded off-white sheet rises over the dark hero	Faithful
Cards entering sequentially	No	Elevated
Animated numbers	Yes: count-up on four stats	Faithful

Effect	On the reference homepage	In this blueprint
Section snapping	No	Not recommended
Hover-expand accordion carousel	Yes: the signature interaction	Faithful
Hover image reveal behind a link grid	Yes: regions block	Faithful
Hover-expand glass cards over video	Yes: services block	Faithful
Continuous logo marquee	Yes	Faithful
Custom cursor	No	Not recommended

Content rule

Nothing in this document reuses the reference's copy, listings, photography, video, logo or monogram. Every content slot is a placeholder: [HERO VIDEO], [PROPERTY IMAGE], [AGENT IMAGE], [LOCATION IMAGE], [HEADLINE], [DESCRIPTION], [BRAND MARK].

1. Header and navigation

The header is a floating pill, fixed 16 px from the top and sides, that never hides. It is transparent over the hero and becomes an 85%-opaque brand-colour pill the moment the page scrolls.

Structure (desktop, measured at 1527 px)

Property	Value
Position	position: fixed; top: 16px; left: 16px; right: 16px; z-index above all content
Size	106 px tall, full width minus 32 px
Shape	border-radius: 100px
Inner padding	8 px top/bottom, 16 px right, 43 px left
Layout	One flex row, justify-content: space-between : logo, primary links, action cluster
Logo	Left, about 170 px wide, vertically centred

Property	Value
Primary links	5 links plus a phone number, starting 28 px after the logo. 14 px / weight 700 / sentence case / 8×16 px padding each
Dropdown	One link carries a chevron. Hover opens a small white card (two links, 14 px, dark text) directly below; chevron flips
Action cluster	Search pill (outline, icon + label), solid white pill CTA, 40 px circular account icon button, outlined "Menu" pill with a three-line icon
Outline style	1px solid <code>rgba(255,255,255,.24)</code> on transparent

States

State	Background	Text / icons	When
Top of a dark-hero page	Transparent	White	<code>scrollTop = 0</code>
Scrolled	Brand colour at 85% opacity (<code>rgba(0,26,114,.85)</code> on the reference). No blur, so content shows faintly through	White; the solid CTA stays white with brand-colour text	Any scroll above 0. A <code>scroll</code> class is toggled
Light variant (property page)	Solid white pill	Brand-colour text, brand-colour solid CTA	Top of pages with a busy or dark gallery
Hover on links	No background	Colour shifts over 0.3 s	Pointer devices

The header stays visible on scroll down and scroll up. There is no shrink, no hide-on-scroll and no shadow. The state change is effectively a hard switch (0.2 s at most).

Elevated option: add `backdrop-filter: blur(12px)` to the scrolled state and fade the background over 0.3 s. Keep the pill size constant.

Responsive header

Width	Behaviour
1280 px and up	Full row as above
About 1100 px	Primary links disappear. Logo plus the full action cluster remain. Height stays 106 px
820 px	Height drops to 58 px. Logo, search pill, CTA pill, account icon, Menu pill
390 px	Logo left; two 40 px circular icon buttons right (search, menu). Pill is 343 px wide

Main menu (desktop)

The Menu button opens a large white panel, not a full-bleed takeover.

Property	Value
Container	Fixed overlay with 16 px padding; page behind is tinted with the brand colour; <code>body</code> scroll is locked
Panel	White, <code>border-radius: 36px</code> , about 89% of viewport height, internal scroll if needed
Entrance	Panel translates in from the right (<code>translateX(100%)</code> to <code>0</code>). No fade, no item stagger. Appears near-instant
Top row	Logo left (brand colour). Right: phone pill (outline), primary CTA pill (solid), 40 px circular close button
Left third	Decorative <code>[LIFESTYLE IMAGE]</code> cut into the shape of the <code>[BRAND MARK]</code> , bleeding off the left and bottom edges
Centre column	8 primary links, 32 px / weight 800 / brand colour, about 13 px between rows. One link carries an external-link icon
Right column	474 px wide, separated by a 1 px vertical rule. Three groups, each with a 12 px uppercase grey label and 14 px / 700 links in two columns

Property	Value
Bottom of right column	Two 56 px pill buttons: solid with lock icon, outline with chevron

Elevated option for the menu: slide the panel over 0.6 s with `power3.out`, fade the tint over 0.3 s, then reveal the 8 primary links from clipped rows (`yPercent: 100` to `0`) with a 0.05 s stagger. Reverse in 0.35 s on close.

Mobile menu (390 px)

Same white rounded panel, same 16 px inset, scrolling internally. Order from top: logo, search circle (solid brand colour), close circle; a small "call us" label and phone number; the two pill buttons side by side; primary links at about 22 px / 800 with about 30 px row pitch; then the grouped link lists. The decorative image is dropped.

Search overlay

The header search pill and the hero search bar both open a full-screen white overlay: a large "search" heading (h1 size, brand colour) top-left, a 40 px circular close button top-right, a full-width input, then a three-column discovery panel on off-white: one large `[PROPERTY IMAGE]` card, a column of two portrait `[DEVELOPMENT IMAGE]` cards, and a column with a small CTA banner plus a list of five thumbnail rows (image left, price and address right).

2. Hero

The hero is an 80vh autoplaying video with a centred headline and one oversized white search pill. The cinematic feel comes from the footage itself (fast-cut brand film) and a black fade at the bottom, not from any web animation.

Measured values (desktop)

Property	Value
Height	80vh (705 px at an 881 px viewport). Not full-screen: the next section's rounded top is visible on load
Media	<code><video></code> absolutely filling the section. <code>object-fit: cover</code> ; <code>object-position: 50% 0</code> (anchored to the top so faces are not cropped)

Property	Value
Video attributes	<code>autoplay muted loop playsinline</code> , <code>preload="metadata"</code> , poster image set, three <code><source></code> elements
Overlay	Flat <code>rgba(0,0,0,.3)</code> over the whole frame, plus a gradient to solid black across roughly the bottom 25%
Content block	Flex-centred column, 100 px top/bottom padding, 80 px side padding
Headline	<code>[HEADLINE]</code> , two lines, centred. 68 px / weight 800 / line-height 1.12 / letter-spacing -1.5 px / white / sentence case
Subline	<code>[DESCRIPTION]</code> , one line. 16 px / weight 700 / white. 16 px below the headline
Search bar	735 × 88 px white pill (<code>border-radius: 500px</code>), padding 16 px (32 px left). Grey 16 px placeholder left; a 20 px locate icon and a 56 px solid brand-colour circular search button right
Search behaviour	The whole bar is one link: clicking anywhere opens the search overlay (section 1)
Gap headline to search	About 32 px

Motion

Aspect	Faithful (observed)	Elevated (optional)
Entrance	None on headline, subline or search. Only the header logo runs a 1 s <code>fadeInUp</code>	Sequence in section 16, Animation 12
Background movement	None from code. The video's own cuts carry the motion	Scale media 1.08 to 1 over 1.6 s on load
Scroll behaviour	Hero scrolls away normally. No parallax, no pin, no scale	Media <code>yPercent</code> 0 to 12 and overlay 0.3 to 0.55, scrubbed over the hero's exit

Hand-off to the next section

The next section is an off-white sheet with `border-radius: 48px 48px 0 0` (32 px on mobile). Because the hero fades to solid black at its base, the sheet's rounded corners read as a card sliding over the film. There is no negative margin; the black gradient does the work. Reproduce this exactly: it is the main reason the page feels continuous rather than stacked.

Hero variant seen on an inner landing page

Height about 89vh. Headline bottom-left at h1 size instead of centred. A solid pill "jump to" button with a down chevron below it. A 40 px circular mute/unmute toggle bottom-right. The same rounded white sheet follows. Animated captions seen there are baked into the video file, not built in HTML.

Responsive hero

Width	Height	Headline	Search bar
1280 and 1100 px	80vh	68 px	735 px wide, 88 px tall
820 px	80vh	68 px (unchanged)	Full container width
390 px	About 540 px, content-driven	36 px / line-height 1.0	335 × 64 px, 12 px padding, placeholder truncates with ellipsis

3. Homepage, section by section

The homepage is 14 content blocks plus header and footer, about 15,100 px tall at desktop and 20,000 px at 390 px. Three of the blocks are video bands, and the background alternates film, light, black and brand colour so no two neighbours look alike.

All heights below are at a 1527×881 viewport. The standard container has 80 px side gutters (24 px at tablet, 20 px at mobile), giving 1352 px of content.

#	Block	Height	Background
1	Hero video + search	705 px (80vh)	Film, fading to black

#	Block	Height	Background
2	Regions link grid	453 px	Off-white #f7f7f7 , top corners rounded 48 px
3	Featured properties grid	1865 px	White
4	Media feature banner	894 px	Black
5	Sub-brand video band	600 px	Film
6	Signature listings grid	1329 px	Black
7	Developments accordion carousel	1183 px	White
8	Services video band	700 px	Film
9	Network + stats + globe	1042 px	White
10	Product promo	805 px	Brand-colour gradient
11	Recruitment split	868 px	Off-white
12	Press logo marquee	266 px	Off-white
13	Press quotes slider	769 px	Off-white
14	Contact form	1015 px	Deep brand colour

3.1 Regions link grid

Purpose: fastest route from the hero to a market page.

- **Layout:** 64 px top and bottom padding. Heading (h2, 48 px / 800, brand colour), then a 5-column CSS grid with 8 px gaps. 19 chips on the reference.
- **Chip:** 264 × 48 px, white, border-radius: 8px , shadow 0 4px 8px rgba(0,0,0,.02) , centred 16 px / 700 brand-colour label. Chips with child markets add a 16 px chevron.
- **Hover:** chip inverts to solid brand colour with white text over 0.3 s ease-out . At the same time a [LOCATION IMAGE] for that chip fades in (opacity 0 to 1, 0.6 s) in an absolutely positioned panel covering the right 60% of the section at full section height. The image's left edge dissolves into the off-white background through a horizontal gradient, so chips stay readable on top of it.
- **Click on a chevron chip:** a white list drops below it (absolute, same width, border-radius: 0 0 8px 8px , 12×16 px padding). Opacity and visibility transition 0.3 s. Links are 14 px, centred; the last is "all of [REGION]". Chevron rotates 90°.
- **Scroll motion:** none.

- **Responsive:** 5 columns down to 1025 px, 3 at 820 px, 2 at 390 px. No hover image on touch.

3.2 Featured properties grid

Purpose: nine hero listings in a calm editorial grid.

- **Layout:** 112 px top and bottom padding. Header block left-aligned, max 647 px: h2 then a two-line 16 px grey description. 40 px below, a 3-column grid, 48 px gaps, 3 rows.
- **Card:** see section 5, "Light card".
- **Footer of block:** one solid pill button with chevron, left-aligned, about 48 px below the grid.
- **Scroll motion:** none. **Elevated:** cards rise 40 px and fade, staggered 0.08 s per column.
- **Responsive:** 2 columns with 32 px gaps at 1100 and 820 px; 1 column at 390 px.

3.3 Media feature banner

Purpose: one large editorial promotion (a show, film or campaign).

- **Layout:** black band. A [FEATURE IMAGE] fills the 1352 px container at 894 px tall (about 3:2), with a gradient to black over the bottom third.
- **Content, bottom-left, 80 px inset:** kicker (24 px, regular, uppercase), h2 (48 px / 800, white), then a 16 px / 700 line with an inline partner logo.
- **Content, bottom-right:** 12 px uppercase label beside a 96 px circular outline button with a chevron.
- **Motion:** none observed. **Elevated:** image scales 1.1 to 1 scrubbed while the band crosses the viewport.

3.4 Sub-brand video band

Purpose: introduces the premium division and sets up the black grid that follows.

- **Layout:** 600 px tall, full-bleed [BAND VIDEO] with overlay. Centred column: [SUB-BRAND LOCKUP], then a two-line 16 px white description, max 640 px wide.
- **Decoration:** a very large outline [BRAND MARK] at low opacity, bottom-right, partly cropped by the section edge.
- **Hand-off:** 30 px of black, then block 3.5 with no heading of its own. The band acts as that grid's title.

3.5 Signature listings grid (dark)

Purpose: the cinematic listing presentation. Photo-first, text on image.

- **Layout:** black. 48 px top padding. 3 columns × 2 rows of tall cards with 20 px gaps. Centred white pill button 48 px below. About 96 px bottom padding.
- **Card:** see section 5, "Immersive card".
- **Responsive:** 2 columns at 820 px (388 × 442 px cards); 1 column at 390 px (335 × 402 px), where the spec row becomes three number-over-label columns.

3.6 Developments accordion carousel

Purpose: the page's signature interaction. A filmstrip of projects where the hovered card widens into a feature card.

- **Layout:** white. Header block max 600 px: two-line h2 and a one-line 16 px description. 40 px below, a full-bleed carousel (cards run edge to edge, past the container). 40 px below that, a control row inside the container: two 56 px circular outline arrow buttons left (8 px apart), a solid pill with chevron right.
- **Card at rest:** 242 × 480 px, 18 px gap, `border-radius: 8px`, full-cover `[DEVELOPMENT IMAGE]`, dark gradient at the base, 20 px padding. Bottom-left: title (24 px / 800, white, up to 3 lines) and a location row (12 px uppercase 700 with a pin icon).
- **Card on hover:** width 242 to 600 px and height 480 to 540 px over 0.5 s. Title font-size 24 to 48 px over 0.6 s. A short `[DESCRIPTION]` line fades in below the location over 0.5 s. Neighbours slide sideways to make room; the row's height is reserved at 540 px so nothing below jumps.
- **Carousel:** variable-width slides, centred, infinite loop, drag and swipe-to-slide, 0.3 s `ease` per step, no autoplay, no dots. 24 slides on the reference.
- **Responsive:** at 390 px cards are 156 × 217 px with an 18 px title, no expansion, swipe only; arrows shrink to 40 px.

3.7 Services video band

Purpose: three service lines presented over a second film.

- **Layout:** 700 px tall, full-bleed `[BAND VIDEO]`, overlay `rgba(0,0,0,.1)`. h2 (48 px, white) top-left, 80 px from the top. A 40 px circular mute toggle top-right. Three cards pinned to the bottom of the band (`align-items: flex-end`), 32 px gaps, each one third of the container.
- **Card at rest:** transparent, 1px solid `rgba(255,255,255,.24)`, 8 px radius, 16 px padding, 114 px tall. Label (14 px / 700 / uppercase / 0.02em tracking) and a two-line title (20 px / 800), white.
- **Card on hover:** background becomes off-white, text becomes dark grey, and the card grows upward to about 260 px as a hidden region opens (`max-height 0 to 300 px`, 0.3 s `ease-in-out`). The region holds a 14 px paragraph and a solid pill CTA. Because cards

are bottom-aligned, growth goes up into the film.

- **Responsive:** band becomes 844 px tall at 390 px. Cards become a horizontally scrolling row (238 px wide, 12 px gaps), first card open by default, CTA reduced to a chevron.

3.8 Network, stats and globe

Purpose: scale proof.

- **Layout:** white. Left column 600 px: kicker (14 px / 700 / uppercase / grey), h3 (32 px / 800, brand colour, two lines), 16 px grey paragraph, a [PARTNER LOGO] about 165 px wide, a 2 × 2 stat grid, then a solid pill CTA.
- **Stat:** value 48 px / 800 brand colour; label 16 px / 700 black directly beneath. Rows about 140 px apart.
- **Right side:** a <canvas> the size of the whole section, shifted so a dot-matrix globe sits right of centre and bleeds off the right edge. It rotates slowly and continuously.
- **Motion:** each stat value runs fadeInUp (starts 100% of its own height lower, opacity 0) and counts up from 0 once it enters the viewport. Delays 0, 0.1, 0.2, 0.3 s across the four. Labels fade in.
- **Responsive:** stat values 24 px at 390 px; globe moves behind and below the text.

3.9 Product promo

Purpose: one product or app.

- **Layout:** 805 px, diagonal gradient from deep brand colour to a lighter, more saturated tint. Inner block 1032 px wide, two columns, 64 px gap: [DEVICE MOCKUPS] left (507 × 581 px), copy right (461 px): [PRODUCT LOGO] 32 px tall, three-line h2 (white), 16 px paragraph, one bold 16 px line, white pill CTA.
- **Motion:** none.

3.10 Recruitment split

Purpose: secondary audience CTA.

- **Layout:** off-white, 96 px padding, two equal 676 px columns. Left: a square [LIFESTYLE IMAGE] cut into the [BRAND MARK] shape, washed out, shifted 169 px off the left edge. Right: text block inset 80 px, vertically centred: grey uppercase kicker, three-line h2 (max 500 px wide), 16 px paragraph, two pill buttons side by side (one solid, one tonal grey).
- **Motion:** none.

3.11 Press logo marquee

- **Layout:** 266 px band. A 12 px uppercase label at the far left, then [PRESS LOGO] items about 105 px tall in a single row, monochrome, running edge to edge. Hairline rule beneath.
- **Motion:** continuous linear leftward scroll, infinite, no pause on hover (10 s per slide step, zero dwell).

3.12 Press quotes slider

- **Layout:** 112 px padding. h2 and a three-line description (max 676 px). Slider of text-only cards, 3 visible. Control row: arrow pair left, solid pill right.
- **Card:** 1 px top rule, 48 px above the content, source label (12 px uppercase 700), quote title (24 px / 800, black, clamped to 3 lines with ellipsis), then a "read" text link with chevron (14 px / 700, brand colour).
- **Slider:** 0.5 s per step, one card per step, not infinite, no dots. 2 visible at 1200 px and below, 1.4 visible at 768 px and below so the next card peeks.

3.13 Contact form

- **Layout:** deep brand colour, 1015 px. Inner block 1180 px wide, two columns, 80 px gap. Left (464 px): white h2, vertically centred, sitting on a giant photo-filled [BRAND MARK] at low opacity that is cropped by the bottom edge. Right: white form card 568 px wide, 8 px radius, starting 80 px from the top.
- **Form:** name, email, phone, topic select, message textarea (56 px tall fields, 8 px radius, 1 px grey border, 16 px gaps), consent checkbox with 10 px legal text, solid pill submit left-aligned.

4. Scroll and motion behaviour

Only one homepage block animates because of scroll: the stats. Everything else that moves is triggered by hover, by a carousel, or runs continuously. The motion character is short (0.3 to 0.6 s), eased out, and always attached to a pointer action.

Motion that exists on the reference

Motion	Trigger	From → to	Scroll relation	Timing	Build with
Header state	<code>scrollY > 0</code>	Transparent → brand colour at 85%	Threshold toggle, reversible	Up to 0.2 s	CSS class set by a scroll listener or <code>IntersectionObserver</code> sentinel

Motion	Trigger	From → to	Scroll relation	Timing	Build with
Logo entrance	Page load	Opacity 0, <code>translateY(100%)</code> → visible	Once	1 s, default ease	CSS keyframes
Stat entrance	Element enters viewport	Opacity 0, <code>translateY(100%)</code> → visible	Once, not scrubbed	1 s; stagger 0.1 s over four items	GSAP ScrollTrigger <code>once: true</code> , or <code>IntersectionObserver</code> + CSS
Stat count-up	Same moment	0 → target number, suffix kept	Once	About 2 s	GSAP tween on a number proxy
Region image reveal	Hover a chip	Image opacity 0 → 1; chip colours invert	None	0.6 s image, 0.3 s chip, <code>ease-out</code>	CSS
Region sub-list	Click a chevron chip	Opacity and visibility 0 → 1	None	0.3 s	CSS + small state
Light card zoom	Hover a card	Image <code>scale(1)</code> → <code>scale(1.1)</code> inside a clipped frame	None	0.3 s <code>ease-out</code>	CSS, inside <code>@media (hover: hover)</code> and <code>(pointer: fine)</code>
Immersive card zoom	Hover a card	Image scale 1 → about 1.07, image darkens	None	0.3 s <code>ease-out</code>	CSS
Accordion card	Hover a slide	242×480 → 600×540 px; title 24 → 48 px; description opacity 0 → 1	None	0.5 s size, 0.6 s title, 0.5 s description	CSS transitions on a flex row inside a carousel
Service card	Hover a card	Glass outline → off-white fill; hidden region <code>max-height</code> 0 → 300 px	None	0.3 s <code>ease-in-out</code>	CSS (<code>grid-template-rows: 0fr → 1fr</code> is the modern equivalent)
Carousel step	Arrow, drag or swipe	Track translates one slide	None	0.3 s (developments), 0.5 s (press), <code>ease</code>	Swiper or Embla
Logo marquee	Always	Track translates left, loops	None	Linear, constant speed	CSS <code>@keyframes</code> on a duplicated track
Globe	Always	Rotates about its vertical axis	None	Slow, constant	Canvas, lazy-loaded
Menu panel	Click Menu	<code>translateX(100%)</code> → 0; page tinted; scroll locked	None	Near-instant	CSS or GSAP timeline

Motion	Trigger	From → to	Scroll relation	Timing	Build with
Buttons	Hover	Background shifts to a brighter brand tint	None	0.3 s ease-out , all properties	CSS
Anchor jumps	Click an in-page link	Native smooth scroll	n/a	Browser default	CSS scroll-behavior: smooth
Sticky enquiry card (property page)	Scroll	Card holds at top: 128px while the left column scrolls	Continuous	n/a	CSS position: sticky

Motion that does not exist on the reference, with the Elevated equivalent

Use these only if the new brand wants more scroll drama than the reference has. Each is specified in section 16.

You asked about	Elevated treatment that fits this design language
Line-by-line heading reveals	Every section h2 splits into lines; each line rises from a clipped row. Once per page view
Image mask reveal	Promo banner and split-section images open with clip-path: inset(100% 0 0 0) → inset(0)
Image scale on scroll	Video bands and the media banner scale 1.12 → 1, scrubbed
Parallax	Hero media only, yPercent 0 → 12, scrubbed
Sequential cards	Grid cards rise and fade with a per-column stagger
Pinned section	One only: the services band pins for 150vh while the three cards open in turn. Desktop only
Background-colour transition	One only: page background interpolates white → black as the signature grid approaches
Smooth scroll	Lenis on desktop pointers, off for touch and reduced motion

Not recommended for this language: section snapping, horizontal-scroll hijacking, custom cursors, word-by-word reveals on body copy. They fight the fast, direct feel of the reference.

5. Property listing components

The reference uses three card types, and the premium feel comes from restraint: no borders, no shadows, no card background, no icons for beds and baths. The photo and four lines of type do all the work.

The three cards

	Light card	Immersive card	Accordion card
Used in	Featured grid on white	Signature grid on black	Developments carousel
Size at desktop	419 px wide; image 419 × 283 px	437 × 525 px	242 × 480 px at rest, 600 × 540 px on hover
Image ratio	400:270 (about 3:2)	About 5:6 portrait	About 1:2 portrait, opening to 10:9
Radius	8 px on the image only	8 px on the whole card	8 px
Text position	Below the image	On the image, bottom-left, over a dark gradient	On the image, bottom-left
Line 1	Price, 16 px / 700, black	Price, 18 px / 400, white	Name, 24 px / 800, white (48 px on hover)
Line 2	Address, 16 px / 400	Address, 12 px / 400	Location, 12 px / 700 uppercase with pin icon
Line 3	Specs, 12 px / 700 uppercase, separated by round bullets	Specs, 12 px / 400, separated by middots	One-line description, hover only
Status tag	Top-left, 16 px inset: white chip, 4 px radius, 12 px / 700 uppercase brand-colour text	Top-left, flush to the corner, shaped as a tab with one rounded outer corner	None
Collection label	Bottom-left of the image, flush to the corner: black tab, white 16 px text, top-right corner rounded	None	None
Hover	Image scales to 1.1 in 0.3 s inside a clipped frame	Image scales to about 1.07 and darkens, 0.3 s	Card expands (section 3.6)

	Light card	Immersive card	Accordion card
Link target	Whole card	Whole card	Whole card

Details that make them read as premium

- Price leads. The address is secondary and the specs are the smallest text on the card.
- Specs are plain uppercase text with dot separators. No bed, bath or area icons anywhere.
- The "tab" shapes (status and collection labels) sit flush in the image corner and round only the corner that faces into the photo. This is a recurring motif; reuse it for any on-image label.
- Listing-source logos and courtesy lines, where required, are small and pushed to the bottom-right of the text block or overlaid at 12 px on the image.
- Grids are generous: 48 px gaps on white, 20 px on black where the photos touch-read as a wall.

Sliders and controls

- Arrow buttons are 56 px circles, 1 px outline, transparent fill, a small chevron centred. They sit bottom-left under the carousel, 8 px apart, never overlaid on the images. 40 px on mobile.
- The "view all" action is a solid pill on the same row, right-aligned.
- Drag with the mouse and swipe on touch are both enabled. No pagination dots anywhere.

Property detail page (for the same card language)

Sizes in this list are visual estimates from screenshots, except the sticky offset, which was measured.

- Black top area. Breadcrumb in 12 px white. A gallery mosaic: one large image (about 62% width, 3:2) plus a 2 × 2 grid of thumbnails with 16 px gaps and 8 px radii; the last thumbnail is darkened and labelled "view all photos".
- Below the mosaic, still on black: address as h3 (32 px / 800, white), small address line, price (20 px / 800, grey-white), spec row in the same uppercase dotted style, and two small outline pills (share, external site).
- A sub-navigation row (three anchor links left, an outline pill and a solid pill right) follows and stays under the header.

- Body on white: two columns. Left about 62%: h2 headings in brand colour, description, a definition table with hairline row dividers, feature lists in two columns. Right: a sticky card (top: 128px) in solid brand colour with a three-day date picker (large numerals in outline boxes), a time select, a two-option segmented toggle, and a pill button. Agent contact cards follow beneath it.
- Then: full-width map, a full-bleed [LOCATION IMAGE] band, a brand-colour contact block with an [AGENT IMAGE] card and the same form card as the homepage, and a carousel of other listings.

Mobile

Light cards go single column at full container width with the same 3:2 image. Immersive cards go single column at 335 × 402 px and restructure specs into three columns. Accordion cards shrink to 156 × 217 px in a swipe row. Hover zoom is disabled on touch by the media query.

6. Location and area sections

The reference treats locations as typography first and photography second: a dense grid of text chips, with the photo appearing only on hover as a backdrop. There is no grid of location image cards on the homepage.

Regions block (homepage)

Aspect	Behaviour
Default view	Heading plus a 5-column grid of white text chips on off-white. No imagery visible
Photography	One [LOCATION IMAGE] per chip, stacked in the same absolutely positioned panel: right 60% of the section, full section height, object-fit: cover , centred
Reveal	Hovering a chip fades its image from opacity 0 to 1 in 0.6 s. Leaving fades it out. Only one is visible at a time
Photo-to-type relationship	The image's left edge fades to the section background, so the two right-hand chip columns sit on the photo while the three left-hand columns stay on flat colour. Chips keep their white fill, so text never sits directly on the photo

Aspect	Behaviour
Active chip	Solid brand colour, white text
Sub-markets	Chips with a chevron open a plain text list on click (section 3.1)
Scroll movement	None
Carousel	None
Touch	No image reveal. Chips are plain links or toggles in 2 columns

Location imagery elsewhere

- **Development cards** carry the location as a 12 px uppercase line with a pin icon under the project name (section 5).
- **Property page** uses a full-width map followed by a full-bleed [LOCATION IMAGE] band of about 60vh with no text over it.
- **Search overlay** lists developments with the neighbourhood as a second line under the name.

Elevated option: neighbourhood showcase

If the new brand has fewer than about eight areas, the chip grid will look thin. Replace it with the accordion pattern from section 3.6 applied to areas: tall [LOCATION IMAGE] cards, area name bottom-left at 24 px / 800, expanding on hover to reveal a one-line description and a listing count. This reuses an existing component and keeps the page language consistent.

7. Typography

One geometric sans-serif family at four weights carries the whole site. Headings are weight 800, sentence case, tightly tracked and coloured with the brand colour on light backgrounds. There is no serif, no display face and no all-caps headline.

Scale (measured from the stylesheet)

Role	Desktop size	Line-height	Letter-spacing	Weight	At 560 px and below
h1 (hero)	68 px (4.25rem)	1.12	-1.5 px	800	36 px, line-height 1.0
h2 (section)	48 px (3rem)	1.24	-1.5%	800	24 px, line-height 1.25

Role	Desktop size	Line-height	Letter-spacing	Weight	At 560 px and below
h3	32 px (2rem)	1.14	-0.5%	800	21 px, line-height 1.43
h4	24 px (1.5rem)	1.31	normal	800	18 px, line-height 1.33
h5	20 px (1.25rem)	1.325	normal	800	16 px
Body	16 px	1.5	normal	500	14 px, line-height 1.43
Small body	14 px	1.43	normal	500	14 px
Button / nav link	14 px	1.43	normal	700	14 px
Kicker / label	14 px or 12 px, uppercase	1.2 to 1.33	0.02em	700	12 px or 10 px
Tag	12 px, uppercase	1.33	normal	700	10 px

Rules

- **Case:** sentence or title case for all headings. Uppercase is reserved for 12 to 14 px labels, tags and spec rows.
- **Colour:** headings are brand colour on white and off-white, white on film, black and brand-colour backgrounds. Body is dark grey (#484848) on light, white on dark. Kickers are mid-grey (#787878).
- **Alignment:** left everywhere except the hero and the sub-brand band, which are centred.
- **Measure:** heading blocks are capped at about 600 to 680 px wide so h2s break into two lines. Paragraphs are capped at about 600 px.
- **Scaling:** sizes step down once at 560 px. They do not shrink at tablet: the hero stays 68 px at 820 px. Above 1980 px every size becomes fluid (h1: clamp(4.25rem, 4.3vw, 13.75rem) , h2: clamp(3rem, 1.875vw, 6rem) , body up to 2rem) so the layout scales on very large screens.
- **Scale character:** the largest type is 68 px. The site reads as bold because of weight 800 and tight tracking, not because of oversized display type.

Animated headings

None on the reference; headings are static. The Elevated line reveal is specified in section 16, Animation 13.

Font choice

The reference font is Montserrat, which is free on Google Fonts, so it can be used directly. To give the new brand its own voice with the same proportions, pick one of these:

Font	Source	Why it fits
Montserrat	Google Fonts	The reference face. Wide geometric forms, strong 800
Plus Jakarta Sans	Google Fonts	Slightly narrower, more contemporary, good 800
Red Hat Display	Google Fonts	Sharper geometry, has 800 and 900
Outfit	Google Fonts	Cleaner and lighter in feel, variable weight
Satoshi	Fontshare	Modern grotesque-geometric hybrid; top weight is Black (900)
General Sans	Fontshare	Neutral, compact; use Bold or Semibold for headings
Switzer	Fontshare	Closest to a neutral grotesque if the new logo is Helvetica-like

Load one family only, as a variable font if available, with `font-display: swap` and weights 500, 700 and 800 subsetting to Latin.

8. Image and video behaviour

Three autoplaying, muted, looping videos carry the page's sense of motion, and every still image is a hard-edged, 8 px-radius rectangle with `object-fit: cover`. The only non-rectangular images are photos cut into the brand mark.

Video

Aspect	Reference behaviour	Keep / change
Placement	Three full-bleed bands: hero (80vh), sub-brand (600 px), services (700 px)	Keep. Three is the ceiling
Element	Native <code><video></code> absolutely filling its band	Keep
Attributes	<code>autoplay muted loop playsinline</code> , <code>poster</code> , <code>preload="metadata"</code> , multiple sources	Keep; add AV1 or WebM first, MP4 fallback
Fit	<code>object-fit: cover</code> ; hero uses <code>object-position: 50% 0</code>	Keep. Set object-position per video to protect faces

Aspect	Reference behaviour	Keep / change
Overlay	Hero 30% black + bottom gradient to black; services 10% black; sub-brand medium dark	Keep as tokens
Sound	Services band and inner-page hero show a 40 px circular mute toggle; hero has none	Keep; default muted
Off-screen	Not verified on the reference	Pause when out of view
Content style	Fast-cut brand film with people, not slow drone footage	Brief the client for [HERO VIDEO] in this style, 15 to 30 s loop

Still images

Context	Ratio	Fit	Notes
Light property card	400:270 (about 3:2)	cover	8 px radius, clipped for hover zoom
Immersive property card	About 5:6 portrait	cover	Bottom gradient for text
Accordion card	About 1:2 at rest, 10:9 open	cover, centred	The image re-crops as the frame widens, so more of the photo is revealed rather than stretched
Media banner	About 3:2, container width	cover	Bottom third fades to black
Region backdrop	Right 60% of section, full height	cover, centred	Left edge fades to the background colour
Brand-mark photo	Square source	Pre-cut to the mark's shape (transparent PNG or SVG mask)	Used in menu, recruitment split, contact block. Bleeds off an edge. Washed to 40% opacity on light backgrounds
Property gallery lead	About 3:2	cover	With a 2 × 2 thumbnail mosaic

Loading

- Card images use native `loading="lazy"`. The reference serves a single source per image (no `srcset`); the rebuild should serve responsive sizes.
- Region backdrop images and menu imagery are in the DOM from load at opacity 0. In the rebuild, load them on first hover or when the section nears the viewport.

Transitions on media

- Hover scale: 1.05 to 1.1, 0.3 to 0.4 s, inside `overflow: hidden`.
- Crossfade: 0.5 to 0.6 s opacity for swapped backdrops.
- No parallax, no scroll scaling, no mask animation on the reference (Elevated options in section 16).

9. Buttons and micro-interactions

Every control is a pill or a circle, and every hover is a 0.3 s `ease-out` colour change. Nothing slides, underlines, magnetises or follows the cursor.

Button inventory

Control	Size	Shape	Rest	Hover
Primary pill	56 px tall, 24 to 32 px side padding; 40 px tall on mobile	<code>border-radius: 100px</code>	Solid brand colour (<code>#001a72</code>), white 14 px / 700 label	Brighter brand tint (<code>#002fcf</code>); pressed <code>#0028af</code>
Primary pill with icon	Same	Same	Label, 16 px gap, chevron or icon right	Same colour change; icon does not move
Inverse pill	Same	Same	Solid white, brand-colour label (on film, black or brand backgrounds)	Light grey fill
Outline pill	Same	Same	Transparent, 1 px border at 16% black (or 24% white on dark)	Border strengthens
Tonal pill	Same	Same	Light grey fill, brand-colour label	Darker grey

Control	Size	Shape	Rest	Hover
Circle arrow	56 px; 40 px on mobile	Circle	1 px outline, chevron centred	Fill or border strengthens
Large circle action	96 px	Circle	1 px white outline, chevron	Same
Circle icon button	40 px	Circle	Outline; used for account, close, mute	Same
Search submit	56 px	Circle	Solid brand colour, white icon	Brighter tint
Chip	48 px tall	8 px radius	White, faint shadow, brand-colour 16 px / 700 label	Inverts to solid brand colour
Text link with chevron	14 px / 700	None	Brand colour, chevron 8 px right	Colour shifts
Focus (all)	n/a	n/a	n/a	Visible ring; darker fill plus box-shadow halo

Hover values for the primary pill, inverse pill, chip and search submit were measured. Hovers for the outline pill, tonal pill and circle buttons were not captured, so those cells are the rule for the rebuild.

Shared behaviour

- **transition:** all .3s ease-out on every button. Chips and service cards use the same 0.3 s.
- Labels never wrap (**white-space: nowrap** , ellipsis on overflow).
- Disabled state is a pale tint of the brand colour with pale text.
- Icons are 16 to 20 px line icons, always to the right of the label.

Elevated micro-interactions (optional, pick at most two)

- **Chevron nudge:** on hover the chevron translates 4 px right over 0.3 s. Fits the direct tone.
- **Circle arrow fill:** a solid disc scales from 0 to 1 behind the chevron, and the chevron inverts colour.

- **Text link underline:** a 2 px line grows left to right under the label. The reference stylesheet contains this pattern but the homepage does not use it.

10. Transitions between sections

The page reads as one experience because of five compositional devices, none of which is an animation. Reproduce all five before adding any scroll effect.

Device	How the reference does it	Rule for the rebuild
Rounded sheet over film	The section after a video hero has 48 px top corners and sits on the hero's black fade	Every page that opens with film or a dark gallery ends that block in black and starts the next with a rounded sheet
Film as chapter title	Video bands sit directly above the block they introduce, with no heading on the block below	Use a band, not an h2, to open the signature grid
Background rhythm	Film → off-white → white → black → film → black → white → film → white → gradient → off-white → brand colour	Never place two white blocks in a row without a tone change; never run more than about 2 viewport heights without a dark or film block
Edge-bleeding elements	The carousel runs past the container to both screen edges; the globe and the brand-mark photos are cropped by the section edge	At least one element in every second block breaks the container
Repeated motifs	Pill and circle controls, the corner "tab" label, the brand mark as watermark, mask and backdrop	The same four motifs appear in the header, cards, menu, contact block and footer

Spacing between blocks

- Blocks touch; there are no margins between sections. Separation is by background colour only.
- Inside a block, vertical padding is 112 px for major blocks, 96 px for standard ones and 64 px for compact ones (regions).
- Within a block the rhythm is: header group, 40 px, main component, 40 to 48 px, control or CTA row.

- Light blocks that follow each other (off-white to off-white) are separated by a 1 px hairline.

Scroll timing

Native scroll with no smoothing. Because nothing is pinned or scrubbed, scroll speed is entirely the user's.

Elevated transitions (optional)

- **Sheet lift:** give the rounded sheet `margin-top: -48px` and a higher z-index, and let the hero media move at 88% of scroll speed, so the sheet physically slides over the film.
- **Tone crossfade:** interpolate the page background from white to black over the last 30vh before the signature band. One place only.
- **Band reveal:** each video band's media scales 1.12 to 1 while it enters, so film blocks feel like they are settling into place.

11. Footer

The footer is light, not dark: an off-white newsletter band, a white sitemap that mirrors the main menu, then small-print. There is no oversized wordmark; the large-type moment is the column of primary links at 24 px / 800.

Band	Layout	Type and controls
Newsletter	Off-white, about 300 px tall, 40 px padding. Inner block 1180 px, two columns, 80 px gap	Left: [NEWSLETTER HEADLINE] at h5 (20 px / 800, brand colour), two short statements. Right (568 px): one email field with a circular arrow submit button inside its right edge, then a consent checkbox with 12 px legal text
Sitemap	White, 80 px top padding, one row	Far left (192 px): two stacked 56 px pills, 24 px apart (solid with chevron, outline with lock icon). From about 30% across: a column of 8 primary links at 24 px / 800 brand colour, then three columns (231 px each, 32 px gaps) with a 12 px uppercase grey label and 14 px / 700 brand-colour links

Band	Layout	Type and controls
Brand row	Hairline above. One row	Left: small logo (about 160 px) and a 12 px copyright line. Right: six 40 px circular outline social icon buttons
Legal	White	12 px italic disclaimer paragraphs, small compliance badges, a wrapping row of 12 px / 700 legal links, and a right-aligned platform credit
Regulatory small-print	White, very long	Listing-source logos, each followed by 12 px paragraphs. On the reference this is more than half the footer's height

Notes for the rebuild

- The primary-link column and the three grouped columns are the same data as the main menu. Drive both from one navigation config.
- The regulatory block is jurisdiction-specific to the reference's markets. Replace it with the new brand's own licensing and compliance text; expect it to be far shorter.
- No scroll animation, no back-to-top control, no map.

Responsive footer

Width	Behaviour
1100 px and up	As above
820 px	Newsletter stays two columns. Sitemap becomes a column: pills first, then link columns wrapping two or three per row
390 px	Everything single column. Newsletter headline above the field. Pills full width. Primary links, then each group stacked. Social icons wrap. Footer is about 4,700 px tall on the reference because of the small-print

Elevated option

Add a full-width [BRAND WORDMARK] as the last element, sized with `font-size: clamp(4rem, 17vw, 20rem)` or as an SVG at 100% container width, in the brand colour at 8% opacity. Reveal it by translating up 30% as the footer enters. This gives the "large branding" finish the reference lacks.

12. Responsive behaviour

The reference has two real layout shifts: navigation collapses below about 1200 px, and type plus grids collapse at 560 to 768 px. Tablet keeps desktop type sizes on narrower grids.

Measured by loading the homepage at each width:

	1527 px	1280 px	1100 px	820 px	390 px
Side gutter	80 px	80 px	80 px	24 px	20 px
Header height	106 px	106 px	106 px	58 px	92 px
Primary nav links	Shown	Shown	Hidden	Hidden	Hidden
Header actions	Search pill, CTA, account, Menu	Same	Same	Same, compact	Search circle, menu circle
Hero height	80vh	80vh	80vh	80vh	About 540 px
h1	68 px	68 px	68 px	68 px	36 px
h2	48 px	48 px	48 px	48 px	24 px
Major block padding	112 px	112 px	112 px	80 px	56 px
Sheet corner radius	48 px	48 px	48 px	48 px	32 px
Regions grid	5 col	5 col	5 col	3 col	2 col
Featured grid	3 col, 48 px gap	3 col, 48 px gap	2 col, 32 px gap	2 col, 32 px gap	1 col, 32 px gap
Immersive card	437 × 525	355 × 426	453 × 543 (2 col)	369 × 442 (2 col)	335 × 402 (1 col)
Accordion card	242 × 480, hover expands	Same	Same	242 × 480	156 × 217, no expand
Service cards	3 across, hover expand	3 across	3 across	Horizontal scroll row	Horizontal scroll row, 238 px cards
Stat value	48 px	48 px	48 px	48 px	24 px
Page height	About 15,100 px			About 17,100 px	About 20,000 px

What makes mobile feel designed, not stacked

- The header stays a floating pill with two circular icon buttons; it does not become a full-width bar.
- The hero keeps the same composition (centred headline, pill search) at a fixed comfortable height instead of 100vh.
- The rounded sheet keeps its overlap at a smaller radius.
- Wide components become swipe rows rather than vertical stacks: accordion cards, service cards, press cards (1.4 visible so the next one peeks).
- The service band grows taller (844 px) so the film still dominates behind the cards.
- Immersive cards restructure their spec row into three labelled columns rather than shrinking the text.

- Buttons drop from 56 to 40 px tall; arrow circles from 56 to 40 px.

How animation simplifies

- Hover-only effects (image zoom, region backdrop, accordion expand) are wrapped in `@media (hover: hover) and (pointer: fine)` and simply do not exist on touch.
- Service cards replace hover with one card open by default.
- The stat entrance and count-up run at every width.
- A `prefers-reduced-motion` rule in the stylesheet removes animation durations.

Rules for widths the reference handles weakly

- Tablet type:** 68 px h1 on an 820 px screen is heavy. In the rebuild use fluid type between 560 and 1280 px: `h1: clamp(2.25rem, 1rem + 4.2vw, 4.25rem)`, `h2: clamp(1.5rem, 0.9rem + 2.6vw, 3rem)`.
- 1024 to 1200 px:** the reference hides the nav but keeps a 106 px header. Drop to 72 px here.
- Above 1980 px:** scale type and spacing with viewport width as the reference does, or cap the container at 1680 px and centre it.

13. Performance

The visual quality of the reference costs very little animation budget; the real weight is three videos, dozens of listing photos and a stack of legacy libraries. A modern rebuild can look the same and ship a fraction of the JavaScript.

Where the reference is heavy, and the fix

Cost on the reference	Fix in the rebuild
jQuery, two carousel libraries, WOW.js, GSAP, a templating library and a parallax plugin all load on the homepage	One carousel library, GSAP loaded only where used, CSS for everything hover-driven
Three video bands on one page	Hero video only on load. The other two get <code>preload="none"</code> and start when within 50% of a viewport
Off-screen video playback (not verified on the reference)	<code>IntersectionObserver</code> pauses any video that is not intersecting

Cost on the reference	Fix in the rebuild
One image source per card	<code>next/image</code> with AVIF then WebP, sizes matched to the grid (<code>(min-width:1280px) 30vw, (min-width:768px) 46vw, 92vw</code>)
Hidden hover backdrops and menu imagery load up front	Load on first hover intent, or when the section is within one viewport
Accordion card animates <code>width</code> , <code>height</code> and <code>font-size</code> , which triggers layout on every frame	Acceptable for one hovered card. Keep the row's height reserved, add <code>contain: layout</code> on the carousel, and limit the transition to the hovered card and its neighbours
Service card animates <code>max-height</code>	Use <code>grid-template-rows: 0fr → 1fr</code> , or animate <code>clip-path</code> plus <code>transform</code>
Globe canvas runs continuously	Lazy-load the script, render only while in view, cap device pixel ratio at 1.5, and swap to a static image on mobile or reduced motion

Rules

1. **Animate only** `transform`, `opacity`, `clip-path` and `filter`. The two layout animations above are the only exceptions.
2. **will-change sparingly**: set it on hover-zoom images and the menu panel just before they animate, and remove it afterwards.
3. **Hero video**: 1920 × 1080 maximum, 15 to 30 s loop, no audio track, 2 to 3 Mbps. Provide AV1 or WebM plus H.264 MP4. Serve a 720p file under 768 px via `media` on `<source>` or a JS swap. Target under 4 MB desktop and under 1.5 MB mobile.
4. **Poster first**: the poster is the LCP element. Preload it with `fetchpriority="high"` and match its crop to the first video frame so the swap is invisible.
5. **Fonts**: one variable font file, self-hosted through `next/font`, `display: swap`, preloaded.
6. **Images**: explicit `width` and `height` or `aspect-ratio` on every frame so nothing shifts. Lazy-load everything below the hero. Quality 70 to 75 for AVIF.
7. **Code-split by section**: dynamic-import the carousel, the globe and the search overlay. The menu can ship in the main bundle because it is small.
8. **Animation cleanup**: create GSAP animations inside `gsap.context()` (or the `useGSAP` hook) and revert on unmount. Kill ScrollTriggers on route change. One shared `IntersectionObserver` per behaviour, not one per element.

9. **Reduced motion:** under `prefers-reduced-motion: reduce`, disable Lenis, all scrubbed effects, the marquee and count-up (show final numbers), and replace videos with their posters plus a play button. Hover colour changes stay.
10. **Mobile simplification:** no Lenis, no pinning, no parallax, no scrubbed scale. Keep one-shot reveals (fade and 24 px rise) and count-up.
11. **Elevated tier budget:** at most one pinned section and three scrubbed effects on the page. Scrubbed effects use `scrub: 0.5` to 1 and animate one element each.

Targets

Metric	Target on a mid-range phone, 4G
LCP	Under 2.5 s (poster image)
CLS	Under 0.05
INP	Under 200 ms
JavaScript on first load	Under 180 kB gzipped, including GSAP core and ScrollTrigger
Total transfer before interaction	Under 2.5 MB including the mobile hero video

14. Design blueprint

This is the build brief. Hand sections 14 to 18 plus the client's content to the builder; sections 0 to 13 are the evidence behind it.

A. Design philosophy

- **Media brand, not brochure.** Film leads; the page opens on people and motion, and returns to film twice more.
- **One typeface, one accent colour, two shapes.** A heavy geometric sans, a single deep brand colour, pills and circles for every control, 8 px radius for every image.
- **Bold through weight, not size.** Headings top out at 68 px but are weight 800 with tight tracking.
- **Photo-first listings.** No card chrome. Price, address, specs in three quiet lines.
- **Interactions reward the pointer.** Hovering changes the layout (cards widen, panels open, backdrops appear). Scrolling is left alone.
- **Fast and direct.** 0.3 to 0.6 s, ease-out, no bounce, no delay chains longer than 0.4 s.

- **Continuity through tone.** Blocks touch and alternate film, light, black and brand colour; a rounded sheet rises over every dark opener.

B. Colour structure

Roles matter more than values. Swap `--brand` family for the new client; keep the neutrals.

```
:root {
  /* Brand (reference values shown; replace per client) */
  --brand:           #001a72; /* headings on light, primary buttons,
  scrolled header */
  --brand-deep:      #131176; /* contact block background */
  --brand-hover:      #002fcf;
  --brand-active:     #0028af;
  --brand-focus:      #00218f;
  --brand-tint:       #eff3ff; /* disabled, subtle fills */
  --brand-header:     rgb(0 26 114 / .85);

  /* Neutrals */
  --white:            #ffffff;
  --paper:            #f7f7f7; /* off-white blocks, open service card */
  --line:             #eaeaea; /* hairlines */
  --ink:              #000000; /* black blocks, prices */
  --ink-soft:         #131826;
  --text:             #484848; /* body on light */
  --text-muted:       #787878; /* kickers */
  --placeholder:      #aaaaaa;

  /* Alpha strokes and overlays */
  --stroke-on-light:  rgb(0 0 0 / .16);
  --stroke-on-dark:   rgb(255 255 255 / .24);
  --overlay-hero:     rgb(0 0 0 / .30);
  --overlay-band:     rgb(0 0 0 / .10);
  --shadow-chip:      0 4px 8px rgb(0 0 0 / .02);
}
```

Usage split on the homepage: roughly 50% white and off-white, 16% film, 18% black, 15% brand colour. The brand colour is never used for body text and never as a thin accent line; it appears as solid fields, headings and buttons.

C. Typography system

Use the scale in section 7. As tokens:

```

:root {
  --font-sans: "[BRAND FONT]", "Montserrat", system-ui, sans-serif;
  --h1: 800 clamp(2.25rem, 1rem + 4.2vw, 4.25rem)/1.12 var(--font-sans);
  --h2: 800 clamp(1.5rem, .9rem + 2.6vw, 3rem)/1.24 var(--font-sans);
  --h3: 800 clamp(1.31rem, 1rem + 1vw, 2rem)/1.14 var(--font-sans);
  --h4: 800 clamp(1.125rem, 1rem + .5vw, 1.5rem)/1.31 var(--font-sans);
  --h5: 800 clamp(1rem, .95rem + .3vw, 1.25rem)/1.325 var(--font-sans);
  --body: 500 1rem/1.5 var(--font-sans);
  --small: 500 .875rem/1.43 var(--font-sans);
  --label: 700 .875rem/1.2 var(--font-sans); /* uppercase, .02em */
  --tag: 700 .75rem/1.33 var(--font-sans); /* uppercase */
  --track-h1: -0.022em; --track-h2: -0.015em; --track-h3: -0.005em;
}

```

Heading blocks: `max-width: 42rem`. Paragraphs: `max-width: 37.5rem`. Left-aligned except hero and sub-brand band.

D. Spacing system

Token	Desktop	1024 px and below	560 px and below
<code>--gutter</code> (page side padding)	80 px (5.56vw above 1440)	24 px	20 px
<code>--block-lg</code> (major block padding)	112 px	80 px	56 px
<code>--block-md</code>	96 px	64 px	56 px
<code>--block-sm</code>	64 px	48 px	40 px
<code>--gap-grid</code> (light cards)	48 px	32 px	32 px
<code>--gap-wall</code> (immersive cards)	20 px	20 px	20 px
<code>--gap-strip</code> (carousel cards)	18 px	18 px	12 px
<code>--gap-chip</code>	8 px	8 px	8 px
<code>--stack-head</code> (header group to component)	40 px	32 px	24 px
<code>--radius-pill</code>	100 px		
<code>--radius-search</code>	500 px		

Token	Desktop	1024 px and below	560 px and below
<code>--radius-sheet</code>	48 px	48 px	32 px
<code>--radius-panel</code> (menu)	36 px		24 px
<code>--radius-media</code>	8 px		
<code>--radius-tag</code>	4 px		
Control heights	56 px (pill, circle arrow), 40 px (icon circle), 48 px (chip), 88 px (hero search)		40 px, 40 px, 48 px, 64 px

Container widths: content 1352 px at 1512; narrow two-column blocks 1180 px; promo block 1032 px.

E. Header system

Build exactly as section 1. Three variants by prop: `transparent` (default over film), `solid` (scrolled), `light` (white pill for pages that open on a gallery). Fixed, 16 px inset, 100 px radius, 106 px tall at desktop, 72 px from 1024 to 1200, 58 px at tablet, pill with two icon circles on mobile. Never hides. Elevated: 12 px backdrop blur and a 0.3 s background fade.

F. Mobile menu

One `MenuPanel` component serves both breakpoints: white, rounded, inset 16 px, internal scroll, body scroll locked, focus trapped, closes on Escape and on backdrop click. Desktop composition and mobile order are in section 1. Entrance from the right; Elevated timing in section 16, Animation 20.

G. Hero system

`Hero` takes `variant: "search" | "title"`, `[HERO VIDEO]`, `poster`, `[HEADLINE]`, `[DESCRIPTION]`, `objectPosition` and `height` (default 80vh, minimum 560 px, mobile 540 px). Flat 30% overlay plus bottom-to-black gradient. `search` variant centres the headline and the 735 × 88 px search pill. `title` variant places the headline bottom-left with a pill button and a mute toggle bottom-right. The block that follows any hero must be a `Sheet` (rounded top).

H. Section-by-section homepage structure

Use the wireframe in section 15 and the measurements in section 3. Each block is a `Section` wrapper with props `tone: "paper" | "white" | "black" | "brand" | "film"`, `padding: "lg" | "md" | "sm"`, `sheet: boolean`, plus a `SectionHeader` (kicker, h2, description, max-width) and an optional `SectionFooter` (arrows left, pill right).

I. Property card system

Three components sharing one data shape (`image`, `price`, `address`, `specs[]`, `status`, `collection`, `href`): `PropertyCardLight`, `PropertyCardImmersive`, `AccordionCard`. Specifications in section 5. Shared rules: 8 px radius, `object-fit: cover`, whole card is a link, hover zoom only on fine pointers, corner-tab labels, uppercase dotted specs, no icons.

J. CTA system

- One primary action per block, as a solid pill, placed bottom-left under grids or bottom-right under carousels.
- On film, black and brand backgrounds the primary pill is white with brand-colour text.
- Secondary actions are outline or tonal pills beside the primary, never below it.
- The closing CTA of the page is the contact block: headline left on a brand-mark watermark, form card right.
- Every listing-facing page ends with the same contact block and footer newsletter band.
- Phone number is a first-class CTA: in the header row, in the menu top row and at the top of the mobile menu.

K. Animation system

Three layers, each with one owner (details in sections 16 and 18):

1. **State transitions (CSS):** hovers, chips, cards, accordion, service cards, header state, marquee. 0.3 s `ease-out` default; 0.5 to 0.6 s for size changes and backdrops.
2. **Entrances (GSAP + ScrollTrigger, once):** section headers, card grids, stats and count-up. 0.8 to 1 s, `power3.out`, 0.08 to 0.1 s stagger, start at `top 80%`.
3. **Scrubbed scenes (GSAP + ScrollTrigger, Elevated only):** hero parallax, band scale, tone crossfade, one pinned band.

Tokens: `--ease-out: cubic-bezier(.22,.61,.36,1)`, `--ease-inout: cubic-bezier(.65,0,.35,1)`, `--dur-1: .3s`, `--dur-2: .5s`, `--dur-3: .8s`.

L. Transition system

The five devices in section 10 are mandatory: rounded sheet after every dark opener, film bands as chapter titles, alternating tone, one edge-bleeding element every second block, and the four repeated motifs (pill, circle, corner tab, brand mark). Page-to-page transitions: none on the reference; Elevated option is a 0.4 s brand-colour wipe using the View Transitions API.

M. Footer system

Section 11. Four bands: newsletter (paper), sitemap (white, driven by the same navigation config as the menu), brand row with social circles, legal. Elevated: giant wordmark at 8% opacity as the final element.

N. Responsive rules

Breakpoints: 560, 768, 1024, 1200, 1980. Rules and per-width values in section 12. In short: nav collapses under 1200; grids go 3 → 2 → 1; wide components become swipe rows; hover behaviours are removed on touch; type is fluid between 560 and 1280 rather than stepping once.

O. Performance rules

Section 13, rules 1 to 11, are acceptance criteria. The short form: transform and opacity only, one video on load, posters as LCP, AVIF with correct sizes, sections code-split, every animation created in a reversible context, full reduced-motion path, no scrubbed effects on mobile.

15. Homepage wireframe

Sixteen blocks in the reference's own order, with brand-specific blocks generalised for another agency. Blocks marked optional can be dropped without breaking the tonal rhythm, provided two light blocks never end up adjacent without a tone change.

#	Block	Tone	Height (desktop)	Component	Content slots
01	Navigation	Transparent → brand pill	106 px, fixed	Header	[LOGO], 5 links, [PHONE], search pill, [CTA], account, Menu

#	Block	Tone	Height (desktop)	Component	Content slots
02	Hero	Film	80vh	Hero (search)	[HERO VIDEO] , [HEADLINE] , [DESCRIPTION] , search placeholder
03	Property discovery by area	Paper, rounded sheet	About 450 px	AreaChipGrid	[HEADLINE] , 8 to 20 [AREA NAME] chips, one [LOCATION IMAGE] each, optional sub-areas
04	Featured properties	White	About 1,850 px	PropertyGrid of PropertyCardLight	[HEADLINE] , [DESCRIPTION] , 6 or 9 listings, [CTA]
05	Media feature (optional)	Black	About 890 px	FeatureBanner	[FEATURE IMAGE] , kicker, [HEADLINE] , partner line, circular action
06	Premium collection intro	Film	600 px	VideoBand (centred)	[BAND VIDEO] , [COLLECTION LOCKUP] , [DESCRIPTION] , [BRAND MARK] watermark
07	Premium listings	Black	About 1,330 px	PropertyGrid of PropertyCardImmersive	6 listings, [CTA]
08	Projects or neighbourhoods	White	About 1,180 px	AccordionCarousel	[HEADLINE] , [DESCRIPTION] , 8 to 24 [DEVELOPMENT IMAGE] cards, arrows, [CTA]
09	Services	Film	700 px	VideoBand + ServicePanel × 3	[BAND VIDEO] , [HEADLINE] , 3 × (label, title, [DESCRIPTION] , [CTA]), mute toggle
10	Statistics and reach	White	About 1,040 px	StatsBlock + Globe or [MAP GRAPHIC]	kicker, [HEADLINE] , [DESCRIPTION] , 4 stats, [CTA]
11	Product or app promo (optional)	Brand gradient	About 800 px	PromoSplit	[DEVICE MOCKUPS] , [PRODUCT LOGO] , [HEADLINE] , [DESCRIPTION] , [CTA]

#	Block	Tone	Height (desktop)	Component	Content slots
12	Agents / join the team	Paper	About 870 px	MaskedImageSplit	[LIFESTYLE IMAGE] in [BRAND MARK], kicker, [HEADLINE], [DESCRIPTION], 2 CTAs
13	Press logos	Paper	About 270 px	LogoMarquee	label, 6 to 12 [PRESS LOGO]
14	Testimonials or press quotes	Paper	About 770 px	QuoteSlider	[HEADLINE], [DESCRIPTION], 6+ × (source, quote, link), arrows, [CTA]
15	Selling / appraisal CTA	Deep brand	About 1,000 px	ContactBlock	[HEADLINE], [BRAND MARK] watermark, form (name, email, phone, topic, message, consent)
16	Footer	Paper then white	800 to 1,200 px	Footer	newsletter headline, sitemap from nav config, socials, legal

Mapping to a typical agency brief

Your example slot	Wireframe block
Navigation	01
Hero	02
Search / property discovery	02 (search pill) and 03
Brand introduction	06 (film band) or 05
Featured properties	04 and 07
Markets / locations	03 and 08
Services	09
Brand statement	06
Statistics / achievements	10

Your example slot	Wireframe block
Agents / team	12. For a team roster, add an <code>AgentCarousel</code> of <code>[AGENT IMAGE]</code> cards (3:4, name and role below) after block 12
Testimonials / press	13 and 14
Selling / appraisal CTA	15
Footer	16

Tonal sequence to preserve

Film → paper (sheet) → white → black → film → black → white → film → white → brand gradient → paper → paper → paper → deep brand → paper → white.

16. Animation specification

Twenty animations: eleven Faithful (they exist on the reference and define its character) and nine Elevated (optional). Build all Faithful ones; they are mostly CSS. Shared defaults: ease `power3.out` in GSAP or `cubic-bezier(.22, .61, .36, 1)` in CSS; reveal distance 40 px desktop and 24 px mobile; entrance trigger at `top 80%`, `once: true`.

Faithful

ANIMATION 01 — Header state change

- **Trigger:** `scrollY` passes 0 (use a 1 px sentinel at the top of `<main>` with `IntersectionObserver`).
- **Elements:** header pill background, link colours, CTA colours.
- **Sequence:** 1. Background transparent → `--brand-header`. 2. On `light` variant pages, white → `--brand-header` and text brand colour → white.
- **Duration / easing:** 0.2 s, `ease-in-out`. Reverses when back at top.
- **Owner:** CSS class toggle.

ANIMATION 02 — Area chip hover and backdrop reveal

- **Trigger:** pointer enters a chip (fine pointers only); also keyboard focus.
- **Elements:** chip, matching `[LOCATION IMAGE]` in the backdrop panel.
- **Sequence:** 1. Chip background white → brand colour, text brand colour → white (0.3 s). 2. Backdrop image opacity 0 → 1 (0.6 s). 3. On leave, both reverse; a newly hovered chip's image fades in over the outgoing one.

- **Easing:** `ease-out` .
- **Owner:** CSS, with React state for the active index. Images load on first hover intent.

ANIMATION 03 — Area sub-list

- **Trigger:** click or Enter on a chevron chip.
- **Sequence:** 1. Chevron rotates $0 \rightarrow 90^\circ$. 2. List opacity $0 \rightarrow 1$ and `visibility` on (0.3 s). 3. Chip holds its inverted colours while open. 4. Click outside or Escape closes.
- **Owner:** CSS + state.

ANIMATION 04 — Light card hover

- **Trigger:** pointer enters the card (fine pointers only).
- **Sequence:** image `scale(1)` $\rightarrow$ `scale(1.1)` inside its clipped 8 px-radius frame. Text does not move.
- **Duration / easing:** 0.3 s, `ease-out` .
- **Owner:** CSS.

ANIMATION 05 — Immersive card hover

- **Trigger:** pointer enters the card.
- **Sequence:** 1. Image `scale(1)` $\rightarrow$ `scale(1.07)` . 2. A black overlay goes $0 \rightarrow 25\%$ opacity. Text and tag stay fixed.
- **Duration / easing:** 0.3 s, `ease-out` .
- **Owner:** CSS.

ANIMATION 06 — Accordion carousel expand

- **Trigger:** pointer enters a slide (fine pointers, 1025 px and up).
- **Elements:** slide frame, title, description, neighbouring slides.
- **Sequence:** 1. Slide `width` 242 $\rightarrow$ 600 px and `height` 480 $\rightarrow$ 540 px (0.5 s). 2. Title `font-size` 24 $\rightarrow$ 48 px (0.6 s). 3. Description opacity $0 \rightarrow 1$ (0.5 s). 4. Neighbours are pushed along the row by layout. 5. On leave, all reverse at the same durations.
- **Easing:** `ease` .
- **Scroll relation:** none.
- **Owner:** CSS transitions on slides inside a Swiper or Embla track with auto slide widths. Disable the carousel's own translate recalculation during hover.
- **Touch:** no expansion; cards are 156 $\times$ 217 px in a free-scroll row.

ANIMATION 07 — Service panel expand

- **Trigger:** pointer enters a panel; on touch, tap. One panel open at a time; first panel open by default on touch.

- **Sequence:** 1. Background transparent → `--paper` ; text white → `--text` (0.3 s). 2. Hidden region opens from 0 to its content height, growing upward (0.3 s). 3. Paragraph and CTA are simply uncovered, no separate fade.
- **Easing:** `ease-in-out` .
- **Owner:** CSS, `grid-template-rows: 0fr → 1fr` .

ANIMATION 08 — Stats entrance and count-up

- **Trigger:** stat grid top reaches 80% of the viewport. Once.
- **Elements:** four values, four labels.
- **Sequence:** 1. Each value rises from `yPercent: 100` , opacity 0 → 1 (1 s), staggered 0.1 s. 2. In parallel each value counts from 0 to its target, keeping any suffix such as K, M or + (2 s, `power1.out` , integers only). 3. Labels fade 0 → 1 (1 s) with the same stagger.
- **Owner:** GSAP + ScrollTrigger.
- **Reduced motion:** show final values immediately.

ANIMATION 09 — Logo marquee

- **Trigger:** always running while in view.
- **Sequence:** track of logos, duplicated once, translates `x: 0 → -50%` and loops.
- **Duration / easing:** 40 to 60 s per loop, linear. No pause on hover.
- **Owner:** CSS keyframes; `animation-play-state: paused` when off-screen or reduced motion.

ANIMATION 10 — Carousel step and drag

- **Trigger:** arrow click, mouse drag, touch swipe.
- **Sequence:** track translates by one slide. Accordion carousel: 0.3 s, loops infinitely, centred. Quote slider: 0.5 s, finite, arrows disable at the ends, 3 / 2 / 1.4 slides visible at desktop / 1200 px / 768 px.
- **Owner:** Swiper or Embla.

ANIMATION 11 — Buttons and links

- **Trigger:** hover, focus-visible, active.
- **Sequence:** background `--brand` → `--brand-hover` → `--brand-active` ; outline borders strengthen; text links shift colour.
- **Duration / easing:** 0.3 s, `ease-out` .
- **Owner:** CSS.

Elevated

ANIMATION 12 — Hero entrance

- **Trigger:** page load, after the poster has decoded.
- **Elements:** hero media, overlay, headline lines, subtitle, search pill, header.
- **Sequence:** 1. Media scales $1.08 \rightarrow 1$ (1.6 s). 2. Overlay opacity $0.6 \rightarrow 0.3$ (1.2 s, same start). 3. At 0.2 s, headline lines rise from clipped rows, `yPercent: 110 → 0`, 0.09 s stagger (0.9 s each). 4. At 0.5 s, subtitle fades and rises 16 px (0.6 s). 5. At 0.65 s, search pill fades and rises 24 px, scaling $0.98 \rightarrow 1$ (0.7 s). 6. At 0.3 s, header pill fades in and drops 12 px (0.6 s).
- **Total:** about 1.6 s. **Easing:** `power3.out`; media uses `power2.out`.
- **Owner:** one GSAP timeline. Runs once per session; later visits get a 0.4 s fade only.

ANIMATION 13 — Section heading line reveal

- **Trigger:** heading enters at `top 80%`. Once.
- **Initial state:** heading split into lines, each line wrapped in an `overflow: hidden` row and offset `yPercent: 105`.
- **Sequence:** 1. Kicker fades in (0.4 s). 2. Lines rise to 0 with 0.08 s stagger (0.8 s each). 3. Description fades and rises 16 px, starting 0.15 s after the last line (0.6 s).
- **Easing:** `power3.out`.
- **Owner:** GSAP + ScrollTrigger with SplitText (lines) or a small manual line splitter. Re-split on resize.
- **Mobile:** same, with 0.6 s lines.

ANIMATION 14 — Sheet lift with hero parallax

- **Trigger / scroll relation:** scrubbed from hero top at viewport top to hero bottom at viewport top.
- **Sequence:** 1. Hero media `yPercent: 0 → 12`. 2. Hero content `yPercent: 0 → -20` and opacity $1 \rightarrow 0$ over the first 60%. 3. The following Sheet has `margin-top: -48px` and a higher `z-index`, so it visibly slides over the film.
- **Owner:** GSAP + ScrollTrigger, `scrub: 0.6`. Desktop only.

ANIMATION 15 — Card grid entrance

- **Trigger:** each row of cards reaches `top 85%`. Once.
- **Sequence:** cards in the row fade $0 \rightarrow 1$ and rise 40 px, staggered 0.08 s left to right (0.8 s each). The image inside each card also scales $1.08 \rightarrow 1$ (1.2 s).
- **Owner:** GSAP ScrollTrigger `batch()`.

ANIMATION 16 — Video band settle

- **Trigger / scroll relation:** scrubbed while the band travels from entering the viewport to its centre.

- **Sequence:** media `scale: 1.12 → 1`; overlay `0.5 →` its resting value. Band content (lockup or heading) uses Animation 13.
- **Owner:** GSAP + ScrollTrigger, `scrub: 0.8`. The video starts playing when the band is 50% of a viewport away and pauses when it leaves.

ANIMATION 17 — Tone crossfade into the dark grid

- **Trigger / scroll relation:** scrubbed across the last 30vh of the white block before the premium band.
- **Sequence:** the page wrapper's background interpolates white → black; text in the outgoing block's footer row fades to 0.
- **Owner:** GSAP + ScrollTrigger on a CSS variable. One location only.

ANIMATION 18 — Pinned services sequence

- **Trigger / scroll relation:** the services band pins when its top reaches the viewport top, for 150vh of scroll.
- **Sequence:** 1. 0 to 33%: panel 1 open. 2. 33 to 66%: panel 1 closes, panel 2 opens. 3. 66 to 100%: panel 3 opens. Each change is a 0.4 s tween fired at the threshold, not scrubbed. Hover still overrides.
- **Owner:** GSAP + ScrollTrigger `pin: true`. Desktop 1025 px and up only; no pin on touch.

ANIMATION 19 — Masked image reveal

- **Trigger:** media banner or split image reaches `top 75%`. Once.
- **Sequence:** 1. Frame `clip-path: inset(100% 0 0 0) → inset(0)` (1.1 s, `power4.inOut`). 2. Image inside scales `1.2 → 1` (1.4 s, `power3.out`).
- **Owner:** GSAP + ScrollTrigger.

ANIMATION 20 — Menu and search overlays

- **Trigger:** Menu button, search pill, hero search bar; Escape, close button or backdrop to close.
- **Faithful:** panel appears from the right with no visible easing; search overlay appears in place.
- **Elevated sequence (menu):** 1. Backdrop tint opacity `0 → 1` (0.3 s). 2. Panel `xPercent: 100 → 0` (0.6 s, `power3.out`). 3. Primary links rise from clipped rows, 0.05 s stagger (0.5 s each), starting at 0.25 s. 4. Right-column groups fade and rise 16 px, 0.06 s stagger. 5. Close: all content fades (0.15 s), panel `xPercent → 100` (0.35 s, `power2.in`).
- **Elevated sequence (search):** overlay fades and rises 24 px (0.35 s); input autofocuses; the three discovery columns fade in with 0.06 s stagger.

- **Owner:** Motion (`AnimatePresence`) or one GSAP timeline per overlay. Pick one and use it for both.

Global motion rules

- Smooth scroll (Elevated): `Lenis`, `lerp: 0.1`, desktop fine pointers only, synced to `ScrollTrigger` through `lenis.on('scroll', ScrollTrigger.update)`.
- No animation delays a user action. Nothing blocks scroll for longer than the 150vh pin.
- Under reduced motion, all Elevated animations and Animations 08 and 09 are replaced by their end states.

17. Component inventory

Forty-four reusable components rebuild the homepage and overlays, and ten more cover the property page. Primitives first, then layout, then feature blocks.

Primitives

Component	Variants / key props	Notes
<code>Button</code>	<code>solid</code> , <code>inverse</code> , <code>outline</code> , <code>tonal</code> ; <code>size: lg (56) / sm (40)</code> ; <code>icon</code>	Pill. 0.3 s colour transition
<code>ArrowButton</code>	<code>size: 40 / 56 / 96</code> ; <code>direction</code> ; <code>tone: light / dark</code>	Circle, 1 px outline
<code>IconButton</code>	<code>size: 40</code> ; <code>solid</code> or <code>outline</code>	Account, close, mute, search
<code>TextLink</code>	<code>chevron</code>	14 px / 700
<code>Chip</code>	<code>active</code> , <code>hasChildren</code>	48 px tall, 8 px radius, inverts on hover
<code>Tag</code>	<code>chip</code> (4 px radius) or <code>tab</code> (flush corner); <code>corner: tl / bl</code>	Status and collection labels
<code>Kicker</code>	<code>tone</code>	12 to 14 px uppercase label
<code>AnimatedHeading</code>	<code>as: h1-h4</code> , <code>reveal: none / lines</code>	Static by default; line reveal is Elevated
<code>SpecRow</code>	<code>items[]</code> , <code>separator: bullet / middot</code> , <code>layout: inline / columns</code>	Uppercase dotted specs

Component	Variants / key props	Notes
Field	input , select , textarea , checkbox	56 px tall, 8 px radius
MediaFrame	ratio , radius , hoverZoom , gradient	Wraps next/image ; clips zoom
BackgroundVideo	src[] , poster , objectPosition , overlay , lazy , muteToggle	Pauses off-screen; poster fallback under reduced motion
BrandMarkMask	image , opacity , bleed: left / bottom	Photo clipped to [BRAND MARK] via SVG mask

Layout and navigation

Component	Key props	Notes
Header	variant: transparent / solid / light	Floating pill; scroll sentinel
NavDropdown	items[]	Small white card under a link
MenuPanel	nav config	Desktop three-zone layout; mobile single column; focus trap
SearchOverlay	featured , developments[] , listings[]	Full-screen, three discovery columns
Section	tone , padding , sheet	Handles background, padding, rounded top
SectionHeader	kicker , title , description , align , maxWidth	
SectionFooter	arrows , cta	Arrows left, pill right
Container	width: full / default / narrow / promo	Gutters from tokens
Footer	nav config , legal	Four bands
NewsletterBand	headline , consent	Email field with inset circular submit

Feature blocks

Component	Used in block	Notes
Hero	02	search and title variants
HeroSearch	02	88 px pill that opens SearchOverlay
AreaChipGrid	03	Chips, hover backdrop panel, sub-area lists
PropertyCardLight	04	Text below image
PropertyCardImmersive	07	Text on image
PropertyGrid	04, 07	columns: 3 / 2 / 1, gap token
FeatureBanner	05	Contained image, caption left, circular action right
VideoBand	06, 09	align: center / top-left, optional watermark
AccordionCarousel + AccordionCard	08	Hover-expand filmstrip
ServicePanel	09	Glass card that opens upward
StatsBlock + StatCounter	10	2 × 2 grid, count-up
Globe	10	Lazy canvas; static image fallback. Replace with [MAP GRAPHIC] for a single-city brand
PromoSplit	11	Gradient, mockups left, copy right
MaskedImageSplit	12	BrandMarkMask left, copy right
LogoMarquee	13	CSS loop
QuoteSlider + QuoteCard	14	Text-only cards with top rule
ContactBlock + ContactForm	15	Watermark headline left, form card right

Property page additions

GalleryMosaic (1 + 4 with lightbox), PropertySummary (title, price, SpecRow, share), AnchorSubnav, DefinitionTable, FeatureList, StickyEnquiryCard (date picker, time select, segmented toggle), AgentCard ([AGENT IMAGE], name, role, phone, email),

MapBlock , FullBleedImage , PropertySlider .

Not needed

No scroll-progress bar, custom cursor, preloader or page-transition layer exists on the reference. Add none of them in the Faithful tier.

18. Technical recommendation

Build on Next.js with Tailwind, let CSS own every hover and state change, and give GSAP with ScrollTrigger the few scroll-triggered pieces. That is two animation tools for the Faithful tier; Lenis and Motion are optional and each has exactly one job.

Stack

Layer	Choice	Reason
Framework	Next.js (App Router), React, TypeScript	Server-rendered listing pages, image optimisation, route-level code splitting
Styling	Tailwind CSS with the tokens from section 14 as CSS variables in the theme	Pills, radii and spacing become utilities; tones switch by data attribute
Images	next/image , AVIF and WebP	Responsive sizes per grid
Fonts	next/font , one variable family	Self-hosted, preloaded
Content	Headless CMS (Sanity fits this stack) for pages and navigation; listings from the agency's CRM or listing feed	One nav config drives header, menu and footer
Forms	Server Actions with schema validation; spam protection	
Hosting	Vercel or equivalent edge CDN; video on a media CDN or storage bucket with range requests	

Which library controls which interaction

Interaction	Owner	Tier
Button, chip, link, card hover; header state; area backdrop fade; sub-lists	CSS transitions	Faithful
Accordion card expand; service panel expand	CSS transitions	Faithful
Logo marquee	CSS keyframes	Faithful
Header scroll state; lazy video play and pause; lazy image and backdrop loading	<code>IntersectionObserver</code> (no library)	Faithful
Accordion carousel track, quote slider, property slider, gallery lightbox	Swiper (or Embla if bundle size matters more than built-in features)	Faithful
Stats entrance and count-up	GSAP + ScrollTrigger	Faithful
Section heading reveals, card grid entrances, masked image reveals	GSAP + ScrollTrigger (SplitText for lines)	Elevated
Hero entrance timeline	GSAP timeline	Elevated
Hero parallax, band settle, tone crossfade, pinned services	GSAP + ScrollTrigger, scrubbed	Elevated
Smooth scrolling	Lenis, desktop only, wired to ScrollTrigger	Elevated
Menu and search overlay mount, unmount and exit animation	Motion <code>AnimatePresence</code> , or GSAP if you prefer one library	Faithful needs only CSS; Elevated benefits from exit animation
Globe	Small canvas or WebGL globe, dynamically imported	Faithful (optional block)

Rules to avoid library overlap

- One owner per element. If GSAP animates an element's `transform`, CSS transitions on `transform` are removed from it.
- Motion is used for overlay presence only. If the team is comfortable writing GSAP exit timelines, drop Motion entirely.
- Swiper handles track movement only; card hover states stay in CSS.
- Lenis is added last, after everything works on native scroll, and is disabled for touch and reduced motion.
- GSAP code lives in client components behind `useGSAP`, scoped to a ref, and is not imported by server components.

Suggested structure

```

app/
  (site)/page.tsx           homepage: ordered list of blocks
  (site)/properties/[slug]/page.tsx
  (site)/layout.tsx         Header, MenuPanel, SearchOverlay, Footer
components/
  primitives/               Button, ArrowButton, Chip, Tag, MediaFrame, BackgroundVideo
  ...
  layout/                   Header, MenuPanel, Section, SectionHeader, Footer ...
  blocks/                   Hero, AreaChipGrid, PropertyGrid, AccordionCarousel,
VideoBand ...
  motion/                   useReveal, useCountUp, useScrollScene, LenisProvider
lib/
  nav.ts                    single navigation config
  tokens.css                colour, type, spacing, motion variables

```

Build order

1. Tokens, primitives, `Section`, `Header`, `Footer` on static content.
2. Hero, sheet hand-off, both property cards and grids.
3. `AccordionCarousel`, `ServicePanel`, `AreaChipGrid` (the three signature interactions).
4. Menu and search overlays; contact block; remaining blocks.
5. Faithful motion: stats, marquee, lazy video.
6. Responsive pass at 390, 820, 1100, 1280 and 1920 px; reduced-motion pass.
7. Elevated motion, one animation at a time, measuring INP and frame rate after each.

Handing this to a builder

Give the builder sections 14 to 18, the client's logo, brand mark as SVG, brand colour, font choice, [HERO VIDEO] and two band videos (or stills to stand in), listing data, area list, three services, four stats, press or testimonial items, and the navigation tree. State which tier you want: Faithful only, or Faithful plus a named list of Elevated animations by number.