



# Smart Contract Security Audit

## Audit details:

|                  |  |
|------------------|--|
| Audited project: | PlanetFinance                              |
| Deployer address | 0xd0770397b59b1f6238e9c125c5ef4cb9007fe81f |
| Blockchain:      | Binance Smart Chain                        |
| Project website: | Not provided                               |

# Disclaimer

This is a limited report on our findings based on our analysis, in accordance with good industry practice as at the date of this report, in relation to cybersecurity vulnerabilities and issues in the framework and algorithms based on smart contracts, the details of which are set out in this report. In order to get a full view of our analysis, it is crucial for you to read the full report. While we have done our best in conducting our analysis and producing this report, it is important to note that you should not rely on this report and cannot claim against us on the basis of what it says or doesn't say, or how we produced it, and it is important for you to conduct your own independent investigations before making any decisions. We go into more detail on this in the below disclaimer below – please make sure to read it in full.

**DISCLAIMER:** By reading this report or any part of it, you agree to the terms of this disclaimer. If you do not agree to the terms, then please immediately cease reading this report, and delete and destroy any and all copies of this report downloaded and/or printed by you. This report is provided for information purposes only and on a non-reliance basis, and does not constitute investment advice. No one shall have any right to rely on the report or its contents, and TechRate and its affiliates (including holding companies, shareholders, subsidiaries, employees, directors, officers and other representatives) (TechRate) owe no duty of care towards you or any other person, nor does TechRate make any warranty or representation to any person on the accuracy or completeness of the report. The report is provided "as is", without any conditions, warranties or other terms of any kind except as set out in this disclaimer, and TechRate hereby excludes all representations, warranties, conditions and other terms (including, without limitation, the warranties implied by law of satisfactory quality, fitness for purpose and the use of reasonable care and skill) which, but for this clause, might have effect in relation to the report. Except and only to the extent that it is prohibited by law, TechRate hereby excludes all liability and responsibility, and neither you nor any other person shall have any claim against TechRate, for any amount or kind of loss or damage that may result to you or any other person (including without limitation, any direct, indirect, special, punitive, consequential or pure economic loss or damages, or any loss of income, profits, goodwill, data, contracts, use of money, or business interruption, and whether in delict, tort (including without limitation negligence), contract, breach of statutory duty, misrepresentation (whether innocent or negligent) or otherwise under any claim of any nature whatsoever in any jurisdiction) in any way arising from or connected with this report and the use, inability to use or the results of use of this report, and any reliance on this report.

The analysis of the security is purely based on the smart contracts alone. No applications or operations were reviewed for security. No product code has been reviewed.

# Background

TechRate was commissioned by PlanetFinance to perform an audit of smart contracts:

- <https://bscscan.com/address/0x72B7D61E8fC8cF971960DD9cfA59B8C829D91991#code>
- <https://bscscan.com/address/0x0ac58fd25f334975b1b61732cf79564b6200a933#code>

The purpose of the audit was to achieve the following:

- Ensure that the smart contract functions as intended.
- Identify potential security issues with the smart contract.




The information in this report should be used to understand the risk exposure of the smart contract, and as a guide to improve the security posture of the smart contract by remediating the issues that were identified.

# Contracts details

Token contract details for 04.05.2021.

|                                   |  |
|-----------------------------------|--|
| Contract name:                    | AQUA                                       |
| Compiler version:                 | v0.6.12+commit.27d51765                    |
| Contract address:                 | 0x72B7D61E8fC8cF971960DD9cfA59B8C829D91991 |
| Total supply:                     | 842_128_262_993_243_241_021                |
| Token ticker:                     | AQUA                                       |
| Decimals:                         | 18   |
| Token holders:                    | 140  |
| Transactions count:               | 12686                                      |
| Top 100 holders dominance:        | 100 %                                      |
| Contract deployer address:        | 0xd0770397b59b1f6238e9c125c5ef4cb9007fe81f |
| Contract's current owner address: | 0x0ac58fd25f334975b1b61732cf79564b6200a933 |

## AQUA top 5 token holders

| Rank | Address  | Quantity               | Percentage                     |
|------|--|------------------------|--------------------------------|
| 1    |  <a href="#">0xc7038a7b1a757f7739442173d081f3b4429856f8</a> | 535.78216742975996293  | <div><div></div>64.0479%</div> |
| 2    |  <a href="#">0x5fa0f20c3fe2f642751e5ffc844714f0202c02ca</a> | 237.526060114751334091 | <div><div></div>28.3941%</div> |
| 3    |  <a href="#">0x0ac58fd25f334975b1b61732cf79564b6200a933</a> | 53.232156583575893215  | <div><div></div>6.3634%</div>  |
| 4    | <a href="#">0xc47407649bf1c2dd948ee4e39ef5ae3af983d2ac</a>   | 2.577733835393850831   | <div><div></div>0.3081%</div>  |
| 5    | <a href="#">0xcf35d9436c775c6411c120c3fa4f00c284c566cd</a>   | 2.329156552843255977   | <div><div></div>0.2784%</div>  |


## AQUA top 100 token distribution

The top 100 holders collectively own 100.00% (840.54 Tokens) of AQUA

Token Total Supply: 840.54 Token | Total Token Holders: 140

AQUA Top 100 Token Holders

Source: BscScan.com




(A total of 840.54 tokens held by the top 100 accounts from the total supply of 840.54 token)

## AQUA contract interaction details

Time Series: Token Contract Overview

Sun 2, May 2021 - Mon 3, May 2021



## PlanetFinance contract details for 04.05.2021.

|                         |  |
|-------------------------|--|
| Contract name:          | PlanetFinance                              |
| Compiler version:       | v0.6.12+commit.27d51765                    |
| Contract address:       | 0x0ac58fd25f334975b1b61732cf79564b6200a933 |
| Burn address:           | 0x0000000000000000000000000000000000dead   |
| AQUA contract address:  | 0x72b7d61e8fc8cf971960dd9cfa59b8c829d91991 |
| AQUA per block:         | 17_361_100_000_000_000                     |
| Contract owner address: | 0x084e9b6928888a1d372b87e3d7bb3f90700df137 |
| Pool length:            | 6  |
| Start block:            | 0  |
| Total alloc point:      | 7400                                       |
| Bonus multiplier:       | 1  |
| AQUA max supply:        | 100_000_000_000_000_000_000_000            |

# Issues Checking Status

| №  | Issue description.   | Checking status |
|----|--|-----------------|
| 1  | Compiler errors.   | Passed          |
| 2  | Race conditions and Reentrancy.<br>Cross-function race conditions. | Passed          |
| 3  | Possible delays in data delivery.                                  | Passed          |
| 4  | Oracle calls.  | Passed          |
| 5  | Front running.   | Passed          |
| 6  | Timestamp dependence.  | Passed          |
| 7  | Integer Overflow and Underflow.                                    | Passed          |
| 8  | DoS with Revert.   | Passed          |
| 9  | DoS with block gas limit.  | Low issues      |
| 10 | Methods execution permissions.                                     | Passed          |
| 11 | Economy model of the contract.                                     | Passed          |
| 12 | The impact of the exchange rate on the logic.                      | Passed          |
| 13 | Private user data leaks.   | Passed          |
| 14 | Malicious Event log.   | Passed          |
| 15 | Scoping and Declarations.  | Passed          |
| 16 | Uninitialized storage pointers.                                    | Passed          |
| 17 | Arithmetic accuracy.   | Passed          |
| 18 | Design Logic.  | Passed          |
| 19 | Cross-function race conditions.                                    | Passed          |
| 20 | Safe Open Zeppelin contracts<br>implementation and usage.          | Passed          |
| 21 | Fallback function security.  | Passed          |

# Planet Finance functions outline

## + Context

- [Int] \_msgSender
- [Int] \_msgData

## + [Lib] SafeMath

- [Int] add
- [Int] sub
- [Int] sub
- [Int] mul
- [Int] div
- [Int] div
- [Int] mod
- [Int] mod

## + [Int] IERC20

- [Ext] totalSupply
- [Ext] balanceOf
- [Ext] transfer #
- [Ext] allowance
- [Ext] approve #
- [Ext] transferFrom #

## + ERC20 (Context, IERC20)

- [Pub] <Constructor> #
- [Pub] name
- [Pub] symbol
- [Pub] decimals
- [Pub] totalSupply
- [Pub] balanceOf
- [Pub] transfer #
- [Pub] allowance
- [Pub] approve #
- [Pub] transferFrom #
- [Pub] increaseAllowance #
- [Pub] decreaseAllowance #
- [Int] \_transfer #
- [Int] \_mint #
- [Int] \_burn #
- [Int] \_approve #
- [Int] \_setupDecimals #
- [Int] \_beforeTokenTransfer #

## + [Lib] Address

- [Int] isContract



- [Int] sendValue #
- [Int] functionCall #
- [Int] functionCall #
- [Int] functionCallWithValue #
- [Int] functionCallWithValue #
- [Int] functionStaticCall
- [Int] functionStaticCall
- [Int] functionDelegateCall #
- [Int] functionDelegateCall #
- [Prv] \_verifyCallResult

#### + [Lib] SafeERC20

- [Int] safeTransfer #
- [Int] safeTransferFrom #
- [Int] safeApprove #
- [Int] safeIncreaseAllowance #
- [Int] safeDecreaseAllowance #
- [Prv] \_callOptionalReturn #

#### + [Lib] EnumerableSet

- [Prv] \_add #
- [Prv] \_remove #
- [Prv] \_contains
- [Prv] \_length
- [Prv] \_at
- [Int] add #
- [Int] remove #
- [Int] contains
- [Int] length
- [Int] at
- [Int] add #
- [Int] remove #
- [Int] contains
- [Int] length
- [Int] at
- [Int] add #
- [Int] remove #
- [Int] contains
- [Int] length
- [Int] at

#### + Ownable (Context)

- [Int] <Constructor> #
- [Pub] owner
- [Pub] renounceOwnership #
  - modifiers: onlyOwner
- [Pub] transferOwnership #

- modifiers: onlyOwner
- + ReentrancyGuard
  - [Int] <Constructor> #
- + AquaToken (ERC20)
  - [Pub] mint #
- + [Int] IStrategy
  - [Ext] wantLockedTotal
  - [Ext] sharesTotal
  - [Ext] earn #
  - [Ext] deposit #
  - [Ext] withdraw #
  - [Ext] inCaseTokensGetStuck #
- + PlanetFinance (Ownable, ReentrancyGuard)
  - [Ext] poolLength
  - [Pub] add #
    - modifiers: onlyOwner
  - [Pub] set #
    - modifiers: onlyOwner
  - [Pub] getMultiplier
  - [Ext] pendingAQUA
  - [Ext] stakedWantTokens
  - [Pub] massUpdatePools #
  - [Pub] updatePool #
  - [Pub] deposit #
    - modifiers: nonReentrant
  - [Pub] withdraw #
    - modifiers: nonReentrant
  - [Pub] withdrawAll #
    - modifiers: nonReentrant
  - [Pub] emergencyWithdraw #
    - modifiers: nonReentrant
  - [Int] safeAQUATransfer #
  - [Pub] inCaseTokensGetStuck #
    - modifiers: onlyOwner
  - [Pub] changeAQUAaddress #
    - modifiers: onlyOwner

(\$) = payable function

# = non-constant function

# Security Issues

## High Severity Issues

No high severity issues found.

## Medium Severity Issues

No medium severity issues found.

## Low Severity Issues

### 1. Block gas limit

Issue:

The `updateEmissionRate` function can fail due to block gas limit if the pool size is too big.

### 2. `add` function issue

Issue:

If some LP token is added to the contract twice using function `add`, then the total amount of reward `AQUAReward` in function `updatePool` will be incorrect.

Recommendation:

Add the mapping from address to bool and check that same address will not be added twice.

## Owner privileges

- ❑ Owner can change the AQUA token address in PlanetFinance contract to any not audited contract.
- ❑ Owner can withdraw tokens from the PlanetFinance contract using the function `inCaseTokensGetStuck`.

# Conclusion

**Smart contracts contain low severity issues and owner privileges!**

**Techrate note:**

*Please check the disclaimer above and note, the audit makes no statements or warranties on business model, investment attractiveness or code sustainability. The report is provided for the only contract mentioned in the report and does not include any other potential contracts deployed by Owner.*