



**Java**

**Alphabet Series**

# Java Program

---

## Alphabet Series

### 15. Letter O

---

#### Code

The screenshot shows a Java IDE interface with the following details:

- EXPLORER** panel on the left lists files: LetterA.java, LetterB.java, LetterC.java, LetterD.java, LetterE.java, LetterF.java, LetterG.java, LetterH.java, LetterI.java, LetterK.java, LetterL.java, LetterM.java, LetterN.java, **LetterO.java**, LetterP.java, LetterQ.java, LetterR.java, LetterS.java, LetterT.java, LetterU.java, LetterV.java, LetterW.java, LetterX.java, LetterY.java, LetterZ.java.
- EDITOR** panel shows the code for **LetterO.java**:

```
1 class LetterO {  
    Run | Debug  
2     public static void main(String[] args) {  
3         for(int i=1;i<=5;i++){  
4             for(int j=1;j<=5;j++){  
5                 if((i==1 || i==5) && j>1 && j<5 || (j==1 || j==5) && i>1 && i<5)  
6                     System.out.print("*");  
7                 else  
8                     System.out.print(" ");  
9             }  
10            System.out.println();  
11        }  
12    }  
13 }  
14
```

- STATUS BAR** at the bottom shows: Ln 14, Col 1 Spaces: 4 UTF-8 LF Java Finish Setup Go Live

# Output

```
C:\Windows\System32\cmd.e D:\system\Java Letter Pattern>javac Letter0.java
D:\system\Java Letter Pattern>java Letter0
 ***
 *   *
 *   *
 *   *
 ***
D:\system\Java Letter Pattern>
```

TechBY



**Thank you !**

**Follow For More**

