



CERTIFICATION AUDIT REPORT

GRANULES INDIA LTD - AP

4243338

Bureau Veritas (India) Pvt. Ltd.

(Certification Business) on behalf of BVC Holding SAS - UK

*Branch (Address: 5th Floor, 66 Prescott Street, London, E18HG,
United Kingdom)*

Surveillance Audit 1(Transition to 2018 version for OHSAS)) / ISO

45001:2018 - ISO 14001:2015

INDEX

1 GENERAL INFORMATION

1.1 ORGANIZATION INFORMATION

1.2 CONTACT INFORMATION

2 AUDIT INFORMATION

2.1 AUDIT STANDARDS

2.2 SCOPE OF CERTIFICATION

2.3 AUDITOR INFORMATION

2.4 AUDIT SCOPE

- Audit Objectives
- Audit Plan
- General & legal compliance requirements

3 AUDIT PROCESS

3.1 AUDITOR NOTES / SIGNIFICANT AUDIT TRAILS

3.2 DOCUMENT REVIEW

3.3 AUDIT SUMMARY REPORT PER STANDARD

3.4 NON CONFORMITY REPORT

4 PERFORMANCE TO DATE

5 EXECUTIVE AUDIT SUMMARY

5.1 AUDIT CONCLUSIONS

5.2 SUMMARY OF AUDIT FINDINGS

5.3 MANAGEMENT SYSTEM EFFECTIVENESS

6 TEAM LEADER RECOMMENDATIONS

7 SURVEILLANCE PLAN

8 AUDIT PROGRAMME

9 NEXT VISIT AUDIT PLAN

10 Certificate information

1 GENERAL INFORMATION

1.1 ORGANIZATION INFORMATION

Organization Name	GRANULES INDIA LTD - AP		
Address	Plot No. 8, Jawaharlal Nehru Phamacity, Thadi Village,Paravada Mandal		
City	Visakhapatnam		
Postal Code	531019		
County/State	AP		
Country	India		
Phone N°	08924-236002	Fax N°	918924 236002
Contract n°	4243338		

1.2 CONTACT INFORMATION

Contact Name	. K.Venkat Rao		
Email Address	venkat.karimi@granulesindia.com	Phone N°	08924-236002

2 AUDIT INFORMATION

2.1 AUDIT STANDARDS

Audit Standard(s)	ISO 45001:2018 - ISO 14001:2015
-------------------	---------------------------------

2.2 SCOPE OF CERTIFICATION

Language	Standard	Site Name	Head Office	Scope of Certification
English	ISO 45001:2018			Manufactureing of API (active pharmaceutical ingredients) & bulk drug Intermediates.
English	ISO 14001:2015	Granules Inida- Unit-IV	✓	" MANUFACTURING AND SUPPLY OF ACTIVE PHARMACEUTICAL INGREDIENTS(API) AND BULK DRUG INTERMEDIATES."

N° of Sites	1
N° of Employees	456
Head Office	Granules Inida- Unit-IV

If this is a multi-site audit an Appendix listing all the relevant sites and/or remote locations has been established and attached to the audit report.

Type	Surveillance Audit 1(Transition to 2018 version for OHSAS))				
Audit Start Date	09-12-2019	Audit End Date	15-12-2019	Duration	7

2.3 AUDITOR INFORMATION

Team Leader	Initials	Team Members	Initials
V S SATISHKUMAR	VSS-IN	G SATYAGOPAL	GSG-IN

2.4 AUDIT SCOPE

Audit Objectives

1. To confirm that the management system conforms with all the requirements of the audit standard(s);
2. To confirm that the organization has effectively implemented its planned arrangements;
3. To confirm that the management system is capable of achieving the organization's policies and objectives and evaluation of the ability of the management system to ensure the client organization meets applicable statutory, regulatory and contractual requirements;
4. If applicable to identify areas for potential improvement of the management system.
5. To confirm that the certified management system(s) conforms with requirements of to the standard, including, but not limited to :
 - a) internal audits and management review,
 - b) a review of actions taken on nonconformities identified during the previous audit,
 - c) treatment of complaints,
 - d) effectiveness of the management system with regard to achieving the certified client's objectives,
 - e) progress of planned activities aimed at continual improvement,
 - f) continuing operational control,
 - g) review of any changes, and
 - h) use of marks and/or any other reference to certification.

Audit Plan

Date - Time Activity	Site Name	Process	Auditor	Comment
09-12-2019 - 14:00 Opening meeting	Granules Inida- Unit-IV		VSS-IN, GSG-IN	
09-12-2019 - 14:30 Plant tour	Granules Inida- Unit-IV	Plant Tour	VSS-IN, GSG-IN	
09-12-2019 - 18:00 Break	Granules Inida- Unit-IV		VSS-IN, GSG-IN	
09-12-2019 - 18:30 Audit	Granules Inida- Unit-IV	Leadership & Document Review	VSS-IN	
09-12-2019 - 18:30 Audit	Granules Inida- Unit-IV	Production Block-1 (API & Intermediate)	GSG-IN	
09-12-2019 - 22:00 Feedback meeting	Granules Inida- Unit-IV		VSS-IN, GSG-IN	
10-12-2019 - 09:00 Audit	Granules Inida- Unit-IV	Engineering (Mechanical)	VSS-IN	
10-12-2019 - 09:00 Audit	Granules Inida- Unit-IV	Production Block-4 (API & Intermediate)	GSG-IN	
10-12-2019 - 12:00 Audit	Granules Inida- Unit-IV	Production Block-3 (API & Intermediate)	GSG-IN	
10-12-2019 - 13:00 Lunch	Granules Inida- Unit-IV		VSS-IN, GSG-IN	

Date - Time Activity	Site Name	Process	Auditor	Comment
10-12-2019 - 13:30 Audit	Granules Inida- Unit-IV	Engineering (Instrumentation)	VSS-IN	
10-12-2019 - 14:30 Audit	Granules Inida- Unit-IV	EHS (ETP, Environment & Safety)	GSG-IN	
10-12-2019 - 17:00 Feedback meeting	Granules Inida- Unit-IV		VSS-IN, GSG-IN	
11-12-2019 - 09:00 Audit	Granules Inida- Unit-IV	Bulk Storage tanks	VSS-IN	
11-12-2019 - 09:00 Audit	Granules Inida- Unit-IV	Quality Control	GSG-IN	
11-12-2019 - 11:30 Audit	Granules Inida- Unit-IV	HR & Training	VSS-IN	
11-12-2019 - 12:00 Audit	Granules Inida- Unit-IV	Legal & Other Requirements	GSG-IN	
11-12-2019 - 13:00 Lunch	Granules Inida- Unit-IV		VSS-IN, GSG-IN	
11-12-2019 - 13:30 Audit	Granules Inida- Unit-IV	Legal & Other Requirements	VSS-IN, GSG-IN	
11-12-2019 - 15:30 Audit	Granules Inida- Unit-IV	Top Management	VSS-IN, GSG-IN	
11-12-2019 - 16:00 Auditor(s) preparation for closing meeting	Granules Inida- Unit-IV		VSS-IN, GSG-IN	

Date - Time Activity	Site Name	Process	Auditor	Comment
11-12-2019 - 17:00 Closing meeting	Granules Inida- Unit-IV		VSS-IN, GSG-IN	

Audit plan preparation date	
Comment	1. Audit timings are tentative and subject to change. 2. Audit will be conducted from 1000 hrs to 1830 hrs on 09 Dec 2019, 1400 hrs to 2230 hrs on 10 Dec 2019 and 0900 hrs to 1730 hrs on 11 Dec 2019. 3. SCOPE OF CERTIFICATION: MANUFACTURING AND SUPPLY OF ACTIVE PHARMACEUTICAL INGREDIENTS(API) AND BULK DRUG INTERMEDIATES.

General & legal compliance requirements

The organization has established the system to monitor and follow the Statutory and Regulatory (legal) and other requirements related to their products and relevant activities and is found to be effective. The major requirements are listed here under.

1.CFO: 170/APPCB/CFE/RO-VSP/HO/2014, Date: 22/12/2017. Valid till 31/01/2022.

Product ranges.

Citirizine DI HCL, CITIRIZINE HCL, CLOPIDOGREL BISULPHATE, FLUCONAZOLE, LEVOCETIRIZINE HCL, LOSTRAN POTASSIUM, OLMESARTAN MEDOXOMIL, PANTOPROZOLE SODIUM SESQUIHYDRATE, ABACAVIR SULPHATE, FEXOFENADINE HCL, AZATHIOPRINE, BOSENTAN MONOHYDRATE, BRINZOLMIDE,, GLICLAZIDE, MYCOPHENOLATE MOFETIL, PIRFENIDONE, TENELIGLIPTIN HYDROBROMIDE HYDERATE, TENOFOVIR DISOPROXIL SUCCINATE AND PENICILLAMINE, IN Ph.Eur/USP/IP/BP AND IH.

Industry Permitted to Manufacture 7 Product at any point of time.

Production Capacity: 12450 Kg/day as per the Drug License.

Durgs Control Administration of Govt. of AP.

Form-25: License to Manufacture for sale (or distribution) of Drugs:

Licnese No: 26/VP/AP/2007/B/CC, Date: 12/07/2007, Valid from 11-11-2014 to 10-11-2019.

Form-28: 19/VP/AP/2013/B/CC, Date: 09/07/2013, Valid till 11-11-2014 to 10-11-2019.

The application for the renewal is under process, Verified the license validity certificate issued by the Govt. Of AP D & C Administration, ref. File no: L302/DD/DCA/VSP/2019, Date: 06-11-2019.

Verified the GMP Certificate:L.Dis. No: 1080/DIR/DCA/VSP/2017, date: 10-01-2018 valid for 2 years.

3.Factory License: 42491, Regd. No: 54747, date: 04/06/2014, Renewal done on 01-01-2019 valid till 31/12/2019.

4.Public Liability Insurance No: date of Insurance: 22/10/2019 valid till 21/10/2020.

5.Fire NOC verified, No:1307/DFO/NOC/VSP/2013, Date: 31/03/2019 valid till 30/03/2020.

Form-IV submitted on 29/06/2019

Form-V submitted on 27/09/2019.

E-waste-Form-III submitted on 25/06/2019.

Bi-Medical Waste -Form-IV submitted on 28/06/2019.

Form-III maintained the same verified.

Quantities as per the date 29/11/2018.as per Form-8

Organic Residue: 11,339, Inorganic residue: 276 and spent carbon: 11,084

On site emergency plan verified submitted on 28/02/2018 to Joint Chief Inspector of Factories.

Emergency identified, Large scale chemical spill, Leading to contamination of Land, Expulsion, in Production blocks, SRS,

Chilling plant, Solvent tank form

Mockdrill done on large leakage, Date: 10-05-2018 verified the report and found in order.

Night mockdrill conducted on 07-11-2018 at 23.40 hrs for the scenario for the Toxic gas leak at PB-IV..

3 AUDIT PROCESS

3.1 AUDITOR NOTES / SIGNIFICANT AUDIT TRAILS

Auditor	Date	Process	Standard	Contacts
V S SATISHKUMAR	09-12-2019	Plant Tour	ISO 14001:2015	Mr K Srinivas Rao/ Mr V H S Prasad/ Mr K Venkata Rao
Notes				
Plant round started with security, display of environmental display boards, Occupational Health Centre, Fire Hydrant Pump house, 6.0 TPH Coal fired boiler, 33 KVA/433 Volts Transformer, 1500 KVA DG Set, 1450 KVA DG Set (Hired), around manufacturing facility, Ware house, Utility area, ETP, Solvent Recovery plant, CCOE Tank farm area and Canteen. A plant tour was made covering outside areas of plant buildings, sheds utility plant, the main roads, ETP, Scrap yard, stores yards, storage tank yards, substation, DG Sheds and the main gate. The two display boards on environmental performance were found in line with the supreme court notification. There were no spillages or leakages of oils, hazardous chemicals, and the secondary containment trays, dyke walls were found adequate. Good greenery with trees and lawns are being maintained and an ongoing tree plantation programme is in progress. Operational controls with respect to Environmental, Occupational, Health and Safety management systems found to be adequate except for the following deviations: No secondary containment for two drums of hot oil kept at Boiler and eight drums of fresh oil kept at pipe rack area. Temperature control of 2 to 4 Deg C for storage conditions of Tetanus injections.				

Auditor	Date	Process	Standard	Contacts
V S SATISHKUMAR	09-12-2019	Leadership & Document Review	ISO 14001:2015	Mr. Vella Hari Someswara Prasad

Notes

Granules India Limited Unit – IV EHS manual EHSM/001, Issue No: 02, Rev:00 dated 01 July 2019 latest issue is regarding up-gradation to ISO 45001:2019.

EHSM/001/04 – Context of the organisation:

Internal issues such as Cultural - Adaptability of Granules India Limited (GIL) work culture, Relationship with staff and stake holders including partners and suppliers/contractors, Values – Lack of involvement of people, strategic direction to adhere to policies and achieve objectives, Human Resources and Technologies – Low awareness levels on EHSMS, Low competence of the work force, safe process and latest technologies, Performance – Coordination between cross functional teams, Resource utilisation, budget/cost overruns, Product /Service, Internal communication system, EHS - Emissions from boilers, process scrubbers & DG Set, Power and paper consumption, water leakage, excess consumption of raw material, work environment (Ergonomics, indoor air quality, temperature, noise, drinking water, hygiene), Awareness on Emergency preparedness, inadequate fire safety measures, Food supply, Periodical Health camps, Waste management, Legal (Compliance) – Non-compliance to statutory requirements have been identified.

Relevant effects such as Continued association with the organisation, ineffective implementation of systems established, effected to the intended outcome of the EHSMS, ineffective implementation, process hampering, business risk, increase the productivity and damage of the organisation, achievement of objectives and goals, depletion of natural resources, reduced the profit, effect on image of the organisation, increases the awareness on organisation performance relationship with its staff and stakeholders including partners and suppliers, Air pollution, depletion of natural resources, health issues, unprepared to handle emergencies, compliance issues, loss of life and property, can lead to air pollution in case of fire accident, compliance and health issue due to food poison, Monitoring and prevention of health issue. compliance issues and non-compliance and effect on business continuity.

External Issues such as Social – Poor sanitation and poverty in India, Political and Legal – New government policies, Government Regulations and change in the law, Financial – Lack of stability, Technological – Lack of updations in technical trends, lack of tools and advances software, technological changes, Innovation, Introduction of new technology, Network signals disturbance, Economic – Non availability of natural resources, Global recession, CSR activities, Equal pay, Minimum wages & taxes, Business Continuity Planning – Natural Calamities, political uncertainties, Recession, political instability, Competition – Lower or reduced profit margins, Environment – Pre-existing land contamination and Climate volatility have been identified.

Relevant effects such as health issues, change in current CSR activities, Compliance, business continuity, Competence issues, communication issues, Resource Utilisation, effect on compliance and business continuity and temporary interruption in production.

Interested parties such as Investors/Share holders, customers, suppliers and service providers, employees including on site contractors, local community, neighbours (Neighbouring industries), Media, Government bodies/authorities, senior management, emergency services, insurers have been identified.

Needs and expectations such as compliance to applicable legal requirements, sustainability, Follow ethical practices, transparency, EHS compliance, Management/Minimise Risk that can affect organisation ability to handle EHS, Operating successfully and profitably returns on investment, Legal & EHS compliance, Proper/Timely communication on EHS issues related to customer if any, Timely supplying the material with the specified quality, Transparency, Clear specifications with sufficient lead time, timely making the payment, Guide/appraise/inform in case of non-adherence to laid down procedures or when found to perform unsafe found to perform unsafe act or practice leading to EHS issues, Provision of safe and healthy work environment, involvement in decision making, timely

payment, clear roles & responsibilities, authorities, accountabilities and competency, provision of First Aid facilities and training, Career growth, Medical insurance, Health check-ups, Extra safety to women associates, reduce or work towards reduction of pollution due to operation of the company, increased employment opportunities, safe work environment, compliance to legal requirements and conduct CSR activities, Timely communication of major EHS incidents to concerned authorities, support in investigation, participation in CSR/Govt. arranged programmes or activities, proper resource utilisation, continually minimise risks, Fire brigade and First aid services, Meeting policy requirements, Good and demonstrable risk management.

Opportunities such as attract the investor to invest more, improved customer confidence, Brand Building, explore new customers, Risk free operation, To enhance the capacity, Build strong, reliable and long term relationship with customer, attract more no. of customers, timely supply of materials/services needed, improved relationship with supplier/service provider, improved employee morale, efficiency, reduced attrition, attract new talent, find new upcoming leaders in the organisation, improved communication, hiring of right personnel, improved efficiencies and achievement of set goals and objectives, Award and Rewards from Govt/Associate companies, improved/maintaining cordial relationship, Recognition, brand building, ease in renewals of licenses, Reduced cost overruns/increased profitability, reduce the loss during the emergency and claims submission within the scheduled time.

OHSAS other risks such as water contamination w.r.t increase in BOD due to pipe line damage, Aquatic life damage, ambient air contamination due to VOC liberation from effluent, ground water contamination due to leakage from drums resulting to plants, marine life have been identified in Risk and Opportunity register EHSM/002/06 dated 10 Nov 2019.

Power supply failure, Fuel (Diesel) shortage, Water scarcity/contamination. supply of raw materials, shortage of inventory levels due to transport strikes, cooling and heating, Scrubber, HVAC, Manufacturing equipment/facilities failure, Fire due to manufacture, storage or R&D activities, Effluent treatment, Solid waste disposal, Inclement weather, Geographical risks, Proximity of high hazard activities (Eg: Neighbouring plants), Electronic data failure, Bomb threats have been identified in the business continuity plan, Doc Ref: EHS/BSP/01 dated 01 Oct 2019

EHSM/001/05 – Leadership:

EHS Policy describes about focus on Environmental Protection and Occupational Health & safety in all its business operations respecting human life and dignity by proactive EHS management system in preventing environmental degradation, work place accidents and ill health, covering all categories of employees including contract workmen, committing to comply with all applicable EHS laws, regulations and agreements, focussing on technologies towards enhancing EHS performance, reduction in usage of natural resources and energy by reducing, reuse and recycling the raw materials, striving for reduction in inventory of chemicals, providing training to all employees on environment protection and OH&S, disclosing information on Policies, and EHS Performance to stakeholders, review of objectives.

Organogram in HR&ADMIN – 002/F09/01 dated 05 May 2018.

Internal audit: Internal audits to be conducted once in six months as mentioned against clause no; 9.2.2 of EHS manual EHSM/001, Issue No: 02, Rev:00 dated 01 July 2019. Last Internal audit was conducted from 05 - 08 Aug 2019 and 05 - 07 Feb 2019 as mentioned in Audit Schedule EHSM/002/09, Record - EHSR-10 dated 01 Aug 2019. Eight Non-conformities were raised during the audit conducted from 05-08 Aug 2019 and all are closed. The process of conducting internal audit is found to be effective and reliable.

Management Reviews to be conducted once in six months as mentioned against clause no; 9.3 of EHS manual EHSM/001, Issue No: 02, Rev:00 dated 01 July 2019. Last management review was conducted on 27 Aug 2019 and 25 Feb 2019 and meeting all the requirements of ISO 14001:2015 and ISO 45001:2019. The process of conducting management review is found to be effective and reliable.

Total 16 Environmental and Occupational Health & Safety Management Programmes (EHSMP) were taken during the year 2018. 10 Programmes were completed and 6 Programmes are in progress and same are reviewed during management programme.

Total 14 Environmental and Occupational Health & Safety Management Programmes (EHSMP) are taken during the

year 2019. 2 Programmes were completed, 10 programmes are initiated and 2 Programmes are in progress and same are reviewed during management programme.

NIL Incidents and NIL complaints from interested parties.

Identification of Unsafe acts and Unsafe conditions and mechanism of review for closing.

EHSMP/001/06 – Planning:

Risks and opportunities are determined through Business Continuity risk management in terms of operational, technical, supply chain and compliance. Risks and Opportunities are mentioned in Table 1 as per EHSMP/001/06,

Rev:00 dated 01 July 2018. Objectives vide EHSMP-0 to 14 are identified for all Risks.

Environmental Aspects identification and impact assessment is carried out and mentioned in Record EHSR-01 (A) dated 10 Nov 2018.

Hazard Identification and risk assessment recorded in EHSR-02 (A) dated 10 Nov 2018.

EHSMP/001/07 – Communication. Internal communication is addressed through safety committees, management reviews, awareness programmes, trainings, display in notice boards, distribution of MSDS, circulars, e-mails and meetings.

External communication received from statutory and regulatory agencies is documented and responded by Unit Head/Head HR. Decision regarding communication to external interested parties is taken on case to case basis

EHSMP-01 of 2019 regarding installation of additional fire extinguisher at all areas of plant completed by 30 Apr 2019

EHSMP-07 of 2019 regarding EHS Safety display boards in plant area outside the blocks completed by 10 Aug 2019.

Documented information verified:

1. Internal Audit programme EHSR-09 for the year 2019.
2. Internal Audit schedule EHSR-10 dated 01 Aug 2019 for the audit conducted from 05 to 08 Aug 2019.
3. Audit Observation sheet EHSR - 11 of Production department dated 06 Aug 2019.
4. Internal Audit Non-conformance report EHSR-12 raised on Engineering process on 06 Aug 2019.
5. Management Review circular EHSR-14 dated 20 Aug 2019.
5. Minutes of management review EHSR-15 dated 27 Aug 2019.

POSITIVES:

Process of internal audit is good without comprising.

OFIs:

Management review to consist of data for the past six months.

OBSERVATION:

EHS policy is not in line with ISO 45001:2018 and old policy is declared as suitable in the Management review as per the minutes dated 27 Aug 2019.

Auditor	Date	Process	Standard	Contacts
V S SATISHKUMAR	10-12-2019	Engineering (Mechanical)	ISO 14001:2015	Mr. V RajeshKumar Raju / Mr. G Babu Rao
Notes				
Procedure EHSM/002/06, Issue no: 02, Rev:00 dated 01 July 2019 for Environmental Aspect and Impact Assessment AND Hazard Identification and Risk Assessment. Environmental Impact is assessed in terms of Probability On a scale of 1 to 5, Duration of impact on a scale of 1 to 5 and Severity on a scale of 1 to 5. Risk priority number is obtained by Probability X Duration X Severity. If the overall Risk Priority Number (RPN) is more than 100 or under the applicability of Legal requirements/Emergency conditions, respective Environmental impact is considered as significant. Significant rating of all impacts is listed and considered for setting of Environmental Objectives. Environmental Aspects and Impacts Register EHSR-01(A), dated 01 July 2019 for Engineering Process. Environmental Aspects and Impact Assessment is carried out for Engineering activities such as Operation and servicing of Air compressors, Autoclave. Boilers (3 Ton/hr and 2 Ton/hr), Cold room, Cooling tower, Potable water plant, Single fluid system, Water chillers, Cleaning of sumps and pits, Breakdown servicing of Reactors, Centrifuges, Agitated Nutsche Filter Dryer, Dryers, Multimill, Tanks, Sifters, Hand stirrers, Air curtains, Scrubbers, Weighing Balance, Operation and servicing of forklifts, Brine chillers, Boiler Bag filters cleaning and changing, Nitrogen Generation plant, Heating Ventilation and Air conditioning system, Servicing of Rotary Cone Vacuum Dryer, Purified water plant, Hot water system, Sparkler, Leaf filter, Goods hoist, Pressure Nutsche Filter, Jockey Pump, Reboiler, Distillation column, Laminar air flow, Potable tank cleaning, Hot oil system, Tray drier, Vacuum Tray, Double cone blender, Pulverizer, Granulator, Vacuum Packing Machine, Mega Roll Compactor, Universal Mill Pulverizer, Dehumidifier, Pulsejet Dust Collector, Oil Ring Vacuum Pump, Heat Exchanger, Welding work, Diesel Transfer, Operation maintenance of DG Set, Transformer oil filtration, Lights servicing, UPS Breakdown, Silica gel replacement, Power panel maintenance, HT Cable failure, usage of cables, fuses failure, Breaker servicing, Air conditioners servicing, Earth Pit maintenance, Power usage, PLC/DCS panel maintenance, installation, servicing and maintenance of instruments, Thermo Well Oil Filling, usage of computers, civil construction activities, Fire alarm system preventive maintenance. Total aspects 174 identified for 139 activities complete engineering including Mechanical, Electrical and instrumentation. Four impacts are rated as significant under legal category. EHSMP-16, Management Programme was taken to extend the DG Stack. PO has been released for procurement of the materials. Hazard Identification and Risk Assessment Register EHSR – 02 (A), dated 10 Nov 2018. Hazard Identification and Risk assessment is carried out for Welding at Fabrication shed, Production/Process area and Pipe rack, gas cutting, grinding, buffing, drilling, opening & dismantling and installation of pipe lines at height, installation of equipment, loading/unloading and in-plant movement of equipment, cable tray cutting, cable laying & tagging, fixing and servicing of lights, termination/disconnection of electrical cables, civil construction activities in general and at height, chipping at production/process areas, breaking/demolishing of civil structures, Rod bending/cutting, wood shuttering works, excavation. Fall-ceiling, Aluminium partition, painting, scrapping of old painting, insulation work, Operation and Maintenance of Air compressors, Autoclave. Boilers (3 Ton/hr and 2 Ton/hr), Coal tar heating, Cold room, Cooling tower, Potable water plant, Single fluid system, Water and brine chillers, Cleaning of sumps and pits, Breakdown servicing of Reactors, Centrifuges, Agitated Nutsche Filter Dryer, Dryers, Multimill, Tanks, Sifters, Hand stirrers, Air curtains, Scrubbers, Weighing Balance, Operation and servicing of forklifts, Brine chillers, Boiler Bag filters cleaning and changing, Nitrogen Generation plant, Heating Ventilation and Air conditioning system, Servicing of Rotary Cone Vacuum Dryer, Purified water plant, Hot water system, Sparkler, Leaf filter, Goods				

hoist, Pressure Nutsche Filter, Jockey Pump, Reboiler, Distillation column, Laminar air flow, Potable tank cleaning, Hot oil system, Tray drier, Vacuum Tray, Double cone blender, Pulverizer, Granulator, Vacuum Packing Machine, Mega Roll Compactor, Universal Mill Pulverizer, Dehumidifier, Pulsejet Dust Collector, Oil Ring Vacuum Pump, Heat Exchanger, Diesel oil pumping form Bulk tank to Day tank, use of hand tools, Servicing and calibration of flow meters, temperature indicators, controllers and transmitters.

Entry into vessels is identified as significant risk under emergency with work permit system as operational controls

Total activities: 123 with total hazards identified: 351 for complete engineering including Mechanical, Electrical and instrumentation. 13 risks are rated as significant under legal category.

EHS/002/06, Issue no: 02, Rev:00 dated 01 July 2019 regarding identification of issues, interested parties and their needs and expectations, Risks and opportunities including action plans – Issues such as receiving and storage of LDPE covers, fibre drums, usage of power, electrical maintenance activities, Brine chiller with Ammonia gas operation, discharge of static electricity by touching Biometric pad, charging of raw material into reactor, use of eye and body washer, charging of flammable solvent from solvent station to reactor, handling and storage of gas cylinders, acidic solvent containers, solvent loading into above ground storage tanks, solvent unloading from road tankers, diesel fire hydrant pump operating, Effluent disposal, Hyflo or carbon receiving in bags and storage in hazardous waste room. Organic residue receiving in drums and storage in drum shed, PP & PPE waste receiving storage disposal, receiving, storage and disposal of filter bags, insulation wool, mixed salts, ETP sludge, Cooling tower sludge, E-waste, operation of boilers, disposing of Microbial waste identified.

Interested parties such as factories and fire departments, management, CPCB & APPCB, Employees, Cement industries, Ramky Pharma City, Green Waves environmental solutions, Indian Electricity Department have been identified as recorded in EHS/001/06, Rev:01 dated 10 Nov 2018.

Risks such as Fire hazard, more consumption of power, electrical hazards, communicable diseases, injuries to humans, spillage and leakage and Resource depletion have been identified as recorded in EHS/001/06, Rev:01 dated 10 Nov 2018.

Glass Lined Reactor, Equipment ID No: III/PH/GLR/031, Capacity: 3 KL was installed at Production Block III (Bay-II) from Production Block - IV vide Installation Qualification Protocol No: IQP/III/PH/GLR/031 dated 29 June 2019

Confined space entry Work permit No: 12 to carry out preventive maintenance of cooling towers on Production Block 4 from 09:10 till 1730 hrs on 28 Nov 2018. Oxygen content checked and found to be 20.9% using Oxygen Detector (BW Gas Alert Micro Clip XT), SI No: KA415-1063367. Calibrated vide calibration certificate MMA/CAL/P/35/19-20 dated 20 Apr 2019 with validity till 17 Oct 2019.

Transformer oil break down voltage test conducted for 11 KV transformer, Make: PETE, SI No: 10274, before and after filtration on 02 Dec 2019 and BDV found to be 72 – 78 KV after filtration of maintank oil and 60-68 KV after filtration of OLTC hamber oil in accordance with IS:335/IS 1866-2017 as per the certificate DTPL/VSP-IV/OTC-029/2019-20 dated 02 Dec 2019 issued by Divya Electrical Transformers and Services Pvt Ltd, Visakhapatnam vide License No: DES&CEIG/GNT/TechSec/OTK/D. No-1006/2019 dated 05 Dec 2019 with validity till 04 Nov 2022.

Electrical work permit NO: 07 vide Doc No: EHS-008/F05/01 obtained on 02 Dec 2019 for transformer oil filtration from 0900 to 1730 hrs on 02 Dec 2019.

Form - C for Electrical Supervisor Certificate of competencyd by AP Electrical Licensing Board to Mr. G Babu Rao, Supervisor Permit No: 3-5327, certificate of competency: 7123, renewed from 17 Juny 2017 with validity till 16 July 2022

Wireman Permit No: T0-301299 vide Form F issued to Mr. K Yerram Naidu on 21 Apr 2017 with validity for 5 years till 20 Apr 2022 and License permit book no: 0-205930 issued by AP Electrical Licensing Board Under APELR 1987

Regulation 28.

Earth pit resistance is monitored every six months. Last monitoring carried out during Sept 19 and Oct 19 as per the record ENG -022 / F02 /00. Resistance for Earth pit no: TR/VCB/BE/002 were checked on 05 Sept 2019, resistance found to be 2.2 and 3.2 ohms, Earth pit no: SRS/LE/BE/101, SRS lightening Arrestor body earthing was checked on 18 Oct 2019, resistance found to be 2.6, 3.9 ohms as per Check list for Earth Pit Maintenance and testing ENG-022/F01/01.

Annual preventive maintenance planner ENG-025/F01/01 for Production Block PB-III for the year 2019.

Half yearly Preventive maintenance of Glass Lined Reactor ID No: III/GLR/005 carried out on 26 July 2019 as documented in ENG-026/F02/02. Confined space entry work permit No:02 vide Doc No:EHS-008/F01/01 obtained for Reactor preventive maintenance from 0900 till 1730 hrs on 26 July 2019. Oxygen level checked and found to be 20.9%.

Total 14 Management programmes established out of which 4 completed and remaining in progress.

Report of examination of Thermic Fluid Heaters (Prescribed Under Rule 61 M of A P Factories Rules 1950), Certificate No: TFH/919/01 for Thermic Fluid Heater, Model: TPEM 02, Output: 200000 Kcal/Hr, Fluid Circuit Pressure: 2.5 kg/cm² was inspected on 19 Sept 2019 with validity for Six months.

POSITIVES:

Compliance to Work permit system

OBSERVATION:

Ozone depletion is not considered as Environmental aspect while operation of air conditioners.

Review of Environmental Aspects and Impacts register (Legal to be identified as significant - Operation of Air Compressors)

Review of Hazard Identification and Risk assessment register (Legal to be identified as significant - Operation of Boilers)

Auditor	Date	Process	Standard	Contacts
V S SATISHKUMAR	10-12-2019	Engineering (Instrumentation)	ISO 14001:2015	Mr. V RajeskKumar Raju / Mr. I Rajani Kumar
Notes				
Procedure EHSM/001/06, Issue no: 02, Rev:00 dated 01 July 2019 for Environmental Aspect and Impact Assessment. Environmental Impact is assessed in terms of Probability On a scale of 1 to 5, Duration of impact on a scale of 1 to 5 and Severity on a scale of 1 to 5. Risk priority number is obtained by Probability X Duration X Severity. If the overall Risk Priority Number (RPN) is more than 100 or under the applicability of Legal requirements/Emergency conditions, respective Environmental impact is considered as significant. Significant rating of all impacts is listed and considered for setting of Environmental Objectives. Environmental Aspects and Impacts Register EHSR-01(A), dated 01 July 2019. Hazard Identification And Risk Assessment Register EHSR-01(B), dated 01 July 2019. Annual Calibration planner ENG-003/F01/00 for half yearly calibration of pressure gauges of production block – III for the year Jan 2019 till Dec 2019. Last calibration was carried out during Sept 19 to Dec 19. Pressure Gauge ID No: PG/III/PH/CFN2B/010-A Renge: 0- 6 kg/cm2 was calibrated inhouse on 20 Nov 2019 with validity till 21 May 2020. Flow meter II/PH/FM/009, Make: GPI was calibrated vide Calibration certificate SCS/FM/2019090901 date of calibration 09 Sept 2019 with validity till 13 Mar 2020 using master Flow meter, SI No: C0 3P 001785 Make: Actaris Oxygen Analyzer, make: Drager was calibrated on 23 Sep 2019 with validity till 24 Mar 2020 vide certificate SCS/OA/2019092303 using Gravimetric Gas mixture from EfecTech Gases Pvt Ltd. Letter No: CEIG/TECH/EI Ex 650V/VSP/D. No 264/2015 dated 25 Feb 2015 regarding energising electrical equipment issued by The Chief Electrical Inspector, CEIG as per CEIG regulations 2010. Report of examination Prescribed under Section 87 of Factories Act 1948, Rule 95 of AP Factories Rules Certificate No: GIL4/CF/1119-01 for SS Centrifuge located at PB-III, Size 48 Inches, Speed 900 RPM, date of inspection 08 Nov 2019 and valid for 12 months Report of examination Prescribed under Section 87 of Factories Act 1948, Rule 95 of AP Factories Rules Certificate No: GIL4/SSR/1119-05 for SS Reactor located at PB-III, date of inspection 21 Nov 2019 and valid for Six months. Form no. 38 (under Rule 55 & 55A as per AP Factories Rules, Report of examination of Hoise/Lift or Lifting Machinery/Tackles, Ref:GIL4/HST/1119-01 for Eelctrical Hoist of 1 ton Cap, located at Production Block - I, date of inspection 01 Nov 2019 with 6 months validity. Form no. 38 (under Rule 55 & 55A as per AP Factories Rules, Report fo examination of Hoise/Lift or Lifting Machinery/Tackles, Ref: GIL4/CPB/1119-07 for Chain Pulley Block of 2 ton Cap, located at Production Block - I, date of inspection 01 Nov 2019 with 6 months validity. Procedure for calibration of Pressure, Vacuum and Compound gauges, EN-GNL1021-00, dated 02 July 2018. Procedure for calibration of Oxygen analyser, EN-GNL1025-00, dated 10 July 2018.				

Auditor	Date	Process	Standard	Contacts
V S SATISHKUMAR	11-12-2019	Bulk Storage tanks	ISO 14001:2015	1. Mr Ram Babu- Head of Ware House 2. Mr Vijay Kiran- Associate Officer, Warehouse
Notes				
Environmental Aspects and Impact assessment was carried out for vehilce movement from gate to unloading area, Unloading of raw materials, Dedusting of Solid containers, Mateerial transfer to production area, dispensing of corrosive materials, dispensing of flammable materials and solid and Liquid raw materials, handling of bags & containers, sampling of raw materials, handling an dstoring of liquid raw materials, solvents unloading from road tanker to storage tank, solvent storage in bulk storage tanks, receipt, storage and issue of lab chemicias, barrel pumps cleaning with solvent and water, fork lift operation, material movement through hydraulic trolleys, Electronic stacker operation while material transfer in cloud drums, hanlding & storage of gas cylinders, stirage and handling of acidic containers, Handling/dispensing and sampling of toxic materials. Total 23 activities with 28 environemntal aspects identified. One aspects ha sbeen rated as Significant under legal category as recorded in Environmental Aspects and Impacts Assessment regisiter EHSR-01 (A) dated 01 July 2019. Hazard Identification and Rlsk assesssment was carried out for vehilce movement from gate to unloading area, Solid raw material Unloading, Weighing verification of the containers, handling, storage and stacking of solid raw materials, Dedusting of Solid containers, Material transfer to production area, dispensing of corrosive materials, dispensing of flammable materials and solid and Liquid raw materials, handling of bags & containers, sampling of raw materials, handling an dstoring of liquid raw materials, solvents unloading from road tanker to storage tank, solvent storage in bulk storage tanks, receipt, storage and issue of lab chemicias, barrel pumps cleaning with solvent and water, fork lift operation, material movement through hydraulic trolleys, Electronic stacker operation while material transfer in cloud drums, handling & storage of gas cylinders, stirage and handling of acidic containers, Handling/dispensing and sampling of toxic materials, working in cold rooms, weigh balance performance check, handling of activated carbon, solvent unloading in to above ground storage, sweeping and sanitization of the floors and clean rooms, preparation of disinfectant solution, movement of vehilces inside factory and use of hand tools. Total 31 activities with 59 hazards have been identified, Five risks have been categorised as significant under legal requirements as recorded in HIRA register EHSR-02 (A) dated 01 July 2019. PESO licence no- P/HQ/AP/15/3506 (P194756) dated 21 Jan 2016 valid till 31 Dec 2021 for storage of maximum 125 KL Class A Petroleum product. Form no. 38 (under Rule 55 & 55A as per AP Factories Rules, Report fo examination of Hoise/Lift or Lifting Machinery/Tackles, Ref: GIL4/STC/1119-07 for hydraulically operated stacker capacity: 1200 kgs, Lift: 3.5 meters, SI No: 90456955, located at Raw Material Ware house, date of inspection 01 Nov 2019 with validity for six months. Form no. 38 (under Rule 55 & 55A as per AP Factories Rules, Report fo examination of Hoise/Lift or Lifting Machinery/Tackles, Ref: GIL4/FL/1119-08 for Fork Lift capacity: 3000 kgs, Lift: 3.0 meters, SI No: 76876, date of inspection 01 Nov 2019 with validity for six months. Bulk storage tank ID: ST-003 (HDL) height: 260 cms, Dia: 500 cms, Tank Capacity: 26, 546 Litres, calibrated on 20 Sept 2018 with validity till 19 Sept 2023 vide legal Metrology verification certificate No: 1313196 Bulk storage tank ID: ST-001 height: 260 cms, Dia: 500 cms, Tank Capacity: 26, 546 Litres, calibrated on 20 Sept 2018 with validity till 19 Sept 2023 vide legal Metrology verification certificate No: 1313196 Bulk storage tank ID: ST-006 height: 373 cms, Dia: 250 cms, Tank Capacity: 18, 309 Litres, calibrated on 20 Sept 2018 with validity till 19 Sept 2023 vide legal Metrology verification certificate No: 1313197.				

Bulk storage tank ID: ST-007 height: 373 cms, Dia: 250 cms, Tank Capacity: 16, 277 Litres, calibrated on 20 Sept 2018 with validity till 19 Sept 2023 vide legal Metrology verification certificate No: 1313197.

Dry Chemical Powder Fire Extinguisher No: 75 , capacity: 10 kgs located at Ground Floor Emergency Exit left side, Raw Material Ware house was inspected on 10 Oct 2019 with next due date 18 Jan 2020 by Mr. YSN Murty as recorded in Maintenace/Inspection checklist for Dry Chemcial POWder Fire extinguishers EHS-004/F04/00. Mr. YSN Murty was trained on Servicing and inspection of Fire Extinuishers on 25 Oct 2019 as recorded in Training attendance QA-021/F02/00.

Auditor	Date	Process	Standard	Contacts
V S SATISHKUMAR	11-12-2019	HR & Training	ISO 14001:2015	Mr K Venkata Rao- AGM / Ms. G V Neelima
Notes				
Total HR rolls- 8 employees Objectives • Regulatory & GAC audit score, customer audits- 100%- Achieved. • Statutory audit score- 90% - Achieved. Aspects & Impacts- Doc no- EHSM/001/06, record no- ESHR - 01 (A), dt 01 July 2019. Total 11 activities are identified, 11 aspects- no significant aspect. Air pollution from vehicles recognized as NS. Score above 100 is considered to be significant. The aspects are determined for: • Transportation activities • Working in office • Canteen operations • Washroom cleaning activities Hazard Identification and Risk assessment carried out for Human Resources and Adminsitrations activities such as Transportation, Office, Canteen and house keeping as recorded in HIRA register ESHR-02 (A) dated 01 July 2019. No risks are categorised as significant. Training conducted on Procedure for personal hygiene and clothing on 23 July 2019 by HOD (HR) Mr. K Venkata Rao, 5 employees of HR & Admin attended the training as recorded in Training Attendance QA-021/F02/00. Safety committee is formed with 30 members. Safety meeting is conducted once in three months. Last meetings were conducted on 23 Aug 2019 and 30 Nov 2019. Canteen committee comprising 13 members formed, meetings are conducted once in three months. Last meeting was conducted on 06 Dec 2019 and 8 points were discussed and actions decided accordingly.				

Auditor	Date	Process	Standard	Contacts
V S SATISHKUMAR	11-12-2019	Legal & Other Requirements	ISO 45001:2018 ISO 14001:2015	Mr. Venkat Rao. K/Mr. Hari Prasad
Notes				
Audited along with Mr. G Satya Gopal				
The organization has established the system to monitor and follow the Statutory and Regulatory (legal) and other requirements related to their products and relevant activities and is found to be effective. The major requirements are listed here under.				
1.CFO: 170/APPCB/CFE/RO-VSP/HO/2014, Date: 22/12/2017. Valid till 31/01/2022.				
Product ranges.				
Cetirizine DI HCL, CITIRIZINE HCL, CLOPIDOGREL BISULPHATE, FLUCONAZOLE, LEVOCETIRIZINE HCL, LOSTRAN POTASSIUM, OLMESARTAN MEDOXOMIL, PANTOPROZOLE SODIUM SESQUIHYDRATE, ABACAVIR SULPHATE, FEXOFENADINE HCL, AZATHIOPRINE, BOSENTAN MONOHYDRATE, BRINZOLMIDE,, GLICLAZIDE, MYCOPHENOLATE MOFETIL, PIRFENIDONE, TENELIGLIPTIN HYDROBROMIDE HYDERATE, TENOFOVIR DISOPROXIL SUCCINATE AND PENICILLAMINE, IN Ph.Eur/USP/IP/BP AND IH.				
Industry Permitted to Manufacture 7 Product at any point of time.				
Production Capacity: 12450 Kg/day as per the Drug License.				
Drugs Control Administration of Govt. of AP.				
Form-25: License to Manufacture for sale (or distribution) of Drugs:				
License No: 26/VP/AP/2007/B/CC, Date: 12/07/2007, Valid from 11-11-2014 to 10-11-2019.				
Form-28: 19/VP/AP/2013/B/CC, Date: 09/07/2013, Valid till 11-11-2014 to 10-11-2019.				
The application for the renewal is under process, Verified the license validity certificate issued by the Govt. Of AP D & C Administration, ref. File no: L302/DD/DCA/VSP/2019, Date: 06-11-2019.				
Verified the GMP Certificate: L.Dis. No: 1080/DIR/DCA/VSP/2017, date: 10-01-2018 valid for 2 years.				
3.Factory License: 42491, Regd. No: 54747, date: 04/06/2014, Renewal done on 01-01-2019 valid till 31/12/2019.				
4.Public Liability Insurance No: date of Insurance: 22/10/2019 valid till 21/10/2020.				
5.Fire NOC verified, No:1307/DFO/NOC/VSP/2013, Date: 31/03/2019 valid till 30/03/2020.				
Form-IV submitted on 29/06/2019				
Form-V submitted on 27/09/2019.				
E-waste-Form-III submitted on 25/06/2019.				
Bio-Medical Waste -Form-IV submitted on 28/06/2019.				

Form-III maintained the same verified.

Quantities as per the date 29/11/2018.as per Form-8

Organic Residue: 11,339, Inorganic residue: 276 and spent carbon: 11,084

On site emergency plan verified submitted on 28/02/2018 to Joint Chief Inspector of Factories.

Emergency identified, Large scale chemical spill, Leading to contamination of Land, Explosion, in Production blocks, SRS,

Chilling plant, Solvent tank form

Stack Emission reports Verified.

M/s. Savant Envitech done the testing.

Report no: SEPL. Stack/10/19-4892, Date of Sampling 18/10/2019. Thermic Fluid Hot oil system. Boiler, capacity:

3.TPH, DG set- 380KVA.Coal fired Boiler(2.TPH), DG set-750KVA

1. SPM: 45 mg/Nm³, SOx: 19.2 mg/Nm³, NOx: 20.6 mg/Nm³.

2. SPM: 31.3 mg/Nm³, SOx: 108.4 mg/Nm³, NOx: 112.6 mg/Nm³.

3. SPM: 48.7 mg/Nm³, SOx: 109. mg/Nm³, NOx: 101.3 mg/Nm³.

4. SPM: 32.3 mg/Nm³, SOx: 103.2 mg/Nm³, NOx: 92.5 mg/Nm³.

5.SPM: 44 mg/Nm³, SOx: 104.8 mg/Nm³, NOx: 102.6 mg/Nm³.

AAQ

Sample taken on 18.10.2019.

Near Main gate: PM-10:61.0, PM2.5-20.6, SO₂: 13.0, NOx: 21.0.

Boiler Shed: PM-10:59.9, PM2.5-20.1, SO₂: 12.0, NOx: 22.3.

Utility area: PM-10:61.6, PM2.5-21.8, SO₂: 12.4, NOx: 20.8.

Effluent Water- HRDS: Sample taken: 18.10.2019.

pH: 7.98, TDS: 322, TSS;18.0, COD: 6920, BOD: 2750, all values are within Ramky requirements.

pH: 7.85, TDS: 12000, TSS;600.0, COD: 8000, BOD: 3000, all values are within Ramky requirements.

VOC:

PB-1: 57.6, PB-2: 51.0, PB-3: 14.8, PB-4: 15.9, SRS: 51.8, QC lab: 52.5.

Noise Level Monitoring:

Near Main Gate: Day: 60.3 dB, Night: 52.8 dB

Near Boiler House: Day: 61.0 dB, Night: 53.6 dB

Near PB: Day: 62.1 dB, Night: 52.3 dB

Near Utilities Plant: Day: 63.0 dB, Night: 54.0 dB

Near DG shed: Day: 66.5 dB, Night: 51.2,dB

Auditor	Date	Process	Standard	Contacts
V S SATISHKUMAR	11-12-2019	Top Management	ISO 45001:2018 ISO 14001:2015	Mr. N. Vasu, Plant Head
Notes				
Audited along with Mr. G Satya Gopal Top management is committed to continually improve the effectiveness of Integrated Management System comprising ISO 14001:2015 and BS OHSAS 18001:2007 through providing adequate resources and monitoring of SHE objectives. SHE policy is deployed well throughout the organisation, annual targets are derived from SHE policy on short and long term basis. PRIMA software is used to identify, assess and evaluate various risks involved in raw materials used and products during the manufacturing stages. Risks are accordingly mitigated as required. CAPA system is effectively implemented and used as management tool to monitor root cause analysis and implement effective corrective actions. Regular Internal audits and inspections are carried out and observed are raised accordingly. Major observations are rated as minor non-conformities and corrective actions are implemented.				

Auditor	Date	Process	Standard	Contacts
G SATYAGOPAL	09-12-2019	Plant Tour	ISO 14001:2015	Mr K Srinivas Rao/ Mr V H S Prasad/ Mr K Venkata Rao
Notes				
Plant round started with security, display of environmental display boards, Occupational Health Centre, Fire Hydrant Pump house, 6.0 TPH Coal fired boiler, 33 KVA/433 Volts Transformer, 1500 KVA DG Set, 1450 KVA DG Set (Hired), around manufacturing facility, Ware house, Utility area, ETP, Solvent Recovery plant, CCOE Tank farm area and Canteen. A plant tour was made covering outside areas of plant buildings ,sheds utility plant, the main rods, ETP, Scrap yard, stores yards, storage tank yards, substation, DG Sheds and the main gate. The two display boards on environmental performance were found in line with the CPCB. There were no spillages or leakages of oils, hazardous chemicals, and the secondary containments trays, dyke walls were found adequate. Good greenery with trees and lawns are being maintained and an ongoing tree plantation program is in progress The general house keeping is found good. No of signages displayed inside the plant about the safety and environment				

Auditor	Date	Process	Standard	Contacts
G SATYAGOPAL	10-12-2019	Production Block-3 (API & Intermediate)	ISO 14001:2015	Mr. Srikanth/Mr Raju
Notes				
Process description: The production department, covers the following activities a) Manufacturing of active pharmaceutical ingredients as per the established process, developed by the Process Development team. Production activities are taken in the production blocks namely Production Block-3 Production block consist of 2 floor will all the 4 cell and temporary storage of Raw material sand scrubbers and AHU are on the terrace of block, 1st floor operations is layer separation divided into 4 cells which are connected from the 2nd floor and ground floor is solvent tanks and raw material storage area. b) Control of process parameters. 2. The organization has provided necessary infrastructure required to maintain the environmental management system and Occupational health and safety management system. 3. Resources: The process is ably supported at plant level for 3 shift operations with adequate controls implemented and maintained for EMS and OHSAS Products are manufacturing in PB-3. Samples: Product- Lostran Potassium, Stage-1-LSP-1, batch No: 3LSP-I19021, Batch Size: 300 Kg, Start Date: 22/11/2019 and completed 01/12/2019. Stage-2, LSP-II, Batch No: 3LSP-II 19043, Batch Size:400 Kg, Start Date: 25/11/2019, Date of Completion: 02/12/2019. Risk and opportunities verified. ROR- Table-1, Rev.00, Date: 01/07/2019. Total Risks identified:26 put together in all blocks. Controls are verified. First Aiders and ERT members list displayed: Total 4 person each identified. Internal Audit record verified, there are 5 observations raised and closed all. Health record of Contract worker Mr. G. Phalguna Rao verified. Date test done by Apollo hospitals on 10-08-2019.Verified the doctor certificate with Fit for work.				

Auditor	Date	Process	Standard	Contacts
G SATYAGOPAL	10-12-2019	Production Block- 2 (API & Intermediate)	ISO 14001:2015	Mr. Kesava Rao
Notes				
Process description: The production department, covers the following activities a) Manufacturing of active pharmaceutical ingredients as per the established process, developed by the Process Development team. Production activities are taken in the production blocks namely Production Block-2 Production block consist of 2 floor will all the 4 cell and temporary storage of Raw material sand scrubbers and AHU are on the terrace of block, 1st floor operations is layer separation divided into 4 cells which are connected from the 2nd floor and ground floor is solvent tanks and raw material storage area. b) Control of process parameters. 2. The organization has provided necessary infrastructure required to maintain the environmental management system and Occupational health and safety management system. 3. Resources: The process is ably supported at plant level for 3 shift operations with adequate controls implemented and maintained for EMS and OHSAS Products are manufacturing in PB-4 Sample Product: TENELGIPTIN HYDROBROMIDE HYDRATE.. Stage: GRN PHARMA. Batch No: GRN1911056, Qty: 50 Kg of 1-(3-Methyl-1-Phenyl5-Pyrazoyl)Piperazine(PPP), Date: 25/11/2019. Therotical yield: 96.10, Achieing: 108 Kg. Risk and opportunities verified. ROR- Table-1, Rev.00, Date: 01/07/2019. Total Risks identified:26 put together in all blocks. Controls are verified. First Aiders and ERT members list displayed: Total 4 person each identified. Internal Audit record verifie, there are 5 observations raised and closed all.				

Auditor	Date	Process	Standard	Contacts
G SATYAGOPAL	11-12-2019	EHS (ETP, Environment & Safety)	ISO 14001:2015	Mr. Hari Prasad/Mr. Srinivas
Notes				
Environmental Aspect and Impact Assessment is carried out for 28 activities such as pumping of effluent from collection tanks to ETPST (ETP Storage tanks), storage of effluents in ETP, Receiving Lye/HCL from Raw Material Storage Tanks (RMST) to ETP, Effluent pH adjustment with Lye or HCL, disposing Effluent to M/s. Ramky, receiving and storage of Hyflo or Carbon at Hazardous waste storage room, loading hazardous waste bags, drums into trucks, receiving and storage of organic residue in drums & PP & PPE waste, receiving, storage and disposal of filter bags, insulation wool, collection, storage and disposal of samples of Intermediates, key and expire raw materials, finished products reserves, outdated working standards, left over samples from Quality Control, collection and disposal of mixed samples from QC, collection, storage and disposal of mixed salts (Inorganic), ETP sludge, Cooling Tower sludge, Floor cleaning waste, Rejected material from process/QC area, Acidic waste collection, Alkaline and debris waste, Collection, Storage and Disposal of E-waste, Segregation of various types of waste, transfer of used oil from electrical department to ETP, collection of used lubricating oil at source, Detoxification of containers (Carboys, Polythene bags) at ETP, Operating DG Fire hydrant pump as recorded in Environmental Aspects and Impact register EHSR-01 (A) dated 01/07/2019. EHSMP-15: Management programme taken to extend Diesel Generators stack with target date 30 Apr 2019. Proposal submitted to Top Management for approval. 12 out of total 33 aspects have been rated as significant under legal applicability. SOP EHS-013/00 dated 18 Aug 2015 for Detoxification of containers and Polythene bags. Hazard Identification and Risk Assessment carried out for 42 activities such as issuing work permit, operation and servicing of DCP fire extinguishers, Mechanical Foam Fire extinguishers, Co2 Fire extinguishers, Fire Hydrant Valves, Fire hydrant water Monitoring, Foam trolley servicing, Charging of Diesel to DG pumps tanks, usage of hand tools and pumping of effluent from collection tanks to ETPST (ETP Storage tanks), storage of effluents in ETP, Receiving Lye/HCL from Raw Material Storage Tanks (RMST) to ETP, Effluent pH adjustment with Lye or HCL, disposing Effluent to M/s. Ramky, receiving and storage of Hyflo or Carbon at Hazardous waste storage room, loading hazardous waste bags, drums into trucks, receiving and storage of organic residue in drums & PP & PPE waste, receiving, storage and disposal of filter bags, insulation wool, collection, storage and disposal of samples of Intermediates, key and expire raw materials, finished products reserves, outdated working standards, left over samples from Quality Control, collection and disposal of mixed samples from QC, collection, storage and disposal of mixed salts (Inorganic), ETP sludge, Cooling Tower sludge, Floor cleaning waste, Rejected material from process/QC area, Acidic waste collection, Alkaline and debris waste, Collection, Storage and Disposal of E-waste, Segregation of various types of waste, transfer of used oil from electrical department to ETP, collection of used lubricating oil at source, Detoxification of containers (Carboys, Polythene bags) at ETP, Operating DG Fire hydrant pump as recorded in Hazard Identification and Risk assessment register EHSR – 02 (A) dated -01/07/2019. No Hazard Identification and Risk assessment carried out for conducting mock drills. Emergency mock drill being conducted once in three months as per Mock Drill / Fire drill calendar for the year 2018 dated 26 Dec 2017. ETP The HTDS and LTDS effluents come in separate transfer pipe line and collected in dedicated 15KL tank –inside tank RCC concrete Collection tanks (eliminating leaks to environment). From Collection Tanks the effluent in two separate streams are lead to Above ground level Storage tanks of two 40KL & one 20 KL for 100 KL storage of HTDS and three 20KL & one 40 KL for 100 KL TDS storage. From here the effluents are neutralized with Caustic Lye or HCL as required. The neutralized effluent are stored in dedicated storage tanks from where RANKY collects for analysis and take in transfer line via Flow Meter to CETP at RAMKY Pharma City.				

Dedicated Energy Meter installed at ETP. Standby DG Power supply is available as per regulations.

One Detoxification tank capacity of 100 Liters capacity to detoxify of chemical liners and carboy's, collected effluent transferred to the LTDS or HTDS depending on the analysis by the Environmental Lab

Hazardous Waste

The Hazardous Waste samples for chemical analysis are sent to M/s Ramky after the accepted results accordingly they send the vehicle for collection. The records on legal compliance are found to be maintained up to date.

SITE ROUND DETAILS

- > The housekeeping in the ETP was found satisfactory. No spillage or leakage was noticed in the plant.
 - > One operators and one helper work in ETP –they were wearing appropriate PPEs. Gloves and Nose mask and goggles.
 - > There were no injury incident for the past one year .
 - > There were no environmental incident for the past one year .
 - > Spill Control drums 40Litre drums one for Sand. One for Soda Ash (NaOH), one for Absorbing Pad and One empty drum is kept at ETP.
 - > Two no's 9Kg CO2 Fire Extinguishers quarterly serviced by M/s. Subham safety available at ETP. The last date of servicing was 15/10/2019 next service due on 14/01/20
 - > The First Aid kit is available at the environmental Lab inside the ETP .
 - > On the terrace dedicated HDPE dozing tanks approx. 200 Liters for one for HCL and two tanks for Caustic dozing was seen.
- Scrubber is established in the ETP to process fugitive fumes, Online pH monitoring is evidenced.

SAMPLE DOCUMENTS & RECORDS VERIFIED.

- > SOP – Waste water treatment and disposal –Ref EHS-022/00, Date: 02/01/2018
- > SOP – Management of Solid and Hazardous Waste –Ref EHS-020/00, Date: 03/07/2017
- >SOP- Hazard Identification and Risk Assessment Ref
- > SOP-Identification of Environmental Aspects and Impacts Ref

Form-10 verified.

Hazardous Waste Manifest Challans verified for the sending to M/s. Visakha Solvents Ltd. No bearing from 137 to 190 (48 no's challans) of Used PPE's of
Qty: 100 Kgs.

Manifest No for the disposal of LTDS and HTDS to M/s. Ramky Pharma.

Date: 25.10.2019 to 24.11.2019, Manifest No: 61270 to 61275, 63601 63620 & 63621 to 63622 Qty: 900 KL for LTDS

Date: 25.10.2019 to 24.11.2019, Manifest No: 61269, 61276, 63576 to 63588, Qty: 281 KL of HTDS.

Used Oil disposed on 02-08-2019 to M/s. Zen Lubs, Qty: 530 Its. Manifest No:90

e-Waste disposed on 27/06/2019, Qty: 168 Kg, Manifest No: !80, of Form-6. to Green Wave Viskha Environmental Solutions.

Bio Medical waste disposed on 30-10-2019 to Marridi Eco Industries Pvt. Ltd. Qty: 31 Kgs. Manifest No: 160.

HW-Inorganic salts to M/s. CWMP, on 09/11/2019, Manifest No: 82425, Qty: 4030 Kgs.

HW-QC Waste Vilas, Qty: 0.360 T, Manifest No: 83296, Date: 05/12/2019.

HW-Process residue, disposed to M/s. Zuari Cements, Date: 11-08-2019, Qty: 21630 MT, Manifest No: 96.

HW-LDPE Bags, to M/s. Durga Belaji Plastic Industries, Qty: 0.780T, Manifest No: 193.Date: 07/12/2019.

1.CFO: 170/APP/PCB/CFE/RO-VSP/HO/2014, Date: 22/12/2017. Valid till 31/01/2022.

Product ranges.

Cetirizine DI HCL, CITIRIZINE HCL, CLOPIDOGREL BISULPHATE, FLUCONAZOLE, LEVOCETIRIZINE HCL, LOSTRAN POTASSIUM, OLMESARTAN MEDOXOMIL, PANTOPROZOLE SODIUM SESQUIHYDRATE, ABACAVIR SULPHATE, FEXOFENADINE HCL, AZATHIOPRINE, BOSENTAN MONOHYDRATE, BRINZOLMIDE,, GLICLAZIDE,

MYCOPHENOLATE MOFETIL, PIRFENIDONE, TENELIGLIPTIN HYDROBROMIDE HYDERATE, TENOFOVIR
DISOPROXIL SUCCINATE AND PENICILLAMINE, IN Ph.Eur/USP/IP/BP AND IH.

Industry Permitted to Manufacture 7 Product at any point of time.

Production Capacity: 12450 Kg/day as per the Drug License.

Drugs Control Administration of Govt. of AP.

Form-25: License to Manufacture for sale (or distribution) of Drugs:

License No: 26/VP/AP/2007/B/CC, Date: 12/07/2007, Valid from 11-11-2014 to 10-11-2019.

Form-28: 19/VP/AP/2013/B/CC, Date: 09/07/2013, Valid till 11-11-2014 to 10-11-2019.

The application for the renewal is under process, Verified the license validity certificate issued by the Govt. Of AP D
& C Administration, ref. File no: L302/DD/DCA/VSP/2019, Date: 06-11-2019.

Verified the GMP Certificate:L.Dis. No: 1080/DIR/DCA/VSP/2017, date: 10-01-2018 valid for 2 years.

3.Factory License: 42491, Regd. No: 54747, date: 04/06/2014, Renewal done on 01-01-2019 valid till 31/12/2019.

4.Public Liability Insurance No: date of Insurance: 22/10/2019 valid till 21/10/2020.

5.Fire NOC verified, No:1307/DFO/NOC/VSP/2013, Date: 31/03/2019 valid till 30/03/2020.

Form-IV submitted on 29/06/2019

Form-V submitted on 27/09/2019.

E-waste-Form-III submitted on 25/06/2019.

Bio-Medical Waste -Form-IV submitted on 28/06/2019.

Form-III maintained the same verified.

Quantities as per the date 29/11/2018.as per Form-8

Organic Residue: 11,339, Inorganic residue: 276 and spent carbon: 11,084

On site emergency plan verified submitted on 28/02/2018 to Joint Chief Inspector of Factories.

Emergency identified, Large scale chemical spill, Leading to contamination of Land, Explosion, in Production blocks,
SRS, Chilling plant, Solvent tank form

Mock drill done on While transferring the Material PB-1/SSR-004-01(2.0 KI) into PB-I-CT-001,Fire observed at bottom
of the SSR-004-i and the Fire cloud spread the surrounding area verified the report and found in order.

Date of Mock drill conducted on 05-07-2019 at 16:45 hrs.

No reportable incidents recorded

Stack Emission reports Verified.

M/s. Savant Envitech done the testing.

Report no: SEPL.Stack/10/19-4892, Date of Sampling 18/10/2019. Thermic Fluid Hot oil system. Boiler, capacity:

3.TPH, DG set- 380KVA.Coal fired Boiler(2.TPH), DG set-750KVA

1. SPM: 45 mg/Nm3, SOx: 19.2 mg/Nm3, NOx: 20.6 mg/Nm3.

2. SPM: 31.3 mg/Nm3, SOx: 108.4 mg/Nm3, NOx: 112.6 mg/Nm3.

3. SPM: 48.7 mg/Nm3, SOx: 109. mg/Nm3, NOx: 101.3 mg/Nm3.

4. SPM: 32.3 mg/Nm3, SOx: 103.2 mg/Nm3, NOx: 92.5 mg/Nm3.
5.SPM: 44 mg/Nm3, SOx: 104.8 mg/Nm3, NOx: 102.6 mg/Nm3.

AAQ

Sample taken on 18.10.2019.
Near Main gate: PM-10:61.0, PM2.5-20.6, SO2: 13.0, NOx: 21.0.
Boiler Shed: PM-10:59.9, PM2.5-20.1, SO2: 12.0, NOx: 22.3.
Utility area: PM-10:61.6, PM2.5-21.8, SO2: 12.4, NOx: 20.8.

Effluent Water- HRDS: Sample taken: 18.10.2019.
pH: 7.98, TDS: 322, TSS;18.0, COD: 6920, BOD: 2750, all values are within Ramky requirements.
pH: 7.85, TDS: 12000, TSS;600.0, COD: 8000, BOD: 3000, all values are within Ramky requirements.

VOC:
PB-1: 57.6, PB-2: 51.0, PB-3: 14.8, PB-4: 15.9, SRS: 51.8, QC lab: 52.5.

Noise Level Monitoring:
Near Main Gate: Day: 60.3 dB, Night: 52.8 dB
Near Boiler House: Day: 61.0 dB, Night: 53.6 dB
Near PB: Day: 62.1 dB, Night: 52.3 dB
Near Utilities Plant: Day: 63.0 dB, Night: 54.0 dB
Near DG shed: Day: 66.5 dB, Night: 51.2,dB

Mock drill report verified.

Auditor	Date	Process	Standard	Contacts
G SATYAGOPAL	11-12-2019	Legal & Other Requirements	ISO 45001:2018 ISO 14001:2015	Mr. Venkat Rao. K/Mr. Hari Prasad
Notes				
Audited along with Mr. V S Satish Kumar				
The organization has established the system to monitor and follow the Statutory and Regulatory (legal) and other requirements related to their products and relevant activities and is found to be effective. The major requirements are listed here under.				
1.CFO: 170/APPCB/CFE/RO-VSP/HO/2014, Date: 22/12/2017. Valid till 31/01/2022.				
Product ranges.				
Cetirizine DI HCL, CITIRIZINE HCL, CLOPIDOGREL BISULPHATE, FLUCONAZOLE, LEVOCETIRIZINE HCL, LOSTRAN POTASSIUM, OLMESARTAN MEDOXOMIL, PANTOPROZOLE SODIUM SESQUIHYDRATE, ABACAVIR SULPHATE, FEXOFENADINE HCL, AZATHIOPRINE, BOSENTAN MONOHYDRATE, BRINZOLMIDE,, GLICLAZIDE, MYCOPHENOLATE MOFETIL, PIRFENIDONE, TENELIGLIPTIN HYDROBROMIDE HYDERATE, TENOFOVIR DISOPROXIL SUCCINATE AND PENICILLAMINE, IN Ph.Eur/USP/IP/BP AND IH.				
Industry Permitted to Manufacture 7 Product at any point of time.				
Production Capacity: 12450 Kg/day as per the Drug License.				
Drugs Control Administration of Govt. of AP.				
Form-25: License to Manufacture for sale (or distribution) of Drugs:				
License No: 26/VP/AP/2007/B/CC, Date: 12/07/2007, Valid from 11-11-2014 to 10-11-2019.				
Form-28: 19/VP/AP/2013/B/CC, Date: 09/07/2013, Valid till 11-11-2014 to 10-11-2019.				
The application for the renewal is under process, Verified the license validity certificate issued by the Govt. Of AP D & C Administration, ref. File no: L302/DD/DCA/VSP/2019, Date: 06-11-2019.				
Verified the GMP Certificate: L.Dis. No: 1080/DIR/DCA/VSP/2017, date: 10-01-2018 valid for 2 years.				
3.Factory License: 42491, Regd. No: 54747, date: 04/06/2014, Renewal done on 01-01-2019 valid till 31/12/2019.				
4.Public Liability Insurance No: date of Insurance: 22/10/2019 valid till 21/10/2020.				
5.Fire NOC verified, No:1307/DFO/NOC/VSP/2013, Date: 31/03/2019 valid till 30/03/2020.				
Form-IV submitted on 29/06/2019				
Form-V submitted on 27/09/2019.				
E-waste-Form-III submitted on 25/06/2019.				
Bio-Medical Waste -Form-IV submitted on 28/06/2019.				

Form-III maintained the same verified.

Quantities as per the date 29/11/2018.as per Form-8

Organic Residue: 11,339, Inorganic residue: 276 and spent carbon: 11,084

On site emergency plan verified submitted on 28/02/2018 to Joint Chief Inspector of Factories.

Emergency identified, Large scale chemical spill, Leading to contamination of Land, Explosion, in Production blocks, SRS,

Chilling plant, Solvent tank form

Stack Emission reports Verified.

M/s. Savant Envitech done the testing.

Report no: SEPL. Stack/10/19-4892, Date of Sampling 18/10/2019. Thermic Fluid Hot oil system. Boiler, capacity:

3.TPH, DG set- 380KVA.Coal fired Boiler(2.TPH), DG set-750KVA

1. SPM: 45 mg/Nm³, SOx: 19.2 mg/Nm³, NOx: 20.6 mg/Nm³.

2. SPM: 31.3 mg/Nm³, SOx: 108.4 mg/Nm³, NOx: 112.6 mg/Nm³.

3. SPM: 48.7 mg/Nm³, SOx: 109. mg/Nm³, NOx: 101.3 mg/Nm³.

4. SPM: 32.3 mg/Nm³, SOx: 103.2 mg/Nm³, NOx: 92.5 mg/Nm³.

5.SPM: 44 mg/Nm³, SOx: 104.8 mg/Nm³, NOx: 102.6 mg/Nm³.

AAQ

Sample taken on 18.10.2019.

Near Main gate: PM-10:61.0, PM2.5-20.6, SO2: 13.0, NOx: 21.0.

Boiler Shed: PM-10:59.9, PM2.5-20.1, SO2: 12.0, NOx: 22.3.

Utility area: PM-10:61.6, PM2.5-21.8, SO2: 12.4, NOx: 20.8.

Effluent Water- HRDS: Sample taken: 18.10.2019.

pH: 7.98, TDS: 322, TSS;18.0, COD: 6920, BOD: 2750, all values are within Ramky requirements.

pH: 7.85, TDS: 12000, TSS;600.0, COD: 8000, BOD: 3000, all values are within Ramky requirements.

VOC:

PB-1: 57.6, PB-2: 51.0, PB-3: 14.8, PB-4: 15.9, SRS: 51.8, QC lab: 52.5.

Noise Level Monitoring:

Near Main Gate: Day: 60.3 dB, Night: 52.8 dB

Near Boiler House: Day: 61.0 dB, Night: 53.6 dB

Near PB: Day: 62.1 dB, Night: 52.3 dB

Near Utilities Plant: Day: 63.0 dB, Night: 54.0 dB

Near DG shed: Day: 66.5 dB, Night: 51.2,dB

Auditor	Date	Process	Standard	Contacts
G SATYAGOPAL	09-12-2019	Production Block-1 (API & Intermediate)	ISO 14001:2015	Mr. A. Ramu/Mr. Suribabu
Notes				
Process description: The production department, covers the following activities a) Manufacturing of active pharmaceutical ingredients as per the established process, developed by the Process Development team. Production activities are taken in the production blocks namely Production Block-1 Production block consist of 2 floor will all the 4 cell and temporary storage of Raw material sand scrubbers and AHU are on the terrace of block, 1st floor operations is layer separation divided into 4 cells which are connected from the 2nd floor and ground floor is solvent tanks and raw material storage area. b) Control of process parameters. 2. The organization has provided necessary infrastructure required to maintain the environmental management system and Occupational health and safety management system. 3. Resources: The process is ably supported at plant level for 3 shift operations with adequate controls implemented and maintained for EMS and OHSAS Products are manufacturing in PB-1 Cetirizine HCL are 2 Stage (Stage1 and Pharma) and Losartan HCL Satg1 & 2, Pharma. Sample Production done on 01-11-2019 . Product life cycle perspective aspect and impacts are not done for the products. Aspect and Impact verified. as per the risk procedure: EHSM/001/06, Record No: EHSR-01(A), Date: Rev.00, Date: 01/07/2019. Hazard Identification and Risk assessment record verified. EHSR-02(A), Date: Rev.00, Date: 01/07/2019. Aspect and Impact verified. as per the risk procedure: EHSM/001/06, Record No: EHSR-01(A), Date: Rev.00, Date: 01/07/2019. Hazard Identification and Risk assessment record verified. EHSR-02(A), Date: Rev.00, Date: 01/07/2019 Following hazards are identified and control measures determined - Fire, Exposure, Cut-injury, Exposure to nitrogen, explosion, slip, dust inhalation. List of significant hazards are identified and controls are determined. These are found to be implemented for the sample cases. Sample: Corrosive materials shifting to floors (R), Condition-N, Hazard-Exposure, (cause- persons exposed bags, drums), 1000-500 (High risk). Control measures are found to be implemented and monitored. Product based Hazop study verified. Objectives are established taking into consideration the organization's significant environmental aspects and associated compliance obligations, and considering its risks and opportunities and are found to be monitored. Risk and opportunities verified. ROR- Table-1, Rev.00, Date: 01/07/2019 Total Risks identified:26 put together in all blocks. Controls are verified. Total significant are identified in the block are 10, OCP's verified. Generation of spent solvents and disposal, 1025 Tons.. Test done by the 3rd Party. M/s. Lawn Enviro Labs. Stack Monitoring: of the Scrubber Id: SB-02, Date of Sample: 07-09-2018, Date of Report: 16/09/18. Exit Velocity of flue gases(m/sec): 4.82, Conc. HCL Acid: 05mg.Nm3 against <35. Product based Hazop study verified. Total significant are identified in the block are 10, OCP's verified. Total significant hazards are 15, verified all the OCP's to prevent the risks and found in order. Incidents recorded in the PB-1 are Nil. Sample Product verified. Satge-1-Batch No: LP-1#111, Start Date: 29/10/2019 and completion date: 04/11/19. Stage-2-Batch No: LP-2# Start date:08/11/19 and completion date:13/11/2019.				

BMR verified for the control measures related to the environment and safety are elaborately defined and complied.

Change Control Procedure QA-004/03, Date: 02/12/2019.

Verified for the Proposed Change in the Production Block from existing capacities and change in centrifuge with ANF.

CCF No: CCF-PRD-19-251

Type of Change: Permanent, Date: 05/11/2019.

Approved the change request on 05/11/2019.

however the procedure is not effectively covered environment and

Health record of the chemists verified. Mr. D. Srinivas, Emp. No: 35753

Auditor	Date	Process	Standard	Contacts
G SATYAGOPAL	11-12-2019	Quality Control	ISO 14001:2015	Mr Ravi Kumar- Dy Manager Mr U S Rao
Notes				
QC & QA process The QC lab tests the intermediate control samples, finished materials and the raw materials. It also stores the samples as per defined period up to 5 years, after which it is disposed of through laid down procedures. During the tests and validation process, hazardous, non-hazardous wastes are generated, which has been verified during the laboratory visits and documentation process. A laboratory waste disposal requisition form is available, doc no- QC-076/F01/00, dt 27.11.17. The records are updated weekly, verified for 05.12.19. Four types of wastes are generated, solid, liquid, broken glassware and non-contaminated lab waste. Verified the cleaning record of quality control lab, doc no- QCF-001/00 dt 1.7.15. Have verified the records for Nov-18, which are updated periodically. Emergency response plan and mock drill for context of operations of the lab needs to be determined for preparedness. For intermediate control samples, inward and destruction records are available, doc no- QC-008/F07/00, dt 20.4.18, verified records of 22.11.19. Control samples destruction records-doc no- QCF-138/00, dt 1.1.15, verified record dt 22.11.19. Work zone monitoring for control of aspects of fumes and noise needs to be determined. Verified First Aid box, with medicine validity available. Eye wash bottle is available. The list of First aiders and Fire fighters are displayed. The PPE box available for use. Aspect/Impact analysis, doc no- EHSM/001/06, record no- EHSR-01 (A), dt 1.07.19. Total 39 activities has been identified comprising of 39 aspects, where one aspect has legal concern, which is significant, where disposal of microbiological waste is considered. Controls include trained personnel, usage of PPEs, disposal procedures- GOC-SOP-MB-0014. Verified the biological waste authorization, order no- PCB/ROVSP/BMW/HCE-1070/2018, valid till 31.12.21. Types of wastes identified by the category are- •Yellow- 140 Kgs/month •Red- 12 Kgs/Month •White- 6 Kgs/month •Blue- 1.0 Kgs/month The bio-medical waste is disposed to MS Maridi Eco Industries Pvt Ltd, authorized vendor by AP pollution board. Verified the disposal records of manifest, Form no-10, disposed to Maridi transporter, Bio Medical waste disposed on 30-10-2019 to Maridi Eco Industries Pvt.Ltd. Qty: 31 Kgs. Manifest No: 160. Hazard identification and Risk analysis, doc no- EHSM/001/06, record no- EHSR-02A, dt 01.07.19. Total 57 activities have been considered, 123 hazards identified, score of more than 100 is significant. 16 significant hazards has been identified. Management program has been taken, verified program, EHSMP- 04. Some of the significant hazards are due to handling of hazardous chemicals and handling of hazardous chemicals and flammable solvents, can lead to fire. Overall process performance is satisfactory.				

3.2 DOCUMENT REVIEW

Document Review Item	Compliant	Comments
45K-Documents indicating the scope of your Health and Safety Management System (HSMS)	X	EHSM/001/04, Rev;00 dated 01 July 2019
45K-Documents explaining the organisation and its context	X	EHSM/001/04, Rev;00 dated 01 July 2019
45K-Documents setting out the issues, the relevant stakeholders (workers and interested parties) and their needs and expectations from the HSMS	X	EHSM/001/04, Rev;00 dated 01 July 2019
45K-Description of the risks and opportunities considered and the processes determined for the HSMS	X	EHSM/001/04, Rev;00 dated 01 July 2019
45K-Documents related to your hazards	X	EHSM/001/06, Rev;00 dated 01 July 2019
45K-A documentation of your legal requirements and other requirements	X	EHSM/001/06, Rev;00 dated 01 July 2019
45K-The Occupational Health and Safety policy, objectives the associated planning to achieve such objectives	X	EHSM/001/05, Rev;00 dated 01 July 2019
45K-Evidences of consultation and participation of workers	X	EHSM/001/07, Rev;00 dated 01 July 2019
45K-The minutes of your last management review	X	Management review minutes dated 27 Aug 2019
45K-Internal audit plans (realised and scheduled)	X	Annual Audit Plan EHSR-09 for the year 2019. Internal Audit schedule EHSR-10 dated 01 Aug 2019 for the audit conducted from 05 to 08 Aug 2019.
14K-A documentation indicating the scope of your Environmental Management System (EMS)	X	EHSM/001/04, Rev;00 dated 01 July 2019
14K-If available, a documentation setting out the issues, the relevant stakeholders and their relevant requirements for the EMS	X	EHSM/001/04, Rev;00 dated 01 July 2019

Document Review Item	Compliant	Comments
14K-A description of the risks and opportunities considered and the processes determined for the EMS	X	EHSM/001/06, Rev;00 dated 01 July 2019
14K-A documentation related to your environmental aspects and impacts, the criteria applied to determine those that are significant and the list of the significant environmental aspects	X	EHSM/001/06, Rev;00 dated 01 July 2019
14K-A documentation of your environmental compliance obligations (legal and regulatory requirements, prefectural requirement, other requirements ...) relating to the activities and products	X	EHSM/001/04, Rev;00 dated 01 July 2019
14K-The environmental policy, the environmental objectives and the informations on the associated planning	X	EHSM/001/05, Rev;00 dated 01 July 2019
14K-The minutes of your last management review	X	Management review minutes dated 27 Aug 2019
14K-Internal audit plans (realised and scheduled)	X	Annual Audit Plan EHSR-09 for the year 2019. Internal Audit schedule EHSR-10 dated 01 Aug 2019 for the audit conducted from 05 to 08 Aug 2019.
Document Review and Initial Audit Comments		

Granules India Limited Unit – IV EHS manual EHSM/001, Issue No: 02, Rev:00 dated 01 July 2019 latest issue is regarding up-gradation to ISO 45001:2019.

Organisation is conducting three levels of docuemntation. Level 1; EHS manual, Level 2: SOPs/Operational control procedures and Level 3: EHSMS Reocrds.

External communication received from statutory and regulatory agencies is received, documented and responded by Unit Head/Head HR as mentione din EHSM/001/07 of EHS Manual.

Risks an dopportunities ar eaddressed in EHSM/001/06 in EHS manual. Business continuity Risk management is further classified as Operational (Geopolitical, Economical and Social Risk), Technical (Installations and Equipment, Company Service & Utility Providers, Product Defense)) Supply chain and Compliance.

Environmental Impact and Risk assessment is assessed in terms of Probability On a scale of 1 to 5, Duration of impact on a scale of 1 to 5 and Severity on a scale of 1 to 5. Risk priority number is obtained by Probability X Duration X Severity.

If the overall Risk Priority Number (RPN) is more than 100 or under the applicability of Legal requirements/Emergency conditions, respective Environmental impact and Risk is considered as significant.

EHSM/001/06, Rev:01 dated 10 Nov 2018 regarding identification of issues, interested parties and their needs and expectations, Risks and opportunities including action plans – Issues such as receiving and storage of LDPE covers, fibre drums, usage of power, electrical maintenance activities, Brine chiller with Ammonia gas operation, discharge of static electricity by touching Biometric pad, charging of raw material into reactor, use of eye and body washer, charging of flammable solvent from solvent station to reactor, handling and storage of gas cylinders, acidic solvent containers, solvent loading into above ground storage tanks, solvent unloading from road tankers, diesel fire hydrant pump operating, Effluent disposal, Hyflo or carbon receiving in bags and storage in hazardous waste room. Organic residue receiving in drums and storage in drum shed, PP & PPE waste receiving storage disposal, receiving, storage and disposal of filter bags, insulation wool, mixed salts, ETP sludge, Cooling tower sludge, E-waste, operation of boilers, disposing of Microbial waste identified.

Interested parties such as factories and fire departments, management, CPCB & APPCB, Employees, Cement industries, Ramky Pharma City, Green Waves environmental solutions, Indian Electricity Department have been identified as recorded in EHSM/001/06, Rev:01 dated 10 Nov 2018.

Risks such as Fire hazard, more consumption of power, electrical hazards, communicable diseases, injuries to humans, spillage and leakage and Resource depletion have been identified as recorded in EHSM/001/06, Rev:01 dated 10 Nov 2018.

Aspects for the singnificants are capruted in consideration Product life cycle perspective and the same verified for each product the same verified while in the production blocks.

Life Cycle Perspective verified in EHSM/002/06, rEV.00, dATE: 01-07-2019.

Aspects for the singnificants are capruted in consideration Product life cycle perspective and the same verified for each product the same verified while in the production blocks.

Sample of products verified in the Production block for evaluate the LCA.

Product life cycle perspective aspect and impacts are not done for the products.

Aspect and Impact verified. as per the risk procedure: EHSM/001/06, Record No: EHSR-01(A), Date: Rev.00, Date: 01/07/2019.

Hazard Identification and Risk assessment record verified. EHSR-02(A), Date: Rev.00, Date: 01/07/2019.

Satge-1-Batch No: LP-1#111, Start Date: 29/10/2019 and completion date: 04/11/19.

Stage-2-Batch No: LP-2# Start date:08/11/19 and completion date:13/11/2019.

BMR verified for the control meassures related to the environmen and safety are elobartely defined and complied.

Organisation Manual - Revision Date or number	Issue No: 02, Rev:00 dated 01 July 2019	Doc. Review Completed on	09-12-2019
---	---	--------------------------	------------

3.3 AUDIT SUMMARY REPORT PER STANDARD ISO 45001:2018-ISO 14001:2015

Clauses	Department / Activity / Process																	Total
	Plant Tour	Leadership & Document Review	Production Block-1 (API & Intermediate)	Production Block-2 (API & Intermediate)	Production Block-3 (API & Intermediate)	Production Block-4 (API & Intermediate)	Engineering (Mechanical)	Engineering (Electrical)	Engineering (Instrumentation)	Quality Control	EHS (ETP, Environment & Safety)	Canteen & OHC	Bulk Storage tanks	Stores & Dispatch	HR & Training	Security & Transportation	Legal & Other Requirements	
45K-4.1 Understanding the organization and its context																	✓	✓
45K-4.2 Understanding the needs and expectations of workers .																	✓	✓
45K-4.3 Determining the scope of the OH&S management syste																	✓	✓
45K-4.4 OH&S management system																	✓	✓
45K-5.1 Leadership and commitment																	✓	✓
45K-5.2 OH&S policy																	✓	✓
45K-5.3 Organizational roles, responsibilities and authoriti...																	✓	✓
45K-5.4 Consultation and participation of workers																	✓	✓
45K-6.1 Actions to address risks and opportunities																	✓	✓
45K-6.1.1 General																	✓	✓
45K-6.1.2 Hazard identification and assessment of risks and ...																	✓	✓
45K-6.1.3 Determination of legal requirements and other requ...																	✓	✓
45K-6.1.4 Planning action																	✓	✓
45K-6.2 OH&S objectives and planning to achieve them																	✓	✓
45K-6.2.1 OH&S objectives																	✓	✓
45K-6.2.2 Planning to achieve OH&S objectives																	✓	✓
45K-7.1 Resources																	✓	✓
45K-7.2 Competence																	✓	✓
45K-7.3 Awareness																	✓	✓
45K-7.4 Communication																	✓	✓
45K-7.4.1 General																	✓	✓
45K-7.4.2 Internal communication																	✓	✓
45K-7.4.3 External communication																	✓	✓
45K-7.5 Documented information																	✓	✓
45K-7.5.1 General																	✓	✓
45K-7.5.2 Creating and updating																	✓	✓
45K-7.5.3 Control of documented information																	✓	✓
45K-8.1 Operational planning and control	1																✓	✓
45K-8.1.1 General																	✓	✓
45K-8.1.2 Eliminating hazards and reducing OH&S risks																	✓	✓
45K-8.1.3. Management of Change																	✓	✓
45K-8.1.4. Procurement																	✓	✓
45K-8.2 Emergency preparedness and response																	✓	✓
45K-9.1 Monitoring, measurement, analysis and performance ev																	✓	✓
45K-9.1.1 General																	✓	✓
45K-9.1.2 Evaluation of compliance																	✓	✓

	Department / Activity / Process																			Total
	Plant Tour	Leadership & Document Review	Production Block-1 (API & Intermediate)	Production Block- 2 (API & Intermediate)	Production Block-3 (API & Intermediate)	Production Block-4 (API & Intermediate)	Engineering (Mechanical)	Engineering (Electrical)	Engineering (Instrumentation)	Quality Control	EHS (ETP, Environment & Safety)	Canteen & OHC	Bulk Storage tanks	Stores & Dispatch	HR & Training	Security & Transportation	Legal & Other Requirements	Top Management		
45K-9.2 Internal audit																	✓	✓		
45K-9.2.1 General																	✓	✓		
45K-9.2.2 Internal audit programme																	✓	✓		
45K-9.3 Management review																	✓	✓		
45K-10.1 General																	✓	✓		
45K-10.2 Incident, nonconformity and corrective action																	✓	✓		
45K-10.3 Continual improvement																	✓	✓		
45K-Use of marks, and/or reference to the certification																	✓			
14K-4.1 Understanding the organization and its context	✓	✓					✓		✓				✓		✓		✓	✓		
14K-4.2 Understanding the needs and expectations of interest...	✓	✓							✓				✓		✓		✓	✓		
14K-4.3 Determining the scope of the EMS	✓	✓					✓		✓				✓		✓		✓	✓		
14K-4.4 Environmental management system	✓	✓					✓		✓				✓		✓		✓	✓		
14K-5.1 Leadership and commitment	✓	✓					✓		✓				✓		✓		✓	✓		
14K-5.2 Environmental policy	✓	✓					✓		✓				✓		✓		✓	✓		
14K-5.3 Organizational roles, responsibility and authorities	✓	✓	✓	✓	✓		✓		✓	✓	✓		✓		✓		✓	✓		
14K-6.1 Actions to address risks and opportunities	✓	✓	✓	✓	✓		✓		✓	✓	✓		✓		✓		✓	✓		
14K-6.1.1. General	✓	✓	✓	✓	✓		✓		✓	✓	✓		✓		✓		✓	✓		
14K-6.1.2 Environmetal aspects	✓	✓	✓	✓	✓		✓		✓	✓	✓		✓		✓		✓	✓		
14K-6.1.3 Compliance obligations	✓	✓	✓	✓	✓		✓		✓	✓	✓		✓		✓		✓	✓		
14K-6.1.4 Planning action	✓	✓	✓		✓		✓		✓		✓		✓		✓		✓	✓		
14K-6.2 Environmental objectives and planning to achieve the...	✓	✓	✓	✓	✓		✓		✓	✓	✓		✓		✓		✓	✓		
14K-6.2.1 Environmetal objectives	✓	✓	✓	✓	✓		✓		✓	✓	✓		✓		✓		✓	✓		
14K-6.2.2 Planning actions to achieve environmental objectiv...	✓	✓	✓	✓	✓		✓		✓	✓	✓		✓		✓		✓	✓		
14K-7.1 Resources	✓	✓		✓			✓		✓	✓	✓		✓		✓		✓	✓		
14K-7.2 Competence	✓	✓	✓	✓	✓		✓		✓	✓	✓		✓		✓		✓	✓		
14K-7.3 Awareness	✓	✓		✓			✓		✓	✓	✓		✓		✓		✓	✓		
14K-7.4 Communication	✓	✓	✓	✓	✓		✓		✓	✓	✓		✓		✓		✓	✓		
14K-7.4.1 General	✓	✓					✓		✓				✓		✓		✓	✓		
14K-7.4.2 Internal communication	✓	✓	✓	✓	✓		✓		✓	✓	✓		✓		✓		✓	✓		
14K-7.4.3 External communication	✓	✓	✓	✓	✓		✓		✓	✓	✓		✓		✓		✓	✓		
14K-7.5 Documented information	✓	✓	✓	✓	✓		✓		✓	✓	✓		✓		✓		✓	✓		
14K-7.5.1 General	✓	✓	✓	✓	✓		✓		✓	✓	✓		✓		✓		✓	✓		
14K-7.5.2 Creating and updating	✓	✓	✓	✓	✓		✓		✓	✓	✓		✓		✓		✓	✓		
14K-7.5.3 Control of documented information	✓	✓	✓	✓	✓		✓		✓	✓	✓		✓		✓		✓	✓		
14K-8.1 Operational planning and control	1	✓	✓	✓	✓		✓		✓	✓	✓		✓		✓		✓	✓	1	
14K-8.2 Emergency preparadeness and response	✓	✓	✓	✓	✓		✓		✓	✓	✓		✓		✓		✓	✓		
14K-9.1 Monitoring, measurement, analysis and evaluation	✓	✓	✓	✓	✓		✓		✓	✓	✓		✓		✓		✓	✓		
14K-9.1.1 General	✓	✓					✓		✓		✓		✓		✓		✓	✓		
14K-9.1.2 Evaluation of compliance	✓	✓	✓	✓	✓		✓		✓	✓	✓		✓		✓		✓	✓		
14K-9.2 Internal audit	✓	✓	✓	✓	✓		✓		✓	✓	✓		✓		✓		✓	✓		
14K-9.2.1 General	✓	✓		✓			✓		✓	✓	✓		✓		✓		✓	✓		

	Department / Activity / Process																			Total
	Plant Tour	Leadership & Document Review	Production Block-1 (API & Intermediate)	Production Block- 2 (API & Intermediate)	Production Block-3 (API & Intermediate)	Production Block-4 (API & Intermediate)	Engineering (Mechanical)	Engineering (Electrical)	Engineering (Instrumentation)	Quality Control	EHS (ETP, Environment & Safety)	Canteen & OHC	Bulk Storage tanks	Stores & Dispatch	HR & Training	Security & Transportation	Legal & Other Requirements	Top Management		
14K-9.2.2 Internal audit programme	✓	✓		✓			✓		✓	✓	✓		✓		✓		✓	✓		
14K-9.3 Management Review	✓	✓					✓		✓		✓		✓		✓		✓	✓		
14K-10.1 Improvement - General	✓	✓					✓		✓				✓		✓		✓	✓		
14K-10.2 Nonconformity and corrective action	✓	✓	✓	✓	✓		✓		✓	✓	✓		✓		✓		✓	✓		
14K-10.3 Continual improvement	✓	✓	✓	✓	✓		✓		✓	✓	✓		✓		✓		✓	✓		
14K-* Use of marks, and/or reference to the certification																	✓			
Total	2																		2	
18N-4.1 General requirements	✓	✓	✓		✓				✓				✓		✓					
18N-4.2 OH&S policy	✓	✓	✓	✓	✓				✓	✓	✓		✓		✓					
18N-4.3 Planning		✓	✓	✓	✓				✓	✓	✓		✓		✓					
18N-4.3.1 Hazards, risk assessment and controls	✓	✓	✓	✓	✓				✓	✓	✓		✓		✓					
18N-4.3.2 Legal and other requirements		✓	✓	✓	✓				✓	✓	✓		✓		✓					
18N-4.3.3 Objectives and programme(s)		✓	✓	✓	✓				✓	✓	✓		✓		✓					
18N-4.4 Implementation and operation	✓	✓	✓	✓	✓				✓	✓	✓		✓		✓					
18N-4.4.1 Resources, accountability and authority	✓	✓	✓	✓	✓				✓	✓	✓		✓		✓					
18N-4.4.2 Competence, training and awareness		✓	✓	✓	✓				✓	✓	✓		✓		✓					
18N-4.4.3 Communication and consultation	✓	✓	✓	✓	✓				✓	✓	✓		✓		✓					
18N-4.4.4 Documentation	✓	✓	✓	✓	✓				✓	✓	✓		✓		✓					
18N-4.4.5 Control of documents	✓	✓	✓	✓	✓				✓	✓	✓		✓		✓					
18N-4.4.6 Operational control	✓	✓	✓	✓	✓				✓	✓	✓		✓		✓					
18N-4.4.7 Emergency preparedness and response	✓	✓	✓	✓	✓				✓	✓	✓		✓		✓					
18N-4.5.1 Performance measurement and monitoring	✓	✓	✓	✓	✓				✓	✓	✓		✓		✓					
18N-4.5.2 Evaluation of compliance	✓	✓	✓	✓	✓				✓	✓	✓		✓		✓					
18N-4.5.3 Incident, nonconformity and actions		✓	✓	✓	✓				✓	✓	✓		✓		✓					
18N-4.5.4 Control of records	✓	✓	✓	✓	✓				✓	✓	✓		✓		✓					
18N-4.5.5 Internal audit	✓	✓	✓	✓	✓				✓	✓	✓		✓		✓					
18N-4.6 Management review	✓	✓							✓				✓		✓					
Exclusions	justification																			
	No exclusion																			

3.4 NON CONFORMITY REPORT

Non conformities detailed herein shall be addressed through the organization's corrective action process, in accordance with the relevant corrective action requirements of the audit standard.

Hereunder you will find Bureau Veritas Certification requirements for:

- expected timelines to address the nonconformity (a)
- response content (b)

Expected timelines to address the non conformity (a)

Corrections and Corrective actions (if possible) to address identified major nonconformities shall be carried out immediately. Correction, Root Cause Analysis and Corrective action plan together with satisfactory evidences of implementation shall be submitted within **90 days after the last day of the audit unless Bureau Veritas Certification and client agree on a longer period of time.**

Review of nonconformities is done through desktop review. However, depending of severity of the findings, our auditor may perform a follow up visit to confirm the actions taken, evaluate their effectiveness, and determine whether certification can be recommended or continued.

For a minor nonconformity, correction, root cause analysis and corrective action plan shall be approved by the team leader and verification of implementation and effectiveness of corrective action(s) taken will be performed at the next visit.

It is recommended that the Client provide responses early to allow time for additional reviews if needed.

For recertification time limits to address nonconformities will be defined by the team leader in order to have them implemented prior to expiration of certification.

Any responses to the nonconformities which were raised may be either in hard copy or electronically using the NCR herein (preferred) and forwarded to the Bureau Veritas Certification office.

Expected response content (b)

Client response to NCR should be reviewed by the lead auditor in three parts; correction, root cause analysis and corrective actions.

In reviewing the three parts, the auditor looks for a plan and then evidence that plan is being implemented.

Correction

1. The extent of the nonconformity has been determined (NCR has been corrected & the client has examined the system to see if there are other examples that need to be corrected). Ensure that correction answers the question "Is this isolated case or not?" in other words "Is there a risk that this can reoccur at the other site / department?"
2. If correction cannot be immediate; a plan to correct the NCR may be appropriate (responsible & date).
3. Evidence that the correction was implemented or evidence that the plan is being implemented.

Root Cause Analysis

1. The Root Cause is not simply repeating the finding, neither is the direct cause of the issue.
2. Well thought out analysis to determine the true root cause: e.g. someone did not follow a process would be direct cause; determining why someone did not follow a process would lead to the true root cause.
3. The root cause statement must focus on a single issue without any obvious "why" questions remaining.

If a "why" question can reasonably be asked about the root cause analysis, this indicates that the analysis did not go far enough.

4. Ensure that the root cause answers the question, "What in the system failed such that the problem occurred?"
5. Blaming the employee will not be accepted as the only root cause
6. Address problems with the process as well as what detection system failed

Corrective Action

1. The corrective action or corrective action plan addresses the root cause(s) determined in the root cause analysis. If you have not defined true root cause you cannot prevent the problem from its reoccurrence
2. In order to accept the plan it shall include;
 - actions to address the root cause(s)
 - identification of responsible parties for the actions and
 - a schedule (dates) for implementation.
 - always include a "change" to your system. Training and/or publishing a newsletter are generally not changes to your system
3. In order to accept the evidence of implementation:
 - a. Enough evidence is provided to show the plan is being implemented as outlined in the response (and on schedule).

b. Note: Evidence in full is not required to close the NCR; some evidence may be reviewed during future audit when verifying the corrective actions.

To be completed by Bureau Veritas

Date	Organization	Contract n°	Report n°	
09-12-2019	GRANULES INDIA LTD - AP	4243338	14KS1VSS-IN01	
Non Conformity Observed During	1st Surveillance audit			
Process	Plant Tour			
Standard	ISO 14001:2015			
Clause	14K-8.1 Operational planning and control			
Site Name	Granules Inida- Unit-IV			
Non Conformity Description				
STANDARD REQUIREMENT: 8.1 Operational planning and control The organization shall establish, implement, control and maintain the processes needed to meet environmental management system requirements, and to implement the actions identified in 6.1 and 6.2, by: — establishing operating criteria for the process(es); — implementing control of the process(es), in accordance with the operating criteria. DESCRIPTION OF THE NON-CONFORMITY: The processs of ensuring the operational controls is not effetcive. OBJECTIVE EVIDENCE: Operational controls are not evdiented for the following: 1. No secondary containment for two drums of hot oil kept at Boiler and eight drums of fresh oil kept at pipe rack area.				
Grade	Lead Auditor		Auditor	Organization Rep.
Minor	V S SATISHKUMAR		V S SATISHKUMAR	Mr. Vella Hari
To be completed before				Someswara Prasad
11-01-2020	VSS-IN	1-1CM9LMJ	VSS-IN	1-1CM9LMJ

To be completed by the organization

Root Cause Analysis (What failed in the system to allow this non conformity to occur ?)	
Correction (What is done to solve this problem)	
Corrective Action (What is done to prevent reoccurrence)	
Implementation of	Date of Completion
Corrective Actions	Org. Representative

To be completed by Bureau Veritas

Verification of corrective Actions	Date	Status	Auditor
		CA Waiting Proposal	V S SATISHKUMAR
Comment			

To be completed by Bureau Veritas

Date	Organization	Contract n°		Report n°	
09-12-2019	GRANULES INDIA LTD - AP	4243338		45KS1GSG-IN01	
Non Conformity Observed During		1st Surveillance audit			
Process		Plant Tour			
Standard		ISO 45001:2018			
Clause		45K-8.1 Operational planning and control			
Site Name		Granules Inida- Unit-IV			
Non Conformity Description					
STANDARD REQUIREMENT: 8.1 Operational planning and control 8.1.1 General The organization shall plan, implement, control and maintain the processes needed to meet requirements of the OH&S management system, and to implement the actions determined in Clause 6, by: a) establishing criteria for the processes; b) implementing control of the processes in accordance with the criteria; DESCRIPTION OF THE NON-CONFORMITY: The processs of ensuring the operational controls is not effetcive. OBJECTIVE EVIDENCE: Operational controls are not evdiented for the following: 1. Temperature control of 2 to 4 Deg C for storage conditions of Tetanus injections.					
Grade	Lead Auditor		Auditor		Organization Rep.
Minor	V S SATISHKUMAR		G SATYAGOPAL		Mr. Vella Hari Someswara Prasad
To be completed before					
11-01-2020	VSS-IN	1-1CM9LMJ	GSG-IN	1-K5FOQH	

To be completed by the organization

Root Cause Analysis (What failed in the system to allow this non conformity to occur ?)
Correction (What is done to solve this problem)
Corrective Action (What is done to prevent reoccurrence)

Implementation of	Date of Completion	–
Corrective Actions	Org. Representative	–

To be completed by Bureau Veritas

Verification of corrective Actions	Date	Status	Auditor
		CA Waiting Proposal	G SATYAGOPAL
Comment			

4 PERFORMANCE TO DATE

Non conformity number	Non conformity description	Process	Standard	Clause	Grade	Issued Date	Date of Completion	Verification of Corrective action
14KS1VSS-IN01	STANDARD REQUIREMENT: 8.1 Operational planning and control The organization shall establish, implement, control and maintain the processes needed to meet environmental management system requirements, and to implement the actions identified in 6.1 and 6.2, by: — establishing operating criteria for the process(es); — implementing control of the process(es), in accordance with the operating criteria. DESCRIPTION OF THE NON-CONFORMITY: The processs of ensuring the operational controls is not effetcive. OBJECTIVE EVIDENCE: Operational controls are not evdiented for the following: 1. No secondary containment for two drums of hot oil kept at Boiler and eight drums of fresh oil kept at pipe rack area.	Plant Tour	ISO 14001:2015	14K-8.1 Operational planning and control	Minor	09-12-2019	—	—
45KS1GSG-IN01	STANDARD REQUIREMENT: 8.1 Operational planning and control 8.1.1 General The organization shall plan, implement, control and maintain the processes needed to meet requirements of the OH&S management	Plant Tour	ISO 45001:2018	45K-8.1 Operational planning and control	Minor	09-12-2019	—	—

Non conformity number	Non conformity description	Process	Standard	Clause	Grade	Issued Date	Date of Completion	Verification of Corrective action
	system, and to implement the actions determined in Clause 6, by: a) establishing criteria for the processes; b) implementing control of the processes in accordance with the criteria; DESCRIPTION OF THE NON-CONFORMITY: The processs of ensuring the operational controls is not effetcive. OBJECTIVE EVIDENCE: Operational controls are not evdientced for the following: 1. Temperature control of 2 to 4 Deg C for storage conditions of Tetanus injections.							

5 EXECUTIVE AUDIT SUMMARY

5.1 AUDIT CONCLUSIONS

Auditing is based on a sampling process of the available information and the audit methods used were interviews, observations, sampling of activities and review of documentation and records.

A 7 manday 1st surveillance audit along with upgradation to ISO 45001:2018 was conducted by Mr. V. S. Satish Kumar as Team leader and Mr. G. Satya Gopal as Team member at Unit-IV in JNPC, Parawada site from 09 to 11 Dec 2019 including one manday for offsite reporting. The audit was conducted against the requirements of ISO14001:2015 & ISO 45001:2018 standards. The objective of the audit was to determine conformance to the EHS requirements.

Data provided in the application was confirmed in terms of scope and manpower strength etc and the same was found adequate & correct. PEC Codes: E13 and E 35 and SQC code: 08 H have been allotted, same are verified and found adequate.

Audit plan was communicated to the organisation in advance. The audit was started with an opening meeting attended by the Plant Head, Management Representative & all auditees where the audit scope, criteria, methodology, sampling principle & confidentiality clause were explained. The possible outcomes of the audit & the processes of raising nonconformity reports & gradation of nonconformance were also explained. The audit plan was confirmed & communicated at the end of the opening meeting.

Agreed follow-up actions:

During this first surveillance audit, One minor non-conformities is raised. The organisation has given assurance to close these non-conformities within one month time. The audit was closed with a closing meeting attended by the Director (Technical) who is also performing the role of Management Representative and all the process owners, The audit sampling principle, positive observations & opportunities for improvement were shared with the auditees. It was informed that all Bureau Veritas Certification auditors are bound by a confidentiality agreement with Bureau Veritas Certification and that any information that we may come across during the audit process will be strictly kept confidential and will not disclose to any third party without prior consent from the organization. The response of the Top management and the Auditee was positive and commitment for improvements by the management and the Auditee was assured, for closing all the raised non-conformities. Organization is accordingly recommended for certification to Integrated Management System (ISO 14001:2015 and ISO 45001:2018) subjected to satisfactory closure of the non-conformities within the stipulated period of time.

System capability:

Satisfactory level of compliance to the requirements of the standard is observed through practices and documentation throughout the Organization except for one non-conformity raised during this first surveillance audit. The Top management and all the employees are committed towards implementing the Integrated Management System in true spirit and move forward on a continual improvement note. The Organization is having adequate resources to meet the customer requirements.

5.2 SUMMARY OF AUDIT FINDINGS

	Major	Minor
N° of Non Conformities recorded	0	2

5.3 MANAGEMENT SYSTEM EFFECTIVENESS

Brief description of Granules India (Unit-IV) site:

M/s Auctus Pharma Limited is an unlisted pharmaceutical company established in year 2007. In year 2014, the company has amalgamated with Granules India Limited.

Mr. C. Krishna Prasad is the Chairman & Managing Director of M/s. Granules India Limited. Granules India Limited (Unit-IV) head office situated at Hyderabad.

Granules India Limited (Unit-IV) is fifteen kilometers away from Anakapally railway station, about 23 kilometers away from airport and two kilometers away from National Highway No. 16. The plot admeasures 24,308 sq. Mts.

Granules India Limited (Unit-IV) is a green field project, where the neighboring industries are non-polluting and are not in the manufacture of pesticides, antibiotics or steroids. In east phase is located M/s Vijayasri organics Limited (Plot No. 9), In West phase is located M/s Chemica drugs private limited (Plot No.7), In North phase is 18M wide road and South phase is located with Angels pharma (India) private limited (Plot No. 12).

The developer of the J. N. Pharma city, M/s. Ramky supplies treated potable water, which is basically river water.

The Andhra Pradesh Eastern Power Distribution Corporation Limited supplies the electricity and the supply line is of 11 KV. Tadi panchayat has laid down underground drainage line.

Our core values are Mutual Respect, Attitude, Teamwork, Responsibility, Innovation and Excellence. Our commitment is to create a profitable enterprise with outstanding respect to corporate governance and social responsibilities.

Clinet Location & Scope:

Plot no. 121(part) & 122, JN Pharma City (SEZ), Parawada (Mandal), Visakhapatnam, Andhra Pradesh, India

Description of Process:

1. Production Department:

The Production function at granules is managed by turning inputs into finished outputs through a series of production processes. The Production HOD is responsible for making sure that raw materials are provided and made into finished goods effectively. He must make sure that work is carried out smoothly, he must supervise procedures for making work more efficient, more enjoyable and maintain incident free environment with hygiene standards.

2. Quality Department:

The quality function at Granules is managed by highly qualified professionals with diverse experience in working with leading agencies across the globe (U.S., Canada, EU, Latam, BRIC and Asia Pacific countries, among others), continual improvement processes, problem solving and total quality management tools and techniques. Sampling, Inspection and testing of incoming raw materials are carried out by the QCA function. Besides the above, the other objectives of the QCA function to ensure that the incoming materials comply with the defined / required specifications. Whenever incoming material's specifications deviate from the acceptable criteria, the materials are rejected. Monitoring supplier's performance on quality issue. Establishes, coordinates, and monitors the laboratory quality assurance program; Works closely with Executive to plan, schedule, and implement QA related activities. Review of the design, specifications, drawings and specified standards to assure compliance to the applicable regulatory requirements. Deviations from specifications, if any, are promptly brought to the notice of the concerned personnel and corrective actions are initiated as appropriate. QCA function of GIL-Unit-IV is also responsible for ensuring that the finished products comply with the defined quality specifications as per commitment in the purchase orders. Assistance to the purchaser in cases where corrective action is needed due to non- conformity. Handling

Quality related customer's complaints. Complaints about marketed products are examined; the causes of quality defects investigated, and appropriate measures taken in respect of the defective products to prevent recurrence. Final authority for clearance of finished goods for dispatch is vested with the QCA function. Develops and presents training program for laboratory and field staff; develops training protocols, competency standards, and documentation requirements.

3.Engineering Department:

Utilities: Providing the service to the production, operation & maintenance of the equipment's as per process requirement and within the manufacturer recommendations. Utility department is responsible to design/select the utility equipment based on end user requirements. It is responsible to finalization the specification, drawings, installation & commissioning activities of utility equipment's as per the end user & manufacturer recommendation. Chilled brine, Chilled water, Cooling water, Nitrogen gas, Compressed air/Instrument air, Breathing air, RO water, Process water, raw water, Drinking water, Steam and Hot Oil are considered as utilities. Department main objective is pre designed and uninterrupted utilities supply to end user to meet their requirements / targets. Main activities include Installation & commissioning of all utility equipment's with the co-ordination of projects dept. Monitoring the equipment's performance through log record. To carry out the preventive maintenance for all the equipment's as per the schedule. Attend the breakdowns when ever comes. Planning of shutdown maintenance with co-ordination of end user department. Prepare the monthly reports & send to Director - Technical. Evaluation of utilities supplies performance through trend analysis / analysis reports. Co-ordinate to C&I dep't for instruments calibration. Plan & do the Annual maintenance contract and out sourced analysis where ever required. Maintaining of water levels up to ¾th level. Eliminate / Minimize the Hazardous waste. Minimize the Hazards through risk evaluation / through employees training. Improve the life of the equipment's and minimize the breakdown time. Investigate and rectify the re-occurrence / repeated problems. Minimize the impacts on environment by evaluation of aspects / through employees training. Spare parts & inventory maintenance. Identify & finalize the list of outsourced process.

Mechanical: Maintenance of process equipment / systems as per process requirement within the manufacturer recommendations. Plan equipment maintenance as per schedule and at regular intervals in order to improve the life of machinery and avoid breakdown of equipment. Plan spares for reducing breakdown time of equipment i.e..Available for production. Repair valves, pumps and other equipment to reduce the capital cost. Department main objective is to provide an uninterrupted service to end user department. Main activities include: Tests, replacements, adjustments and repairs of equipment are intended to retain / restore a functional unit in or to a specified state in which the unit can perform its required functions. Plan for achieving the targeted date, spares, and scheduled maintenance. Anticipation of future work. Build technical knowledge of maintenance personnel through internal / external trainings. Record the works done for the machine. Investigate and rectify the re-occurrence / repeated problems. Prepare monthly reports and send to Director - Technical. Improve the life of equipment and minimize the breakdown time. Complaints and requests are taken from production personnel on basis of difficulties experienced by them while operating the equipment. Examination for the state of various parts of the machine during their life span. Minimize the hazards through risk evaluation and through employees training. Minimize the impacts on environment by evaluation of aspects and through employees training. Spare parts and inventory maintenance.

Electrical: Electrical department is responsible to select the electrical equipment based on User requirements. It is responsible to finalization of the specifications, drawings, installation, commissioning & maintenance activities of electrical equipment as per the recommendations. E.g.: Transformers, Generators, PCC, MCC's, Switchgear, Motors and VFD's and etc., are considered as electrical equipments. Department main objective is pre-designed and un-interrupted power supply to user to meet their requirements / targets. Main activities include providing continuous supply to all departments without any disturbance to production. Ensuring that machines do not suffer breakdowns due to short circuits or other such problems. Planning installation and execution of backup power units in case of power failure. Providing troubleshooting solutions to different departments in case of electrical problems. Repairing breakdown machines quickly so that work is not hampered for long time. Ensuring that workers follow standard safety precautions while undertaking installation and maintenance works.

Controls & Instrumentation: Control and Instrumentation Department is responsible for designing, developing, installing, managing and/or maintaining Instruments & Equipments which is used to monitor and control engineering systems, machinery and processes. Thorough understanding of the operational processes of an organization and have a truly multidisciplinary role, working closely with colleagues across a number of functions, including operations,

purchasing and design. The main objective is to ensure that these systems and processes operate effectively, efficiently and safely. Main activities include: Designing & Developing of Safety and Process Interlocks as per PSRA. Implementing the DCS in our plant. Laying of Cables, Cable Trays, Panel/JB Wiring for New Projects. Installation, Commissioning, Configuration & Calibration of all Field Instruments. Troubleshooting and Problem-Solving of Control & Field Instruments. Maintenance of Field Instruments as per the Schedule. Understanding and ensuring compliance with the Health & Safety regulations and quality standards of the organization. Technical Coordination with DCS, PLC & Field Instrument Vendors. Maintenance of Field Instruments at Boiler, VAM, Utility chillers, RO, Air and N2 Plants & ETP. Maintenance of Edwards Dry Vacuum Pumps. Records of calibration and verification results are maintained in accordance with SOPs. Manage and Deliver Multiple Projects concurrently.

4. HR and Administration Department:

Main activities include: Manpower planning, Talent Acquisition, Talent Retention, Employee engagement practices, Employee Relations & Industrial Relations, Performance Management System, Training & Development Rewards & Recognition, Job Rotation & Career Enrichment, Salary & Wage administration, Leave Management System, Statutory Compliance, Employee Separation & Full and Final settlement. General Administration, Security, Employee Transportation, Employee Insurances, Support to Public Relations, Support to Liaison, Support to Corporate Social Responsibility, Canteen and other Welfare activities, Guest House Management, Occupational Health Centre, Statutory requirement and Housekeeping.

5. Ware House & Logistics

Ware house & Logistics department is responsible for procurement and receipt of all the materials against purchase orders issued in the name of Granules unit-IV. Main activities include: Documents verification against PO. HOD will instruct the executive to check the documents and Instructions will be given to security to take the Lorry/truck/Trailer/Tanker by updating Gate inward register and take prescribed safety measurement and allow the vehicle inside (Ware House) and unloading at respective unload areas. Verifying goods, place, label, color code (Normal stocks, Promotional stocks, Special customer stocks like CSD, Price changes, Batch etc). Generate Material Inspection Report and forward to QC for sampling, analysis, Approved/Rejected. Generate Goods Receipt note in SAP. Segregation of Goods basing on Chemical compatibility, materials will be stored in appropriate storage area. Finished Goods Material will be sorted in appropriate storage area for with easy accessibility. As per Production Block Raw & Packing Material requisition materials shifted to production with proper Issue Tag as per FIFO. Materials will be shifted to production blocks with the help of Fork Lift, Hydraulic trolley, and Tractor. As per the Production Block requirement Raw & Packing Material requisition and solvents transfer from dedicated bulk storage tank to production day tanks. Procurement of packing materials, raw materials and other spares is carried out from approved suppliers. outsourced processes such as Calibration of master standards, environmental performance monitoring, fire extinguishers testing, pressure vessels & Lifting tackles testing are controlled. Performance evaluation of these external services providers including suppliers and sub-contractors is carried out accordingly.

6. EHS Department

Environmental Department: Environment Department providing the service to the production and to receive, transfer, handling, treatment, storage and disposal of HTDS, LTDS Effluents, hazardous wastes in proper manner. Effluents segregation at the source of generation and sent to respective treatment systems. Hazardous waste collection, handling, storage, treatment and disposal to respective treatment systems (Incinerator / Co processing system) and Eliminate / Minimize the Hazardous waste Preparing CFO and CFE applications for submission in APPCB office and obtain CFO and CFE renewals. Coordinating with Production department for effluents receiving, Hazardous wastes handling and disposal. Coordinating with accounts & Finance departments for timely release of payment to the parties. Sampling, Inspection and testing of offsite waste disposal facilities are carried out by the Environmental department Review of the design, specifications, drawings and specified standards to assure compliance to the applicable regulatory requirements. Deviations from specifications, if any, are promptly brought to the notice of the concerned personnel and corrective actions are initiated as appropriate. Upholds safety, health, environmental procedures, communicates directly and supports the Safety department to ensure the compliance at all times. Lead and document the aspect /hazard evaluations of each phase of a large project (such as a new process). Assist in developing inspection, test, and preventive maintenance plans and equipment reliability programs. Participate on teams responsible for implementing new products and processes without environmental impacts. Handling Environmental related complaints and investigation and resolve To Conduct the Environmental audit in every year by

external authorized agencies Prepare the monthly reports & send to Director - Technical.

Safety: To guide, educate, train and motivate all levels of Management, Contractors and the workforce in the techniques of risk reduction, accident prevention, occupational hygiene and environmental control. To advise on all aspects of safety and to coordinate safety, health and environmental activities in their area of responsibility, in an on-going effort to reduce risk to an acceptable level in order to prevent injury and illness to employees, damage to property, and environmental harm. Mainly responsible for All plant activities are undertaken in a safe manner. The plant complies with the requirements of the Health and Safety at Work Act and other relevant legislation. Test, and document deviations of critical systems, Examples include: Lock - out, tag - out procedures, Work Permit, Permits (confined space, hot work ... etc.), Lifting gear, Fall protection, Contractor's control, Work environmental control measures. Provides expert advice on safety matters to the plant Identify hazards, which have potential to cause incidents and Incident investigation. Inspect the work place, including any article, substance, plant, machinery or health and safety equipment at that work places with a view to the health and safety of the employees. The training of Supervisors is high on the list of duties of Safety personnel and it is through the Supervisors that safety has to be spread. Conducting the safety committee meeting conducting mock drills, Ensure that all the employee wear PPE's while doing activities in the plant. Organizing the safety promotional activities, assist in motivating Employees to work safer. Coordinating to conducting the third party inspections and audits. Implementation of safety suggestion system.

SCOPE OF CERTIFICATION AS RECOMMENDED: Following scope of certification has been recommended after the documentation review and site visit:

"Manufacturing and Supply of Active Pharmaceutical Ingredients (API'S) and Bulk Drug Intermediates"

Validation of Scope:

The organization is provided with necessary infrastructure, other facilities and competent personnel to establish, document, implement, maintain and continually improve the performance of the Integrated management system.

Risks and Opportunities w.r.t Environmental Management systems, Environmental aspects/OH&S hazards are established. Applicable Environment /OH&S related legal and other requirements are complied with and suitable authorisations obtained which are found within validity. The compliances to consent conditions and evaluation records of compliances to legal and other requirements Verified and given below.

CFO: 170/APP/CB/CFE/RO-VSP/HO/2014, Date: 22/12/2017. Valid till 31/01/2022.

Product ranges.

Citirizine DI HCL, CITIRIZINE HCL, CLOPIDOGREL BISULPHATE, FLUCONAZOLE, LEVOCETRIZINE HCL, LOSTRAN POTASSIUM, OLMESARTAN MEDOXOMIL, PANTOPROZOLE SODIUM SESQUIHYDRATE, ABACAVIR SULPHATE, FEXOFENADINE HCL, AZATHIOPRINE, BOSENTAN MONOHYDRATE, BRINZOLMIDE,, GLICLAZIDE, MYCOPHENOLATE MOFETIL, PIRFENIDONE, TENELIGLIPTIN HYDROBROMIDE HYDERATE, TENOFOVIR DISOPROXIL SUCCINATE AND PENICILLAMINE, IN Ph.Eur/USP/IP/BP AND IH.

Industry Permitted to Manufacture 7 Product at any point of time.

Production Capacity: 12450 Kg/day as per the Drug License.

Durgs Control Administration of Govt. of AP.

Form-25: License to Manufacture for sale (or distribution) of Drugs:

Licnese No: 26/VP/AP/2007/B/CC, Date: 12/07/2007, Valid from 11-11-2014 to 10-11-2019.

Form-28: 19/VP/AP/2013/B/CC, Date: 09/07/2013, Valid till 11-11-2014 to 10-11-2019.

The application for the renewal is under process, Verified the license validity certificate issued by the Govt. Of AP D & C Administration, ref. File no: L302/DD/DCA/VSP/2019, Date: 06-11-2019.

Verified the GMP Certificate:L.Dis. No: 1080/DIR/DCA/VSP/2017, date: 10-01-2018 valid for 2 years.

3.Factory License: 42491, Regd. No: 54747, date: 04/06/2014, Renewal done on 01-01-2019 valid till 31/12/2019.

4.Public Liability Insurance No: date of Insurance: 22/10/2019 valid till 21/10/2020.

5.Fire NOC verified, No:1307/DFO/NOC/VSP/2013, Date: 31/03/2019 valid till 30/03/2020.

Form-IV submitted on 29/06/2019

Form-V submitted on 27/09/2019.

E-waste-Form-III submitted on 25/06/2019.

Bi-Medical Waste -Form-IV submitted on 28/06/2019.

Form-III maintained the same verified.

Quantities as per the date 29/11/2018.as per Form-8

Organic Residue: 11,339, Inorganic residue: 276 and spent carbon: 11,084

Achievement of Policy Commitment:

IMS Policy describes about commitment to provide health and safe workplace, prevent ill health and injuries, protection of environment, waste minimization through energy efficient operations, conservation of natural resources, manufacture and delivery quality products, comply to all compliance obligations, improve practices, processes and products throughout the product life cycle and establish HSEQ objectives for improvement, Enhance HSEQ awareness among employees and contractors, measure HSE performance of employees and as well as organization growth, deploy resources and capital to meet commitments, communicate policy to relevant interested parties. IMS Policy is reviewed during management review to ensure continuing suitability. IMS Policy is displayed at main entrance for communication with interested parties and by training to employees and contract workers.

Description of System Conformance:

The integrated management system of the organization conforms to the requirements of the standards ISO 14001:2015 and BS OHSAS 18001:2007. Integrated policy, documentation, scope, roles, responsibilities, authorities and accountabilities, objectives, targets and management programmes, mechanism for identification and access to revisions in legal and other requirements are documented and found adequate. The level of conformance of the Occupational Health and Safety Management System was good and meeting the norms defined by the organization. Necessary resources required for effective implementation of the OH&S are provided by the organization. Hazard identification and risk assessment for the activities identified with the participation of EHS Manager, respective process owners and shift in-charges. Ongoing determination of necessary controls to mitigate the significant risk with respect to EMS and OHSAS, compliance to applicable legal and other requirements, conducting mock drills to demonstrate the emergency response preparedness and awareness among the employees are also evidenced with high level of system conformance. The level of conformance of the Environmental Management System was good and meeting the norms defined by the organization. Necessary resources required for effective implementation of the environmental management system are provided by the organization. The organisation has planted the trees in the factory premises. However few deviations noticed with respect to operational controls, identification of environmental aspects and impact assessment and Hazard identification and Risk assessment have resulted into minor non-conformities.

System strengths:

The strength of the organisation can be seen in terms of the comprehensive documentation covering all the Environmental, Occupational Health & Safety management system processes, positive approach & transparency in the working. The Integrated Management System policy, objectives and all the processes have been deployed well

throughout the organisation. The Top Management, Management Representative and Staff commitment to the effective implementation of the Environmental, Occupational Health & Safety management system was quite visible.

Following positives and strengths of the organisation are evidenced.

1. House keeping and Green Belt coverage
2. Effective corrective action post incident investigation
3. Provision of Proximity sensors a learning from customers experience
4. All process equipment and lines are found above-ground, following international standards.
5. Two systems for fire suppressions – sprinkler and foam.
6. Reduction in manual intervention for sampling.

Verification of previous nonconformities in Bureau Veritas Certification audit:

There were two minor Non-conformities were raised during the previous stage II certification audit and same have been closed by taking necessary corrective action.

14KSMVSS-IN01: Revised audit schedule, internal audit record of production block by quality control personnel dated 01 Dec 2018 and audit report EHSR-11 dated 01 Dec 2018 and training record on internal audit have been verified and found adequate.

18NSMSGG-IN01: Revised HIRA - EHSR-02 (A), Rev:02 dated 01 Dec 2018 and awareness record have been verified and found adequate.

Improvement observed / Useful comparison with the previous audit findings:

Organization has taken appropriate corrective actions against two minor Non-conformities were raised during the previous stage II certification audit

Evaluation of compliance to legal/other requirements :

The organization has furnished all the legal requirements like Consent for operation, Establishment and its relevant records including factory license which are found to be valid. Identification of Legal and other requirements is done through the sources such as websites, authorities and by consultants and compliance is evaluated once in 6 months.

External Communication:

No adverse communication reported within the system. No complaints received from interested parties against the requirements of Environmental, Occupational Health & Safety management system. Organization has established a system to handle and resolve the customer complaints as and when received.

Mechanism of consultation and participation:

The procedure for hazard identification and risk assessment is established with the involvement of the employees, contract workmen and supervisors including incident investigation. Employees and sub contract workmen and supervisors were made to participate in the safety meetings and their suggestions are being captured. The effectiveness of the established procedure for consultation and participation of employees at lower level is seen through interaction with the Employees during the audit of Cogen - Mechanical, Electrical & Instrumentation process:

Effectiveness of system in night shift working (Second and third shift)

Effectiveness of system implementation in second shift was found to meet the requirements. Verified through internal audit, periodic checkings, log book records, ambient air and stack monitoring, effluent treatment, plant records, noise monitoring, competent persons in control of safe operating procedures. To Cover the second shift operations, Production Block-1 (API & Intermediate) was audited from 1830 hrs to 2200 on 09 Dec 2019

Uncertainty / obstacles that could affect the reliability of audit conclusions:

During the audit the Auditees were conversant with their Integrated Management System of EMS / OHSAS and could explain the IMS Policy and its deployment in the organization.

Unresolved diverging opinions between the audit team & Auditee:

There were no unresolved diverging opinions between the audit team & Auditee.

Use of logo:

The Guidelines regarding use of Bureau Veritas Certification logo was explained to the top management, management representative and all the process owners during the closing meeting. Use of the certification logo in marketing literature were checked. Website, visiting cards, marketing brochures was verified to confirm usage of logo as per guidelines and found adequate.

Agreed follow-up actions:

During this first surveillance audit, One minor non-conformities is raised. The organisation has given assurance to close these non-conformities within one month time. The audit was closed with a closing meeting attended by the Director (Technical) who is also performing the role of Management Representative and all the process owners, The audit sampling principle, positive observations & opportunities for improvement were shared with the auditees. It was informed that all Bureau Veritas Certification auditors are bound by a confidentiality agreement with Bureau Veritas Certification and that any information that we may come across during the audit process will be strictly kept confidential and will not disclose to any third party without prior consent from the organization. The response of the Top management and the Auditee was positive and commitment for improvements by the management and the Auditee was assured, for closing all the raised non-conformities. Organization is accordingly recommended for certification to Integrated Management System (ISO 14001:2015 and ISO 45001:2018) subjected to satisfactory closure of the non-conformities within the stipulated period of time.

System capability:

Satisfactory level of compliance to the requirements of the standard is observed through practices and documentation throughout the Organization except for one non-conformity raised during this first surveillance audit. The Top management and all the employees are committed towards implementing the Integrated Management System in true spirit and move forward on a continual improvement note. The Organization is having adequate resources to meet the customer requirements.

6 TEAM LEADER RECOMMENDATIONS

Standard	Accreditation	Certificate Copies	Language
ISO 45001:2018	UKAS	1	English
ISO 14001:2015	UKAS	1	English

Standard	ISO 45001:2018-ISO 14001:2015		
Recommendation	Grant Certification after a satisfactory corrective action plan is completed.		
Reason for issue or change of the certificate	Upgrade of version of standard		
Is a follow up audit required		No	
Follow up audit start date			
Duration (days)			

7 SURVEILLANCE PLAN

Site Name	Process	Clause	Surveillance								
			1	2	3	4	5	6	7	8	9
Granules Inida-Unit-IV	Plant Tour		X	X							
Granules Inida-Unit-IV	Leadership & Document Review		X	X							
Granules Inida-Unit-IV	Production Block-1 (API & Intermediate)		X								
Granules Inida-Unit-IV	Production Block- 2 (API & Intermediate)			X							
Granules Inida-Unit-IV	Production Block-3 (API & Intermediate)			X							
Granules Inida-Unit-IV	Production Block-4 (API & Intermediate)		X								
Granules Inida-Unit-IV	Engineering (Mechanical)		X								
Granules Inida-Unit-IV	Engineering (Electrical)			X							
Granules Inida-Unit-IV	Engineering (Instrumentation)		X								
Granules Inida-Unit-IV	Quality Control		X								
Granules Inida-Unit-IV	EHS (ETP, Environment & Safety)		X	X							
Granules Inida-Unit-IV	Canteen & OHC			X							
Granules Inida-Unit-IV	Bulk Storage tanks		X								
Granules Inida-Unit-IV	Stores & Dispatch			X							
Granules Inida-Unit-IV	HR & Training		X								
Granules Inida-Unit-IV	Security & Transportation			X							
Granules Inida-Unit-IV	Legal & Other Requirements		X	X							
Granules Inida-Unit-IV	Top Management		X	X							
Man Days			7	6.5							

Surv. plan prepared / modified by	V S SATISHKUMAR	Date	12-12-2019
Comment			

8 AUDIT PROGRAMME ISO 45001:2018-ISO 14001:2015

Sites	Audits				
	Special	Initial	Main	Surv1	Surv2
Granules Inida- Unit-IV - Head Office	1	3	11	7	6.5
Man Days	1	3	11	7	6.5

Tentative number of days for recertification	11
--	----

Date	12-12-2019	Prepared / revised by	V S SATISHKUMAR
Comment			

9 NEXT VISIT AUDIT PLAN

Date - Time Activity	Site Name	Process	Auditor	Comment
-				

Audit plan preparation date	15-12-2020
Comment	

10 Certificate information

10.1 ISO 45001:2018 - UKAS - English

Certificate information

Site Name	GRANULES INDIA LTD - AP
Address	Plot No. 8, Jawaharlal Nehru Phamacity, Thadi Village,Paravada Mandal
City	Visakhapatnam
Postal Code	531019
County/State	AP
Country	India
Scope	
Number of certificates	1

Certificate annex information

Site name	Site address and scope
	Manufactureing of API (active pharmaceutical ingredients) & bulk drug Intermediates.

10.2 ISO 14001:2015 - UKAS - English

Certificate information

Site Name	GRANULES INDIA LTD - AP
Address	Plot No. 8, Jawaharlal Nehru Phamacity, Thadi Village,Paravada Mandal
City	Visakhapatnam
Postal Code	531019
County/State	AP
Country	India
Scope	" MANUFACTURING AND SUPPLY OF ACTIVE PHARMACEUTICAL INGREDIENTS(API) AND BULK DRUG INTERMEDIATES."
Number of certificates	1