Slide-ready shot list

36 shots, each in four files: dark at 1920×1080 and light at 1366×768, as a clean image and as an annotated version with numbered callouts. All images are in `web/app/docs/shots/`. Two hero images and a replay clip are in `web/app/docs/shots/hero/`.

WHICH SHOTS SUIT WHICH SLIDE

problem	The problem: well history is buried in legacy reports. `overview_hero, archive_timeline`
architecture	The architecture: code finds facts, AI phrases, a verifier checks. `overview_principles, trace_t2017_router, trace_t2017_verifier, replay_t2016_1_route, replay_t2016_2_context, mission_2d_t2017, mission_3d_t2017, archive_timeline, style_sheet`
demo	The live demo, or a backup for it. `answer_t2016, evidence_highlight_t2016, trace_t2017_router, replay_t2016_1_route, replay_t2016_2_context, replay_t2016_3_verify, replay_t2016_4_resolve, mission_2d_t2017, abstain_sweep_t2031, mission_3d_t2017, mission_3d_focus_t2017, ask_start, ask_answered, ask_abstain, ask_clarification, ask_rate_limited, ask_waking, ask_timeout, presenter_intro, presenter_story_a, presenter_story_c_3d`
trust	Trust: evidence, verification, honest abstention. `overview_principles, answer_t2016, evidence_highlight_t2016, evidence_xml_only, trace_t2017_verifier, trace_t2017_escalation, replay_t2016_3_verify, replay_t2016_4_resolve, abstain_sweep_t2031, generalisation, ask_abstain, ask_clarification, ask_unknown_well, ask_live_off, ask_budget, ask_not_evaluated`
results	Results: scores, coverage and counts. `overview_hero, questions_board, generalisation, cost_view`
value	Value for Heirs. `impact_calculator`
cost	Cost: a small model does most of the work. `cost_view, ask_budget`

FILE NAMES

`<id>_dark_1920.png` and `<id>_dark_1920_annotated.png`
`<id>_light_1366.png` and `<id>_light_1366_annotated.png`
In the shot list this is written `<id>_{dark_1920,light_1366}{,_annotated}.png`.


USING THEM ON SLIDES

- Use the **clean** image on a slide and say the callouts aloud, or use the **annotated** one when the audience will read it alone.
- Dark images suit a projector. Light images suit print and documents.
- Show an image at no less than half a laptop screen width so the 14 px interface text stays readable.
- Shots marked **composed** use a real record or payload in a mocked response. Say "composed" if asked.

HOW TO TAKE NEW SCREENSHOTS

```
# API on :8000, app on :5173 (see UI Guide, Running it)
node docs/capture.mjs
node docs/capture.mjs --only cost_view,ask_start
node docs/capture.mjs --variants dark
node docs/capture-hero.mjs final
node docs/build-docs.mjs
```


Run from `web/app`. The first command rewrites every image and `docs/facts.json`, so the guides always show current figures.



Overview hero

`overview_hero` · Overview · Top of the page with live counters loaded


Caption	Ask the archive. Get the evidence, or an honest "not here".
Slides	problem · results
Files	`overview_hero_{dark_1920,light_1366}{,_annotated}.png`
Steps	1. Open the site. The Overview is the landing view. 2. Wait one second for the counters to finish counting up.



Four rules and the pipeline strip

`overview_principles` · Overview · Scrolled to "Four rules the system never breaks"


Caption	Code finds the facts. AI only phrases. A verifier checks every claim. Abstaining is a valid answer.
Slides	architecture · trust
Files	`overview_principles_{dark_1920,light_1366}{,_annotated}.png`
Steps	1. Open the Overview. 2. Scroll down to "Four rules the system never breaks".



Results board

`questions_board` · Questions · All 72 questions, no filter


Caption	Every one of the 72 questions, with its status, confidence and flags.
Slides	results
Files	`questions_board_{dark_1920,light_1366}{,_annotated}.png`
Steps	1. Click Questions in the rail. 2. Leave all filters off.



Answer view: answer and confidence

`answer_t2016` · Answer view · `T2-016`, top of the page


Caption	The answer, how sure the system is, and the rule behind that number.
Slides	trust · demo
Files	`answer_t2016_{dark_1920,light_1366}{,_annotated}.png`
Steps	1. Open #/question/T2-016 (or click the row in the results board).



Evidence lens with the highlighted PDF page

`evidence_highlight_t2016` · Answer view · `T2-016`, scrolled to the highlighted row in the evidence lens


Caption	The exact line in the original report that supports the answer.
Slides	trust · demo
Files	`evidence_highlight_t2016_{dark_1920,light_1366}{,_annotated}.png`
Steps	1. Open #/question/T2-016. 2. Scroll to "Evidence lens", then down the page to the red box. 3. Use the plus and minus buttons above the page to zoom.



XML-only evidence state (composed) composed

`evidence_xml_only` · Answer view · A cited record that the PDF does not print. Composed: real record, mocked response


Caption	When the PDF does not print a value, the evidence points to the XML node and says why. No invented page.
Slides	trust
Files	`evidence_xml_only_{dark_1920,light_1366}{,_annotated}.png`
Steps	1. No catalogue question cites an XML-only record, so this state is composed. 2. The record is real: 19A-19800101-STATUS-TIGHTWELL, where the PDF prints a value that conflicts with the XML. 3. Reproduce with: node docs/capture.mjs --only evidence_xml_only



Trace: router and context for T2-017

`trace_t2017_router` · Answer view · T2-017, trace timeline, router and context steps


Caption	Code, not a model, picked four reports out of 32 and said why.
Slides	architecture · demo
Files	`trace_t2017_router_{dark_1920,light_1366}{,_annotated}.png`
Steps	1. Open #/question/T2-017. 2. Scroll to "How it got there".



Trace: model calls and verifier for T2-017

`trace_t2017_verifier` · Answer view · T2-017, trace timeline, model calls and the first verifier run


Caption	The verifier caught a number the records did not support.
Slides	trust · architecture
Files	`trace_t2017_verifier_{dark_1920,light_1366}{,_annotated}.png`
Steps	1. Open #/question/T2-017. 2. Scroll to the "Model calls" step.



Trace: escalation for T2-017

`trace_t2017_escalation` · Answer view · T2-017, trace timeline, escalation and totals


Caption	Escalation is visible and explained, not hidden.
Slides	trust
Files	`trace_t2017_escalation_{dark_1920,light_1366}{,_annotated}.png`
Steps	1. Open #/question/T2-017. 2. Scroll to the "Escalation" step.



Replay T2-016, stage 1: pick the reports

`replay_t2016_1_route` · Mission control (2D) · T2-016, stage "Pick the reports"


Caption	One report opened out of 32. The other wells fade.
Slides	demo · architecture
Files	`replay_t2016_1_route_{dark_1920,light_1366}{,_annotated}.png`
Steps	1. Open #/mission/T2-016. 2. Press Space to pause, then press the left arrow until the first stage, then the right arrow twice. Or click the pill "Pick the reports".



Replay T2-016, stage 2: gather the evidence

`replay_t2016_2_context` · Mission control (2D) · T2-016, stage "Gather the evidence"


Caption	Only the records of the opened report go to the model.
Slides	demo · architecture
Files	`replay_t2016_2_context_{dark_1920,light_1366}{,_annotated}.png`
Steps	1. Open #/mission/T2-016. 2. Click the pill "Gather the evidence".



Replay T2-016, stage 3: verify every claim

`replay_t2016_3_verify` · Mission control (2D) · T2-016, stage "Verify every claim"


Caption	Every claim is checked against the cited record before it is shown.
Slides	trust · demo
Files	`replay_t2016_3_verify_{dark_1920,light_1366}{,_annotated}.png`
Steps	1. Open #/mission/T2-016. 2. Click the pill "Verify every claim". The checks tick in one by one.



Replay T2-016, stage 4: resolve

`replay_t2016_4_resolve` · Mission control (2D) · `T2-016`, last stage


Caption	1.03 g/cm3, confidence 0.95, with the record that proves it.
Slides	demo · trust
Files	`replay_t2016_4_resolve_{dark_1920,light_1366}{,_annotated}.png`
Steps	1. Open #/mission/T2-016. 2. Click the pill "Resolve" (the last one).



Mission control 2D, multi-report with escalation

`mission_2d_t2017` · Mission control (2D) · `T2-017`, stage "Verify every claim 1"


Caption	Four reports across four wells, read in order. The verifier raised a flag.
Slides	demo · architecture
Files	`mission_2d_t2017_{dark_1920,light_1366}{,_annotated}.png`
Steps	1. Open #/mission/T2-017. 2. Click the pill "Verify every claim 1".



Abstention: the sweep finds nothing (T2-031)

`abstain_sweep_t2031` · Mission control (2D) · `T2-031`, stage "Gather the evidence", sweep running


Caption	The archive has no cost field. The system says so and names what it searched.
Slides	demo · trust
Files	`abstain_sweep_t2031_{dark_1920,light_1366}{,_annotated}.png`
Steps	1. Open #/mission/T2-031. 2. Click the pill "Gather the evidence". The sweep runs for about a second.



Mission control 3D, T2-017

`mission_3d_t2017` · Mission control (3D) · T2-017 in 3D, stage "Draft the answer 1"


Caption	The real wells in their surveyed paths. The search moves through the archive.
Slides	demo · architecture
Files	`mission_3d_t2017_{dark_1920,light_1366}{,_annotated}.png`
Steps	1. Open #/mission/T2-017. 2. Click 3D at the top right. 3. Click the pill "Draft the answer 1" (or step with the arrow keys).



Mission control 3D, Focus mode

`mission_3d_focus_t2017` · Mission control (3D) · T2-017 in 3D, Focus on, last stage


Caption	Focus mode: the whole width for the scene, a compact card for the answer.
Slides	demo
Files	`mission_3d_focus_t2017_{dark_1920,light_1366}{,_annotated}.png`
Steps	1. Open #/mission/T2-017. 2. Click 3D, then press F (Focus is on by default below 1600 px wide). 3. Step to the last stage with the right arrow.



Generalisation panel

`generalisation` · Generalisation · Summary cards and the caveat

Caption	Forty questions it had not seen, baseline against current. Tuned on these; independent test in progress.
Slides	results · trust
Files	`generalisation_{dark_1920,light_1366}{,_annotated}.png`
Steps	1. Click Generalisation in the rail.



Impact calculator

`impact_calculator` · Impact for Heirs · Scrolled to "What time saved could be worth"


Caption	Illustrative, not measured: change three inputs, see the arithmetic.
Slides	value
Files	`impact_calculator_{dark_1920,light_1366}{,_annotated}.png`
Steps	1. Click Impact for Heirs in the rail. 2. Scroll to the calculator at the bottom.



Archive timeline

`archive_timeline` · Archive · One report selected


Caption	Thirty-two daily reports across eight wellbores. Dot size is the number of records.
Slides	problem, architecture
Files	`archive_timeline_{dark_1920,light_1366}{,_annotated}.png`
Steps	1. Click Archive in the rail. 2. Click any dot to select a report.



Cost view

`cost_view` · Cost · Whole page


Caption	A small model makes most calls and a fraction of the cost.
Slides	cost, results
Files	`cost_view_{dark_1920,light_1366}{,_annotated}.png`
Steps	1. Click Cost in the rail.



Ask page, ready

`ask_start` · Ask · Empty question box with suggestions


Caption	Type a question, or start from a suggestion.
Slides	demo
Files	`ask_start_{dark_1920,light_1366}{,_annotated}.png`
Steps	1. Click Ask in the rail.



Ask: answered

`ask_answered` · Ask · A catalogue question, replayed from stored calls


Caption	Same answer, same evidence, in the Ask box.
Slides	demo
Files	`ask_answered_{dark_1920,light_1366}{,_annotated}.png`
Steps	1. Open the Ask page. 2. Type or paste the `T2-016` question (or click the suggestion "Answered"). 3. Press Command or Control plus Enter.



Ask: abstain

`ask_abstain` · Ask · A question the archive cannot answer


Caption	An honest "not in the archive", with what was searched.
Slides	trust demo
Files	`ask_abstain_{dark_1920,light_1366}{,_annotated}.png`
Steps	1. Open the Ask page. 2. Paste the `T2-031` question (or click the suggestion "Abstains"). 3. Press Command or Control plus Enter.



Ask: needs clarification

`ask_clarification` · Ask · A vague question. No model call


Caption	A vague question gets three real, answered examples to click.
Slides	demo · trust
Files	`ask_clarification_{dark_1920,light_1366}{,_annotated}.png`
Steps	1. Open the Ask page. 2. Type: What happened? 3. Press Command or Control plus Enter.



Ask: well not in the archive

`ask_unknown_well` · Ask · Early abstain. No model call


Caption	A well that is not in the archive is refused before any model is called.
Slides	trust
Files	`ask_unknown_well_{dark_1920,light_1366}{,_annotated}.png`
Steps	1. Open the Ask page. 2. Type: What was the kick-off depth on well 15/9-F-99 on 2014-01-01? 3. Press Command or Control plus Enter.



Ask: rate limited (429)

`ask_rate_limited` · Ask · Too many questions in a minute

Caption	Rate limits protect the demo. The button comes back when the timer ends.
Slides	demo
Files	`ask_rate_limited_{dark_1920,light_1366}{,_annotated}.png`
Steps	1. Open the Ask page. 2. Send more than six questions within a minute. In the capture script this is a real 429 in the dark variant and a mocked 429 in the light variant.




Ask: server waking

mocked response

`ask_waking` · Any view · The free-tier server is asleep. Mocked: health requests fail

Caption	A designed waiting state, not a blank page.
Slides	demo
Files	`ask_waking_{dark_1920,light_1366}{,_annotated}.png`
Steps	1. Open the site while the hosted API is asleep. It can take up to a minute. 2. To reproduce: node docs/capture.mjs --only ask_waking




Ask: live mode off

mocked response

`ask_live_off` · Ask · Cached answers only. Mocked: /health reports live_mode false

Caption	With live mode off, new questions are reported NOT EVALUATED, never guessed.
Slides	trust
Files	`ask_live_off_{dark_1920,light_1366}{,_annotated}.png`
Steps	1. This is what the page shows when the server has no model key or no budget left. 2. To reproduce: node docs/capture.mjs --only ask_live_off




Ask: budget reached

mocked response

`ask_budget` · Ask · The live spending cap is used up. Mocked: server error event

Caption	When the money runs out, stored answers still replay in full.
Slides	cost trust
Files	`ask_budget_{dark_1920,light_1366}{,_annotated}.png`
Steps	1. This appears when the server has spent its cap and the question has no stored answer. 2. To reproduce: node docs/capture.mjs --only ask_budget




Ask: timed out

mocked response

`ask_timeout` · Ask · The question took too long. Mocked: HTTP 504

Caption	A timed-out question can be narrowed and asked again.
Slides	demo
Files	`ask_timeout_{dark_1920,light_1366}{,_annotated}.png`
Steps	1. Appears if the server cuts a question off at its time limit. 2. To reproduce: node docs/capture.mjs --only ask_timeout




Ask: NOT EVALUATED

composed

`ask_not_evaluated` · Ask · No key and no stored answer. Composed: real payload, status changed


Caption	No answer, no citation, confidence 0. Never a guess.
Slides	trust
Files	`ask_not_evaluated_{dark_1920,light_1366}{,_annotated}.png`
Steps	1. This is what a new question returns when the server cannot call a model. 2. To reproduce: node docs/capture.mjs --only ask_not_evaluated



Presenter mode, intro

`presenter_intro` · Presenter mode · Step 1 of 5


Caption	Extra-large type, no rail, keyboard driven.
Slides	demo
Files	`presenter_intro_{dark_1920,light_1366}{,_annotated}.png`
Steps	1. Click Presenter mode in the rail (or open #/present).



Presenter mode, story (a) the date-window trap

`presenter_story_a` · Presenter mode · Step 2 of 5, replay at the verify stage


Caption	A scripted story with its replay and a one-paragraph note.
Slides	demo
Files	`presenter_story_a_{dark_1920,light_1366}{,_annotated}.png`
Steps	1. Open #/present?step=1 (or press 2 in presenter mode).



Presenter mode, story (c) in 3D

`presenter_story_c_3d` · Presenter mode · Step 4 of 5, 3D option on

Caption	The multi-report story in 3D, with escalation.
Slides	demo
Files	`presenter_story_c_3d_{dark_1920,light_1366}{,_annotated}.png`
Steps	1. Open #/present?step=3 (or press 4). 2. Click 3D at the right. 2D stays the safe default.




Style sheet

`style_sheet` · Design system · Palette, type scale and components

Caption	Tokens first: palette, type scale, status colours with icons and labels.
Slides	architecture
Files	`style_sheet_{dark_1920,light_1366}{,_annotated}.png`
Steps	1. Open #/styleguide.


Two hero frames and a replay clip



Hero A, trust in one frame

Every answer carries its confidence, the real report page, the cited record and the checks it passed.

`hero_a_trust_dark_4k.png`, `hero_a_trust_dark_1080p.png`, `hero_a_trust_light_4k.png`, `hero_a_trust_light_1080p.png`



Hero B, the search

Four reports opened out of 32, the rest left closed, and every claim checked before it is shown.

`hero_b_search_dark_4k.png`, `hero_b_search_dark_1080p.png`, `hero_b_search_light_4k.png`, `hero_b_search_light_1080p.png`

Clip. `hero_replay_t2016.mp4` and its poster `hero_replay_t2016_poster.png`: the T2-016 replay in Mission control at 1x, 1080p, no cursor. Captions are in `docs/shots/hero/CAPTIONS.md`. Regenerate with `node docs/capture-hero.mjs all`.