

MOTOR MOWERS



TEMPO

MAIN FEATURES

STARTING: Recoil starter

TRANSMISSION: belt & gears in oil bath

GEARBOX: 4 speed: 2 forward/2 reverse

WHEEL DISENGAGEMENT: controlled by lever

PTO: w. blocking/release lever
WHEELS: semi-differential hubs

FAST ATTACHMENT: for all tools

HANDLEBARS: cushioned and settable

WHEELS DIM.: 13.500-6"


	ENGINE	
HONDA GX 160	Petrol 4,8 HP / 3,6 kW	
		700
	17 17 10 10 17	











MAIN FEATURES

STARTING: Recoil starter
TRANSMISSION: gears in oil bath

GEARBOX: 2 speed, 1 forward / 1 reverse

CLUTCH: cone, oil immersed
PTO: w/ control lever
FAST ATTACHMENT: for all the tools

HANDLEBARS: cushioned and settable SAFETY DEVICE: combined on clutch









fast attachment



MAIN FEATURES

STARTING: Recoil starter
TRANSMISSION: gears in oil bath

GEARBOX: 4 speed 2 forward/2 reverse

CLUTCH: multi-plate

PTO: independent, 1 speed

HANDLEBARS: cushioned and settable in height

SAFETY DEVICE: combined on clutch

FAST ATTACHMENT: serial WHEELS: 16x6.50-8



MAIN FEATURES

STARTING: Recoil starter
TRANSMISSION: gears in oil bath

GEARBOX: speed reverser 3 forward/3 reverse

CLUTCH: multi-plate

PTO: independent, 1 speed

WORKING SPEED (km/h): I° (1,8) - II° (2,8) - III° (3,9) - rm (1,4 ÷ 2,2 ÷ 3,0)

HANDLEBARS: cushioned and settable in height

SAFETY DEVICE: combined on clutch

FAST ATTACHMENT: serial WHEELS: 4.0-10





C80 Alpina

MAIN FEATURES

STARTING: Recoil starter **TRANSMISSION:** gears in oil bath

GEARBOX: w/ reverser 6 speed (3fwd/3rvr)

CLUTCH: multi-plate

BLOCKING: independent on every wheel RELEASE: independent on every wheel

PTO: independent, 1 speed

WORKING SPEED (km/h): $I^{\circ}(1,8) - II^{\circ}(2,8) - III^{\circ}(3,9) - rm(1,4 \div 2,2 \div 3,0)$

HANDLEBARS: cushioned and settable in height

SAFETY DEVICE: combined on clutch

FAST ATTACHMENT: serial WHEELS: 17.800x8

