

BARBIERI GROUP

MADE IN ITALY



MOTOCULTIVATORS



MAIN FEATURES

STARTING:	Recoil starter
TRANSMISSION:	gears in oil bath
GEARBOX:	2 speeds
CLUTCH:	cone, oil immersed
HANDLEBARS:	can be set up and rotated up to 180°
SAFETY DEVICE:	combined on clutch
FAST ATTACHMENT:	serial
BONNET:	serial
WHEELS:	3.50-6
WORKING WIDTH:	50 cm.

ENGINE		
HONDA GX 160	Petrol	4,8 HP / 3,6 kW
GB 210 V	Petrol	5,4 HP / 4,0 kW




cm 92 x 62 x 69
cm 92 x 62 x 81 with pallets



59 Petrol





A big machine for everyday use!

This is the property of Motorcultivator (BARBIERI Motorcultivator RED), designed for the hobbyist operator in his domestic garden. Functionality and ease of use is the winning combination of the RED. Handlebars can be regulated and reversed allowing the use of frontal and back tools. Lightweight and handy, RED allows to operate with the maximum comfort also in tight spaces.



fast attachment








FLEX 2+2

MAIN FEATURES

STARTING:	Recoil starter / Electric starter
TRANSMISSION:	gears in oil bath
GEARBOX:	4 speeds: 2 forward/2 reverse
CLUTCH:	multi-plate
PTO:	1 speed independent
HANDLEBARS:	settable & rotatable up to 180°
SAFETY DEVICE:	combined on clutch
FAST ATTACHMENT:	serial
BONNET:	serial
WHEELS:	4.00-10
WORKING WIDTH:	60 cm.


ENGINE			
HONDA GX 200	Petrol	5,5 HP / 4,1 kW	
HONDA GX 270	Petrol	8,4 HP / 6,3 kW	
GB 210 V	Petrol	5,4 HP / 4,0 kW	
KD 70 FG6	Stage V Diesel	6,0 HP / 4,4 kW	
KOHLER KD 350	Stage V Diesel	7,1 HP / 5,3 kW	



MAIN FEATURES


STARTING:	Recoil starter / Electric starter
TRANSMISSION:	gears in oil bath
GEARBOX:	5 speed: 3 forward/2 reverse
CLUTCH:	multi-plate
RELEASE:	independent on every wheel
STEERING BRAKES:	w/ control on leverage
PTO:	1 speed independent
HANDLEBARS:	settable and rotatable up to 180°
SAFETY DEVICE:	combined on clutch
FAST ATTACHMENT:	serial
BONNET:	serial
WHEELS:	4.0-10
WORKING WIDTH:	60 cm.

ENGINE			
HONDA GX 270		Petrol	8,4 HP / 6,3 kW
KD 70 FG6	Stage V	Diesel	6,0 HP / 4,4 kW
KOHLER KD 350	Stage V	Diesel	7,1 HP / 5,3 kW




MAIN FEATURES

STARTING:	Recoil starter / Electric starter
TRANSMISSION:	gears in oil bath
GEARBOX:	6 speed: 3 forward/3 reverse
CLUTCH:	multi-plate
DIFFERENTIAL:	block and release lever
BRAKES:	mechanical & independent on the 'OPCIONAL' wheels
PTO:	independent
HANDLEBARS:	settable and rotatable up to 180°
SAFETY DEVICE:	combined on clutch
BONNET:	serial
WHEELS:	5.0-10
WORKING WIDTH:	70cm.




ENGINE		
HONDA GX 270	Petrol	8,4 HP / 6,3 kW
KD 70 FG6 Stage V	Diesel	6,0 HP / 4,4 kW
KOHLER KD 350 Stage V	Diesel	7,1 HP / 5,3 kW
KOHLER KD 440 Stage V	Diesel	10,1 HP / 7,5 kW
Kama KD 100 Stage V	Diesel	8,6 HP / 6,3 kW



MAIN FEATURES

STARTING:	Electric starter
TRANSMISSION:	gears in oil bath
GEARBOX:	5 speed, 3 forward/ 2 reverse
CLUTCH:	single-plate
DIFFERENTIAL:	w/ blocking and release lever
BRAKES:	mechanicals and independent on every wheel
PTO:	2 speed independent (600 – 900 rpm)
PTO:	1 synchronized w/ trailer
HANDLEBARS:	settable and rotatable up to 180°
SAFETY DEVICE:	combined on clutch
BONNET:	serial
WHEELS:	6.5.0/80-12
WORKING WIDTH:	80-100 cm.



ENGINE		
HONDA GX 630	Petrol	20,8 HP / 15,3 kW
KOHLER KD 440 Stage V	Diesel	10,1 HP / 7,5 kW
HATZ 2G40 (Twin cylinder)	Diesel	21,2 HP / 15,6 kW

