

Programming Paradigms Lab Assignment (CS453)

Assignment Sheet 3 : Class and Object concepts using C++

Develop the below programs using C++. Apply below mentioned features wherever applicable.

- All C++ concepts as mentioned in “Assignment Sheet 2”
- Access Specifier
- Constant data member
- Default Constructor
- Overloaded Constructor
- Copy Constructor
- 'this' pointer
- Assignment(=) operator
- Static member/member function
- Operator overloading : addition(+) operator
- Class Template

Problems

- 1 Write a program to take input of N number of students information such as Name, Age, Department and Year. The student information should be stored in array of Student Class. Print those information in the console. Develop member functions of Student Class such as ReadStudentData(. . .), PrintStudentData(. . .) for this purpose.
- 2 Develop a program of finite(limited) stack where elements to be stored is int.
 - Create a Stack class named MyStack with required data members and member functions. Note that each stack can have different maximum size based on initialization.
 - Develop the below stack routines as member function of the class
 - Push(. . .) : Push element(s) into a particular stack
 - Pop(. . .) : Pop an element from the stack
 - MaxSize(. . .) : Should notify the maximum number of elements the stack can store
 - CurrentSize(. . .) : Should notify the current number of elements in the stack
 - IsEmpty(. . .) : Should notify if the stack is empty
 - Display(. . .) : Should display the current snapshot of the stack content
 - Demonstrate the basic stack functionality using above routines

- Demonstrate that multiple stack can be instantiated and can co-exists independently
-
- Demonstrate that a new stack can be created from an existing class using “copy constructor”
- Demonstrate that an existing stack content can be updated from the content of another stack using “=” operator.
-

3 Modify the Problem 2 to implement a generic stack to store any kind of data types such as int, short, float, double or struct.

4 Modify the Problem 2 with below support -

- Provide a mechanism to maintain the count of stacks created
- Provide a mechanism to update a stack by adding two existing stacks using “+ operator”.

Example code :

```
MyStack aStackA, aStackB, aStackC;
...
aStackC = aStackA + aStackB;
```

- Provide a mechanism to restrict that maximum N stacks can be created
-

5. Design class for Linked list and use it in your program to add two different degree of polynomial expressions.

6. Design a class 'Set' to implement following operations.

- i. Union
- ii. Intersection
- iii. Complement
- iv. Set difference
- v. Test equal sets
- vi. Print Cartesian product (for two sets and more than two sets)
- vii. Display power set
- viii. Test if a set is distinct or not.
- ix. For a set with numeric values, find mean, variance, standard deviation, and median.

7. Design a class 'Matrix' to implement following operations.

- i. Addition
- ii. Multiplication
- iii. Test equal matrices
- iv. Transpose
- v. Create sub matrix depending on user's choice
- vi. Inverse

8. Design a class 'Graph' to implement following operations. Use vertices and edges as objects of set class (in Question No. 6) .

- i. Create sub graph depending on user's choice
- ii. Graph union
- iii. Graph intersection
- iv. Check for a disconnected vertex
- v. Find degree of any node
- vi. At least one path from given two vertices.

9. A screen information is nothing but an image made of thousands of dots known as pixels. For example resolution of 800x600 means the device prepares screen information using $800 \times 600 = 4,80,000$ dots. Create a class 'screen' that contains an 2D array that represents pixels on screen and to be displayed on terminal. Provide the following facilities

- i. A 2D array as data member that stores screen pixels.
- ii. A member function that erases screen.
- iii. User can draw a Line, Pattern or any graphic symbol on the screen such that logic for any graphic symbol or pattern belongs to separate class.

Attempt this when above questions are solved:

iv. On supplying adjacency matrix, user can see graph displayed on the screen. Consider a vertex as a rectangular area of dots and an edge as a straight line. Try to use vertical and horizontal lines as many as possible. For labeling numbers on vertices, use vertical and horizontal straight lines as shown in figure.

