

HTML

PDF

□ □ □ □ □ □ □ □ □ □ □

□□□□□ □□□□□□□

```

tenant admins central
admins support auditors
  1  2  3  4
  5  6  7  8
  9 10 11 12
 13 14 15 16
 17 18 19 20
 21 22 23 24
 25 26 27 28
 29 30 31 32
 33 34 35 36
 37 38 39 40
 41 42 43 44
 45 46 47 48
 49 50 51 52
 53 54 55 56
 57 58 59 60
 61 62 63 64
 65 66 67 68
 69 70 71 72
 73 74 75 76
 77 78 79 80
 81 82 83 84
 85 86 87 88
 89 90 91 92
 93 94 95 96
 97 98 99 100

```

000000

[Login](#)
[2FA](#)
[navigation](#)
[dashboard](#)
[tenant management](#)
[security](#)
[audit logs](#)
[storage](#)
[settings](#)
[alerts](#)
[profile](#)
[API docs](#)
[tools](#)

11

A collection of 100 small squares arranged in a 10x10 grid, representing 100%.

Item Item Item

Item

:

Item

Item

quick access map

Item

Item

Item

Item

Item

Item

Item

Item

Item

Item

Item

Item

Item

Item

Item

Item

Item

Item

Item

Item

Item

Item

Item

Item

Item

Item

Item

Item

Item

Item

login

Item

Item

Item

Item

Item

Item

Item

Item

Item

Item

Item

2FA

Item

Item

Item

Item

Item

Item

Item

Item

Item

Item

Item

Item

Navigation

common controls

Dashboard

Profile settings

API docs

central admins

tenant admins

support

security

Tenant management

Identity and access

Audit logs

Settings

workflows

troubleshooting

route

Storage workspace

Document converter

1.

1.	
2.	Route,
3.	Central login, tenant login, 2FA
4.	Central vs tenant, role

Item	Item
5. Item Item Item	Sidebar, mobile navigation, topbar controls
6. Item Item	Dashboard Item Converter Item Item Item Item
7. Item workflows	Item Item file upload Item 2FA Item PDF generation
8. Troubleshooting	Item Item Item Item Item Item
9. Route and permission matrix	Item Item Item Item permission Item

2. [Item](#) [Item](#) [Item](#)

Item	ROUTE	Item Item	Item Item
Dashboard	/dashboard	Central Item tenant users	Item Item KPIs Item quick actions
Tenant Management	/dashboard/tenants	Central admins	Tenant Item provision Item suspend Item manage
Identity & Access	/dashboard/security	Permission Item users	Users, roles Item permission dictionary
Audit Logs	/dashboard/audit-logs	Logs Item Item users	Live logs, archived logs Item forensic review
Storage	/dashboard/storage	Storage managers	Upload, preview, share, subtitle Item media actions
Settings	/dashboard/settings	Settings permissions Item users	Brand, general, localization Item backup setup
Alerts	/dashboard/alerts	Alert viewers	Critical, warning, info alerts Item Item dismiss
Profile	/dashboard/profile	Authenticated users	Avatar, account info Item 2FA management
API Docs	/dashboard/api-docs	Dashboard users	Swagger testing, bearer token Item tenant header

Icon	ROUTE	Icon	Icon
Converter	/dashboard/tools/converter	Storage permission Icon users	HTML Icon PDF Icon Icon save-to-cloud

CENTRAL CONTEXT

Tenant Management Icon Icon central context Icon
Icon impersonation banner Icon Icon admin Icon
Icon

TENANT CONTEXT

Tenant-side users Icon Icon Icon Icon
Icon central-only modules Icon

ROLE PRIORITY

UI visibility Icon role Icon permission Icon Icon
Icon Icon Icon Icon Icon Icon
Icon Icon

COMMON HELPERS

Search, filters, export, print, copy, refresh, theme toggle
Icon profile controls Icon Icon Icon Icon

3. Icon Icon

3.1 CENTRAL SIGN-IN

1. Icon /sign-in Icon
2. Icon Icon password Icon
3. 2FA Icon Icon Icon Icon
4. Icon Icon Icon /dashboard Icon

3.2 TENANT SIGN-IN

Tenant users ☐ tenant domain ☐ tenant subdomain ☐ ☐ session ☐ ☐ ☐ ☐ ☐ ☐

☐ : tenantapple.localhost ☐ ☐ tenant URL

3.3 TWO-FACTOR AUTHENTICATION

2FA ☐ sign-in ☐ ☐ ☐ Profile > Security ☐ ☐ ☐ QR code, setup key ☐ recovery codes ☐

☐ ☐ ☐ 2FA ☐ ☐ 2FA ☐ ☐ ☐ ☐

3.4 ☐ ☐ ☐

- Authenticated session ☐
- Central ☐ tenant runtime context ☐
- Sidebar ☐ permission ☐ ☐
- Search, notifications, theme ☐ profile controls ☐ topbar ☐ ☐

4. ☐ ☐ ☐ ☐ ☐

☐ ☐	☐	☐	☐
Context-driven access	Central users ☐ tenant users ☐ ☐ ☐	Central-only modules tenant users ☐	Tenant management ☐ central context ☐ ☐
Role and permission gating	Tab, button ☐ page visibility ☐ permission ☐	Buttons hidden ☐ disabled ☐ ☐	Example: manage_alerts, view_logs
Protected actions	Delete, archive, impersonate, suspend ☐ ☐ ☐ ☐ permission ☐	☐ ☐ ☐ ☐ ☐	UI ☐ action-specific gating ☐

□□□ □□□ □□□□ ?

-  context 
- Navigation item  role 
- Feature central-only  tenant-only 

BUTTON  **DISABLED**  ?

- Action   permission 
-   
- Current item  locked  protected  


5. **common controls**

Desktop sidebar

☐ ☐ ☐ ☐ ☐ ☐ ☐ collapse ☐ expand ☐ ☐ ☐ ☐

- Primary navigation, secondary links  Apps & Tools accordion
- Theme toggle  disconnect controls
- Brand logo, sidebar icon  module-specific visibility

Mobile navigation

■■■■ ■■■■ ■■ sidebar ■■■ sheet ■■■■■

- Search-driven menu filtering
- Theme toggle ☐ disconnect
- Permission-based links ☐ ☐ ☐

Topbar controls

Topbar

GLOBAL SEARCH

Icons representing search functionality.

LANGUAGE AND THEME

Language selector and light/dark preference.

NOTIFICATIONS

Alert counter, notifications and shortcut access.

PROFILE AND TOUR

Profile menu, fullscreen and guided system tour.

6. Icons

ROUTE /DASHBOARD

PERMISSION VIEW_SYSTEM_DASHBOARD

CENTRAL AND TENANT

6.1 Dashboard

Dashboard login and navigation links.

Icon	Permissions	Central Users	Operations
Central summary	Tenant counts, revenue intelligence, cluster health, traffic origins, alerts module telemetry	Central users	Operations oversight
Tenant summary	Tenant activity trend, quick actions local visibility widgets	Tenant users	Invite operator role configuration shortcuts
Live activity	Recent audit events runtime changes	Both	Impersonation banner

6.2 Tenant Management

tenant node

central operations workspace

- Search, filters, export, print, copy refresh
- Provision node, inspect node, reconfigure tenant
- Suspend, restore, Super Admin login toggle, edit purge

Tenant context

6.3 Identity & Access

Users, Roles

Permissions

tab

permission

TAB		VISIBILITY	
Operators	Users create/edit/delete lock/unlock impersonate	manage_users or view_users	Status, role, date filters export tools
Roles	Roles edit delete inspect	manage_roles or view_roles	Permission search protected built-in roles
Permissions	Read-only permission dictionary	view_permissions	Scope: central or tenant

6.4 Audit Logs

Audit workspace active live logs archived cold storage logs

- Search, event, module, operator, node, date range filters
- Export, print, copy, refresh
- Archive retention setup, manual archive, archived delete, bulk delete
- Raw payload ☐ forensic inspection

ROUTE /DASHBOARD/STORAGE

PERMISSION MANAGE_STORAGE

CENTRAL AND TENANT

6.5 Storage and Media Workspace

Storage ☐ file manager ☐ media preview ☐ asset reuse ☐☐☐☐ ☐☐ workspace ☐☐

☐	☐ ☐ ☐ ☐ ☐	☐ ☐ ☐ ☐	☐ ☐ ☐ ☐
File views	All, favorites, recent, trash ☐ type filters	Image, video, document, audio, archive, other	Grid ☐ list view ☐ ☐
Folder actions	Create, rename, move, trash, restore, delete forever	Folders	Protected actions ☐ permission ☐ ☐
File actions	Upload, rename, move, share, favorite, trash, restore, force delete	Files	Custom thumbnail ☐ save-to-cloud flows
Preview tools	Image edit, video player, audio player, PDF viewer, subtitles	Media	Crop, resize, filters, HLS, playlist ☐ subtitles

ROUTE /DASHBOARD/SETTINGS

CENTRAL AND TENANT

6.6 Settings

Settings ☐ brand, general, localization ☐ backup tabs ☐☐☐☐☐ ☐ ☐ ☐ ☐☐☐

- **Brand:** logos, favicon, sidebar icon, title, footer text, primary color, typography, auth background, PDF logo, tax ID, header color, OG image
- **General:** sender/support contacts, timezone, currency, date/time format, public registration, enforce global 2FA, maintenance mode, max upload, session timeout
- **Localization:** languages default language translation keys publish project
- **Backups:** daily/weekly/monthly schedule, manual snapshots, download/delete backups

[ROUTE /DASHBOARD/ALERTS](#)

[PERMISSION VIEW_ALERTS](#)

[CENTRAL AND TENANT](#)

6.7 System Alerts

Alerts page critical, warning ☐ info messages ☐ ☐

- Filter by severity
- Dismiss single alert ☐ dismiss all
- manage_alerts ☐ dismiss actions ☐ ☐ disabled ☐

[ROUTE /DASHBOARD/PROFILE](#)

[AUTHENTICATED USERS](#)

6.8 Profile Settings

Profile

- Avatar upload ☐ storage picker
- Name email update
- 2FA enable/disable ☐ password confirmation ☐
- QR code, setup code ☐ recovery codes copy

[ROUTE /DASHBOARD/API-DOCS](#)

[CENTRAL AND TENANT](#)

6.9 API Docs

Swagger-based API docs ☐ token requests

- Central / tenant mode toggle

- hive_token ☐ session ☐ ☐ bearer token auto-fill
- X-Tenant header ☐ tenant context
- Backend docs link, raw spec link ☐ interactive request testing

[ROUTE /DASHBOARD/TOOLS/CONVERTER](#)

[PERMISSION MANAGE_STORAGE](#)

[CENTRAL AND TENANT](#)

6.10 Document Converter

Converter ☐ HTML ☐ ☐ PDF ☐ ☐ tool ☐

- Local HTML upload, cloud HTML select ☐ IDE mode
- Extra assets upload/select
- Paper size, orientation, margins ☐ print backgrounds settings
- PDF preview ☐ save-to-cloud

7. ☐ ☐ ☐

Workflow A. ☐ ☐ ☐ ☐ 2FA ☐

- 1

☐ /sign-in ☐
- 2

☐ ☐ ☐
- 3

2FA code ☐ ☐
- 4

Dashboard ☐ ☐ modules ☐

Workflow B. operator

- 1 Security > Operators tab
- 2 Create user
- 3 Role status
- 4 login

Workflow C. Tenant node provision

- 1 Tenant Management
- 2 Provision node
- 3 Tenant configuration
- 4 Status generated node

Workflow D. File upload

- 1 Storage
- 2 Folder folder
- 3 Upload file optional thumbnail
- 4 Preview, share, favorite, move trash actions

Workflow E. 2FA > Profile

- 1 Profile > Security tab
- 2 Enable 2FA password
- 3 QR setup key
- 4 Recovery codes

Workflow F. PDF > Converter

- 1 Converter
- 2 HTML source
- 3 Paper size, margins background options
- 4 Preview PDF cloud

8. >

Login	Wrong credentials inactive account	/password account status	2FA redirect
2FA code	Authenticator clock drift wrong account	recovery code	Profile Security setup

UI	UI Context / UI Element	UI Context / UI Element	UI Context / UI Element
Module []	Permission [] context []	Role [] assigned permissions []	Central-only modules tenant users []
Action button disabled []	Manage permission [] [] item protected []	Action-specific permission []	Example: delete, archive, impersonate []
Storage upload []	File too large [] unsupported state	General settings [] max upload []	Folder permission [] network [] [] []
Alert dismiss []	manage_alerts []	Role [] permission []	View-only users [] [] []

9. Route and Permission Matrix

UI / TOOL	ROUTE	UI VISIBILITY RULE	UI PERMISSION [] []
Dashboard	/dashboard	view_system_dashboard	Quick actions [] tenant, settings [] backup permissions []
Tenant Management	/dashboard/tenants	manage_tenants or view_tenants	Create, edit, suspend, Super Admin toggle, delete
Security - Operators	/dashboard/security?tab=users	manage_users or view_users	Create, edit, delete, lock/unlock, impersonate
Security - Roles	/dashboard/security?tab=roles	manage_roles or view_roles	Create, edit, delete
Security - Permissions	/dashboard/security?tab=permissions	view_permissions	Mainly read-only plus table tools
Audit Logs	/dashboard/audit-logs	view_logs	Export, archive, delete archived logs
Storage	/dashboard/storage	manage_storage	File actions, media tools, converter access

